

Water Division IV
District 6

Green River Basin, Wyoming; Key Structures and Diversions
Description and Operation Memorandum

Big Sandy Ditch, Big Sandy River

Diversion Description: Diversion consists of a wood headgate. No diversion dam exists.¹

Diversion Location:

Source: Big Sandy River, Trib. Green River

Section, Township, Range: 14, 30, 105

Conveyance Description: Open Channel Canal, approximately 5.5 miles in length.¹

Wyoming Water Rights Summary:

| Priority Date (M-D-Y) | Permit Number | Permitted Use | Acres | Flow (cfs) | Cumulative Flow (cfs) | Comments |
|--------------------------|------------------|-----------------------------------|--------|---------------|--------------------------|-------------------------------------------|
| 12-12-1900 | 2957 | Irrigation | 33.00 | 0.47 | 0.47 | Originally named Johnson & Gasswint Ditch |
| 11-25-1901 | 3566 | Domestic, Irrigation, Stock | 350.00 | 5.00 | 5.47 | POD/MOC change from Tunnel Ditch |
| 09-04-1905 | 1427E | Domestic, Irrigation, Stock | 516.00 | 7.36 | 12.83 | Originally named Johnson & Gasswint Ditch |
| 01-06-1915 | 3100E | Irrigation | 20.00 | 0.29 | 13.12 | Originally named Johnson & Gasswint Ditch |

Storage Rights: None.

Estimated Canal Losses: Typical (10%).¹

Irrigation Practices: Information not available at time of report.

Crop Types / Consumptive Use: Information not available at time of report.

Return Flows: Return flows are delivered to Big Sandy River at Water Hole Draw.²

Other Operational Information: Information not available at time of report.

Sources: 1) Loren Smith, Wyoming State Engineer's Office, Fax, June 9, 2000.
2) Williams, Linda I., "A Model of the Green River Using the Wyoming Integrated River System Operation Study (WIRSOS)," M.S. Thesis, University of Wyoming, Department of Civil Engineering. December 1995.

Green River Basin, Wyoming; Key Structures and Diversions
Description and Operation Memorandum

Big Sandy Ditch, Big Sandy River, Diversion Data

| Wateryear | May | | June | | July | | August | | September | |
|-----------|---------------|--------------------|---------------|--------------------|---------------|--------------------|---------------|--------------------|---------------|--------------------|
| | Average (cfs) | Monthly Total (AF) | Average (cfs) | Monthly Total (AF) | Average (cfs) | Monthly Total (AF) | Average (cfs) | Monthly Total (AF) | Average (cfs) | Monthly Total (AF) |
| 1975 | | | <i>14.12</i> | <i>840.26</i> | <i>17.48</i> | <i>1,075.04</i> | <i>4.94</i> | <i>303.47</i> | <i>4.47</i> | <i>265.78</i> |
| 1976 | <i>6.53</i> | <i>401.77</i> | <i>12.48</i> | <i>742.39</i> | <i>8.67</i> | <i>532.96</i> | <i>3.39</i> | <i>208.32</i> | <i>3.10</i> | <i>184.46</i> |
| 1978 | <i>11.45</i> | <i>704.13</i> | <i>16.63</i> | <i>989.75</i> | <i>11.71</i> | <i>720.00</i> | | | <i>4.70</i> | <i>279.67</i> |
| 1980 | | | <i>10.74</i> | <i>639.07</i> | <i>8.36</i> | <i>514.04</i> | <i>6.33</i> | <i>389.22</i> | <i>4.65</i> | <i>276.69</i> |
| 1981 | | | | | | | | | | |
| 1982 | | | <i>27.33</i> | <i>1,626.25</i> | <i>17.76</i> | <i>1,092.02</i> | <i>5.24</i> | <i>322.20</i> | | |
| 1983 | | | <i>10.34</i> | <i>615.27</i> | <i>9.42</i> | <i>579.21</i> | <i>4.60</i> | <i>282.84</i> | | |
| 1984 | | | <i>11.06</i> | <i>658.12</i> | <i>5.57</i> | <i>342.49</i> | | | | |
| 1985 | | | | | | | | | | |
| 1986 | | | | | | | | | | |
| 1987 | | | | | | | | | | |
| 1988 | | | | | | | | | | |
| 1989 | | | | | | | | | | |
| 1990 | | | | | | | | | | |
| 1991 | | | | | | | | | | |
| 1992 | | | | | | | | | | |
| 1993 | | | | | | | | | | |
| 1994 | | | | | | | | | | |
| 1995 | | | | | | | | | | |
| 1996 | | | <i>4.82</i> | <i>286.81</i> | | | | | <i>4.10</i> | <i>243.97</i> |
| 1997 | | | | | | | | | | |
| 1998 | | | | | | | <i>8.92</i> | <i>548.47</i> | <i>3.61</i> | <i>214.81</i> |

| | | | | | | | | | | |
|-----------|------|--------|-------|--------|-------|--------|------|--------|------|--------|
| Averages: | 8.99 | 552.95 | 13.44 | 799.74 | 11.28 | 693.68 | 5.57 | 342.42 | 4.10 | 244.23 |
|-----------|------|--------|-------|--------|-------|--------|------|--------|------|--------|

Data in italics from USGS gaging station 006140.00, see attached data sheets.

Blank cells are due to missing/insufficient data.

Average = Average Flow for ENTIRE month. Monthly Total = Total Volume used during month.

See Methodology section for explanations.

Spot data readings used in calculating averages in table on following pages.

Green River Basin, Wyoming; Key Structures and Diversions
Description and Operation Memorandum

Big Sandy Ditch, Big Sandy River, Diversion Data

Data:

1980: 5/20, 6 cfs; 5/29, 5 cfs; 6/3, 7 cfs; 6/10, 11 cfs; 6/17, 9 cfs; 6/18, 13 cfs; 6/23, 13 cfs; 7/9, 11 cfs;
7/15, 8 cfs; 7/24, 6 cfs; 7/28, 6 cfs; 8/8, 5 cfs; 8/12, 5 cfs; 8/21, 8 cfs; 9/22, 4 cfs; 9/29, 4 cfs.
1982 (all est): 6/3, 30 cfs; 6/22, 30 cfs; 7/8, 22 cfs; 7/12, 15 cfs; 7/23, 20 cfs; 8/5, off; 8/30, 12 cfs.
1983: 5/17, off; 6/17, 12 cfs; 6/29, 12 cfs; 7/19, 9 cfs; 7/27, 8 cfs; 8/22, 3 cfs; 9/12, 6 cfs.
1984: 6/1, 12 cfs; 6/12, 10 cfs; 6/29, 12 cfs; 7/5, 11 cfs; 7/20, 1.5 cfs (est); 7/25, 3 cfs (est); 9/25, 6 cfs.
1996: 6/11, 5 cfs (est); 6/28, 12 cfs (est); 9/4, 7.5 cfs (est); 9/24, 4.8 cfs.
1997: 7/21, 9.4 cfs; 8/1, 10.1 cfs; 8/11, 10.5 cfs (est).
1998: 5/13, 8 cfs (est); 7/29, 11.9 cfs; 8/20, 8 cfs (est); 9/17, 6.6 cfs.

Supply: 1980, average; 1981, slightly below average; 1982, average; 1983, above average; 1984, above average; 1985, slightly below average; 1986, average; 1987, average; 1988, below average; 1989, below average; 1990, below average; 1991, slightly below average; 1992, below average; 1993, slightly below average; 1994, below average; 1995, slightly above average; 1996, average; 1997, average; 1998, slightly above average.

Source: State Engineer's Office, Annual Hydrographers' Reports.

Green River Basin, Wyoming; Key Structures and Diversions
Description and Operation Memorandum

Big Sandy Ditch, Big Sandy River, Diversion Data

BIG SANDY RIVER - BIG SANDY DITCH
 LATITUDE 0-00-00 LONGITUDE 0-00-00
 SECTION 0 TOWNSHIP 0 ,RANGE 0 P.M.
 ELEVATION UNKNOWN DRAINAGE AREA UNKNOWN
 NONCONTRIBUTING AREA UNKNOWN BASIN UNKNOWN
 DATA FROM WATER COMMISSIONERS (P)

STATION NO. 006140.00

| MEAN DAILY FLOW IN CFS BY WATER YEAR | | | | | | | | | | | | | |
|--------------------------------------|-----|-----|-----|-----|-----|-----|-----|---------|--------|---------|--------|---------|-----|
| 1975 | | | | | | | | | | | | | |
| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUNE | JULY | AUG | SEPT | DAY |
| 1 | ** | ** | ** | ** | ** | ** | ** | ** | 10.00 | 13.60 | 5.00 | 3.00 | 1 |
| 2 | ** | ** | ** | ** | ** | ** | ** | ** | 10.00 | 13.50 | 5.00 | 3.00 | 2 |
| 3 | ** | ** | ** | ** | ** | ** | ** | ** | 10.00 | 13.50 | 5.00 | 3.00 | 3 |
| 4 | ** | ** | ** | ** | ** | ** | ** | ** | 15.25 | 13.50 | 5.00 | ** | 4 |
| 5 | ** | ** | ** | ** | ** | ** | ** | ** | 15.00 | 13.50 | 5.00 | ** | 5 |
| 6 | ** | ** | ** | ** | ** | ** | ** | ** | 15.00 | 13.50 | 5.00 | ** | 6 |
| 7 | ** | ** | ** | ** | ** | ** | ** | ** | 12.00 | 13.50 | 5.00 | ** | 7 |
| 8 | ** | ** | ** | ** | ** | ** | ** | ** | 12.00 | 13.50 | 5.00 | ** | 8 |
| 9 | ** | ** | ** | ** | ** | ** | ** | ** | 11.00 | 13.30 | 5.00 | ** | 9 |
| 10 | ** | ** | ** | ** | ** | ** | ** | ** | 11.00 | 13.30 | 5.00 | ** | 10 |
| 11 | ** | ** | ** | ** | ** | ** | ** | ** | 10.81 | 21.30 | 5.00 | ** | 11 |
| 12 | ** | ** | ** | ** | ** | ** | ** | ** | 11.00 | 21.30 | 5.00 | ** | 12 |
| 13 | ** | ** | ** | ** | ** | ** | ** | ** | 12.00 | 21.30 | 5.00 | 10.00 | 13 |
| 14 | ** | ** | ** | ** | ** | ** | ** | ** | 13.00 | 21.30 | 5.00 | 10.00 | 14 |
| 15 | ** | ** | ** | ** | ** | ** | ** | ** | 13.00 | 21.30 | 5.00 | 9.00 | 15 |
| 16 | ** | ** | ** | ** | ** | ** | ** | ** | 14.00 | 21.30 | 5.00 | 9.00 | 16 |
| 17 | ** | ** | ** | ** | ** | ** | ** | ** | 14.00 | 21.30 | 5.00 | 9.00 | 17 |
| 18 | ** | ** | ** | ** | ** | ** | ** | ** | 15.00 | 21.30 | 5.00 | 8.00 | 18 |
| 19 | ** | ** | ** | ** | ** | ** | ** | 9.11 | 15.00 | 21.30 | 5.00 | 8.00 | 19 |
| 20 | ** | ** | ** | ** | ** | ** | ** | ** | 15.50 | 21.30 | 5.00 | 7.00 | 20 |
| 21 | ** | ** | ** | ** | ** | ** | ** | ** | 16.00 | 21.30 | 5.00 | 7.00 | 21 |
| 22 | ** | ** | ** | ** | ** | ** | ** | 9.11 | 16.00 | 21.00 | 5.00 | 6.00 | 22 |
| 23 | ** | ** | ** | ** | ** | ** | ** | 9.00 | 16.00 | 21.00 | 5.00 | 6.00 | 23 |
| 24 | ** | ** | ** | ** | ** | ** | ** | 9.00 | 18.00 | 21.00 | 5.00 | 6.00 | 24 |
| 25 | ** | ** | ** | ** | ** | ** | ** | 9.00 | 18.07 | 20.00 | 5.00 | 5.00 | 25 |
| 26 | ** | ** | ** | ** | ** | ** | ** | 9.00 | 18.00 | 19.00 | 5.00 | 5.00 | 26 |
| 27 | ** | ** | ** | ** | ** | ** | ** | 9.00 | 18.00 | 18.00 | 5.00 | 5.00 | 27 |
| 28 | ** | ** | ** | ** | ** | ** | ** | 9.50 | 17.00 | 17.00 | 5.00 | 5.00 | 28 |
| 29 | ** | ** | ** | ** | ** | ** | ** | 9.78 | 17.00 | 16.00 | 5.00 | 5.00 | 29 |
| 30 | ** | ** | ** | ** | ** | ** | ** | 10.00 | 15.00 | 15.00 | 4.00 | 5.00 | 30 |
| 31 | ** | ** | ** | ** | ** | ** | ** | 10.00 | ** | 5.00 | 4.00 | ** | 31 |
| TOTAL | ** | ** | ** | ** | ** | ** | ** | 102.50* | 423.63 | 542.00 | 153.00 | 134.00* | |
| MEAN | ** | ** | ** | ** | ** | ** | ** | 9.32* | 14.12 | 17.48 | 4.94 | 6.38* | |
| AC-FT | ** | ** | ** | ** | ** | ** | ** | 203.31* | 840.26 | 1075.04 | 303.47 | 265.78* | |

** INDICATES
MISSING DATA

* INDICATES
COMPUTED FROM
INCOMPLETE DATA

E INDICATES
ESTIMATED
VALUE

Green River Basin, Wyoming; Key Structures and Diversions
Description and Operation Memorandum

Big Sandy Ditch, Big Sandy River, Diversion Data

BIG SANDY RIVER - BIG SANDY DITCH

STATION NO. 006140.00

LATITUDE 0-00-00 LONGITUDE 0-00-00

SECTION 0 TOWNSHIP 0 ,RANGE 0 P.M.

ELEVATION UNKNOWN DRAINAGE AREA UNKNOWN

NONCONTRIBUTING AREA UNKNOWN BASIN UNKNOWN

DATA FROM WATER COMMISSIONERS (P)

| MEAN DAILY FLOW IN CFS BY WATER YEAR | | | | | | | | | | | | | |
|--------------------------------------|-----|-----|-----|-----|-----|-----|-----|---------|---------|--------|--------|--------|-----|
| 1976 | | | | | | | | | | | | | |
| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUNE | JULY | AUG | SEPT | DAY |
| 1 | ** | ** | ** | ** | ** | ** | ** | ** | ** | 18.6 | 3 | 4 | 1 |
| 2 | ** | ** | ** | ** | ** | ** | ** | ** | ** | 19 | 3 | 4.07 | 2 |
| 3 | ** | ** | ** | ** | ** | ** | ** | ** | ** | 19 | 3 | 4 | 3 |
| 4 | ** | ** | ** | ** | ** | ** | ** | ** | ** | 18 | 3 | 3 | 4 |
| 5 | ** | ** | ** | ** | ** | ** | ** | ** | ** | 18 | 3.2 | 3 | 5 |
| 6 | ** | ** | ** | ** | ** | ** | ** | ** | ** | 18 | 3 | 2 | 6 |
| 7 | ** | ** | ** | ** | ** | ** | ** | ** | ** | 17.5 | 3 | 2 | 7 |
| 8 | ** | ** | ** | ** | ** | ** | ** | ** | ** | 17 | 3 | 2 | 8 |
| 9 | ** | ** | ** | ** | ** | ** | ** | ** | ** | 16 | 3 | 1 | 9 |
| 10 | ** | ** | ** | ** | ** | ** | ** | ** | 20.22 | 15 | 3.2 | 1 | 10 |
| 11 | ** | ** | ** | ** | ** | ** | ** | ** | 20 | 13 | 3 | 3 | 11 |
| 12 | ** | ** | ** | ** | ** | ** | ** | ** | 20 | 10 | 3 | 3 | 12 |
| 13 | ** | ** | ** | ** | ** | ** | ** | 9.95 | 18 | 9 | 3 | 3 | 13 |
| 14 | ** | ** | ** | ** | ** | ** | ** | 10 | 16 | 9 | 3 | 3 | 14 |
| 15 | ** | ** | ** | ** | ** | ** | ** | 10 | 16 | 3.2 | 3 | 3 | 15 |
| 16 | ** | ** | ** | ** | ** | ** | ** | 11 | 16 | 3 | 3 | 3.48 | 16 |
| 17 | ** | ** | ** | ** | ** | ** | ** | 11 | 16 | 3 | 3.2 | 4 | 17 |
| 18 | ** | ** | ** | ** | ** | ** | ** | 12 | 17 | 3 | 3 | 4 | 18 |
| 19 | ** | ** | ** | ** | ** | ** | ** | 12 | 17 | 3.2 | 3 | 4 | 19 |
| 20 | ** | ** | ** | ** | ** | ** | ** | 12.61 | 18 | 3 | 3.2 | 4 | 20 |
| 21 | ** | ** | ** | ** | ** | ** | ** | 13 | 18 | 3 | 3 | 3 | 21 |
| 22 | ** | ** | ** | ** | ** | ** | ** | 13 | 18 | 3 | 3 | 3 | 22 |
| 23 | ** | ** | ** | ** | ** | ** | ** | 14 | 18 | 3 | 3.2 | 3 | 23 |
| 24 | ** | ** | ** | ** | ** | ** | ** | 14 | 18.07 | 3 | 3 | 3.2 | 24 |
| 25 | ** | ** | ** | ** | ** | ** | ** | 15 | 18 | 3 | 3 | 3 | 25 |
| 26 | ** | ** | ** | ** | ** | ** | ** | 15 | 18 | 3 | 5.03 | 3 | 26 |
| 27 | ** | ** | ** | ** | ** | ** | ** | 15 | 18 | 3 | 5 | 3 | 27 |
| 28 | ** | ** | ** | ** | ** | ** | ** | 15 | 18 | 3 | 5 | 3 | 28 |
| 29 | ** | ** | ** | ** | ** | ** | ** | ** | 18 | 3.2 | 5 | 3 | 29 |
| 30 | ** | ** | ** | ** | ** | ** | ** | ** | 18 | 3 | 5 | 5.25 | 30 |
| 31 | ** | ** | ** | ** | ** | ** | ** | ** | ** | 3 | 4 | ** | 31 |
| TOTAL | ** | ** | ** | ** | ** | ** | ** | 202.56* | 374.29* | 268.7 | 105.03 | 93 | |
| MEAN | ** | ** | ** | ** | ** | ** | ** | 12.66* | 17.82* | 8.67 | 3.39 | 3.1 | |
| AC-FT | ** | ** | ** | ** | ** | ** | ** | 401.77* | 742.39* | 532.96 | 208.32 | 184.46 | |

** INDICATES MISSING DATA

* INDICATES COMPUTED FROM INCOMPLETE DATA

E INDICATES ESTIMATED VALUE

Green River Basin, Wyoming; Key Structures and Diversions
Description and Operation Memorandum

Big Sandy Ditch, Big Sandy River, Diversion Data

BIG SANDY RIVER - BIG SANDY DITCH

STATION NO. 006140.00

LATITUDE 0-00-00 LONGITUDE 0-00-00

SECTION 0 TOWNSHIP 0 ,RANGE 0 P.M.

ELEVATION UNKNOWN DRAINAGE AREA UNKNOWN

NONCONTRIBUTING AREA UNKNOWN BASIN UNKNOWN

DATA FROM WATER COMMISSIONERS (P)

| MEAN DAILY FLOW IN CFS BY WATER YEAR | | | | | | | | | | | | | |
|--------------------------------------|-----|-----|-----|-----|-----|-----|-----|--------|--------|---------|-----|---------|-----|
| 1978 | | | | | | | | | | | | | |
| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUNE | JULY | AUG | SEPT | DAY |
| 1 | ** | ** | ** | ** | ** | ** | ** | 8 | 16 | 16 | ** | ** | 1 |
| 2 | ** | ** | ** | ** | ** | ** | ** | 8 | 16 | 16 | ** | ** | 2 |
| 3 | ** | ** | ** | ** | ** | ** | ** | 8 | 16 | 16 | ** | ** | 3 |
| 4 | ** | ** | ** | ** | ** | ** | ** | 8 | 16 | 16 | ** | ** | 4 |
| 5 | ** | ** | ** | ** | ** | ** | ** | 8 | 16 | 16 | ** | 5 | 5 |
| 6 | ** | ** | ** | ** | ** | ** | ** | 8 | 16 | 15 | ** | 5 | 6 |
| 7 | ** | ** | ** | ** | ** | ** | ** | 8 | 16 | 15 | ** | 5 | 7 |
| 8 | ** | ** | ** | ** | ** | ** | ** | 9 | 16 | 15 | ** | 5 | 8 |
| 9 | ** | ** | ** | ** | ** | ** | ** | 9 | 16 | 14 | ** | 5 | 9 |
| 10 | ** | ** | ** | ** | ** | ** | ** | 10 | 16 | 14 | ** | 5 | 10 |
| 11 | ** | ** | ** | ** | ** | ** | ** | 10 | 16 | 14 | ** | 5 | 11 |
| 12 | ** | ** | ** | ** | ** | ** | ** | 10 | 16 | 14 | ** | 5 | 12 |
| 13 | ** | ** | ** | ** | ** | ** | ** | 10 | 16 | 14 | ** | 5 | 13 |
| 14 | ** | ** | ** | ** | ** | ** | ** | 10 | 16 | 14 | ** | 5 | 14 |
| 15 | ** | ** | ** | ** | ** | ** | ** | 11 | 16 | 14 | ** | 5 | 15 |
| 16 | ** | ** | ** | ** | ** | ** | ** | 11 | 17 | 14 | ** | 5 | 16 |
| 17 | ** | ** | ** | ** | ** | ** | ** | 12 | 17 | 14 | ** | 5 | 17 |
| 18 | ** | ** | ** | ** | ** | ** | ** | 12 | 17 | 14 | ** | 5 | 18 |
| 19 | ** | ** | ** | ** | ** | ** | ** | 13 | 17 | 13 | ** | 5 | 19 |
| 20 | ** | ** | ** | ** | ** | ** | ** | 13 | 18 | 13 | ** | 6 | 20 |
| 21 | ** | ** | ** | ** | ** | ** | ** | 14 | 19 | 13 | ** | 7 | 21 |
| 22 | ** | ** | ** | ** | ** | ** | ** | 14 | 19 | 13 | ** | 7 | 22 |
| 23 | ** | ** | ** | ** | ** | ** | ** | 14 | 19 | 12 | ** | 7 | 23 |
| 24 | ** | ** | ** | ** | ** | ** | ** | 14 | 18 | 12 | ** | 7 | 24 |
| 25 | ** | ** | ** | ** | ** | ** | ** | 14 | 17 | 11 | ** | 6 | 25 |
| 26 | ** | ** | ** | ** | ** | ** | ** | 14 | 17 | 11 | ** | 6 | 26 |
| 27 | ** | ** | ** | ** | ** | ** | ** | 14 | 16 | ** | ** | 5 | 27 |
| 28 | ** | ** | ** | ** | ** | ** | ** | 15 | 16 | ** | ** | 5 | 28 |
| 29 | ** | ** | ** | ** | | ** | ** | 15 | 16 | ** | ** | 5 | 29 |
| 30 | ** | ** | ** | ** | | ** | ** | 15 | 16 | ** | ** | 5 | 30 |
| 31 | ** | | ** | ** | | ** | | 16 | | ** | ** | | 31 |
| TOTAL | ** | ** | ** | ** | ** | ** | ** | 355 | 499 | 363.00* | ** | 141.00* | |
| MEAN | ** | ** | ** | ** | ** | ** | ** | 11.45 | 16.63 | 13.96* | ** | 5.42* | |
| AC-FT | ** | ** | ** | ** | ** | ** | ** | 704.13 | 989.75 | 720.00* | ** | 279.67* | |

** INDICATES MISSING DATA

* INDICATES COMPUTED FROM INCOMPLETE DATA

E INDICATES ESTIMATED VALUE

Source: Wyoming Water Resources Data System, March 20, 2000.

Green River Basin, Wyoming; Key Structures and Diversions
Description and Operation Memorandum

Continental Divide Ditch, Little Sandy Creek

Diversion Description: Diversion consists of a single 36" diameter Waterman slide gate. No diversion dam exists.¹

Diversion Location:

Source: Little Sandy Creek, Trib. Big Sandy River, Trib. Green River
Section, Township, Range: 25, 30, 104

Conveyance Description: Open Channel Canal, approximately 8 miles in length.¹

Wyoming Water Rights Summary:

| Priority Date (M-D-Y) | Permit Number | Permitted Use | Acres | Flow (cfs) | Cumulative Flow (cfs) | Comments |
|--------------------------|------------------|-----------------------------------|--------|---------------|--------------------------|-------------------------------------|
| 05-19-1902 | 3918 | Domestic, Irrigation, Stock | 455.00 | 6.50 | 6.50 | |
| 09-07-1905 | 1422E | Irrigation, Stock | 268.00 | 3.83 | 10.33 | |
| 12-17-1909 | 2140E | Irrigation, Stock | 204.50 | 2.92 | 13.25 | Permitted name: Enl. Continental |

Storage Rights: None.

Estimated Canal Losses: Higher than typical losses (25%) exist.¹

Irrigation Practices: Information not available at time of report.

Crop Types / Consumptive Use: Information not available at time of report.

Return Flows: Return flows are delivered to Little Sandy Creek near Zemba Ditch.²

Other Operational Information:

Sources: 1) Loren Smith, Wyoming State Engineer's Office, Fax, June 9, 2000.
2) Williams, Linda I., "A Model of the Green River Using the Wyoming Integrated River System Operation Study (WIRSOS)," M.S. Thesis, University of Wyoming, Department of Civil Engineering, December 1995.

Green River Basin, Wyoming; Key Structures and Diversions
Description and Operation Memorandum

Continental Divide Ditch, Little Sandy Creek, Diversion Data

| Wateryear | May | | June | | July | | August | | September | |
|-----------|---------------|--------------------|---------------|--------------------|---------------|--------------------|---------------|--------------------|---------------|--------------------|
| | Average (cfs) | Monthly Total (AF) | Average (cfs) | Monthly Total (AF) | Average (cfs) | Monthly Total (AF) | Average (cfs) | Monthly Total (AF) | Average (cfs) | Monthly Total (AF) |
| 1980 | | | | | | | | | | |
| 1981 | | | | | | | | | | |
| 1982 | | | | | | 8.49 | 522.31 | | | |
| 1983 | | | | | | | | | | |
| 1984 | | | | | | 4.52 | 277.69 | | | |
| 1985 | | | | | | | | | | |
| 1986 | | | | | | | | | | |
| 1987 | | | | | | | | | | |
| 1988 | | | | | | | | | | |
| 1989 | | | | | | | | | | |
| 1990 | | | | | | | | | | |
| 1991 | | | | | | | | | | |
| 1992 | | | 8.77 | 521.85 | 4.85 | 298.21 | 2.28 | 140.47 | | |
| 1993 | | | 8.24 | 490.31 | 7.54 | 463.62 | 8.67 | 533.10 | 7.93 | 471.87 |
| 1994 | | | | | 5.15 | 316.61 | 4.47 | 274.85 | 1.25 | 74.38 |
| 1995 | | | | | | | | | | |
| 1996 | | | 5.77 | 343.34 | 4.32 | 265.63 | 3.62 | 222.59 | 2.49 | 148.17 |
| 1997 | | | | | 5.60 | 344.50 | 4.33 | 266.23 | | |
| 1998 | 3.06 | 188.15 | | | | | 3.99 | 245.34 | 1.68 | 99.97 |

Averages:

| | | | | | | | | | |
|------|--------|------|--------|------|--------|------|--------|------|--------|
| 3.06 | 188.15 | 7.59 | 451.83 | 5.78 | 355.51 | 4.56 | 280.43 | 3.34 | 198.60 |
|------|--------|------|--------|------|--------|------|--------|------|--------|

Blank cells are due to missing/insufficient data.

Average = Average Flow for ENTIRE month. Monthly Total = Total Volume used during month.

See Methodology section for explanations.

Spot data readings used in calculating averages in table on following pages.

Green River Basin, Wyoming; Key Structures and Diversions
Description and Operation Memorandum

Continental Divide Ditch, Little Sandy Creek, Diversion Data

Data:

1980: 6/11, off.

1982: 7/12, 14 cfs; 8/5, 12 cfs.

1983: 6/29, 12 cfs; 7/7, 13 cfs; 9/12, 11 cfs.

1984: 7/5, 8 cfs; 7/25, 6 cfs.

1992: 5/26, 5.5 cfs; 6/18, 10.5 cfs; 7/15, 4.0 cfs; 8/25, 4.8 cfs; 10/8, 5.0 cfs.

1993: 5/24, 8.30 cfs; 7/1, 8.20 cfs; 8/3, 6.80 cfs; 8/26, 10.20 cfs; 9/30, 6.80 cfs.

1994: 5/11, 12.30 cfs; 7/5, 6.10 cfs; 7/7, dry; 7/12, 6.50 cfs; 8/3, 7.30 cfs; 9/7, dry; 9/22, 4.50 cfs.

1995: 6/22, 21.8 cfs; 8/17, 18.9 cfs; 9/15, 12.9 cfs.

1996: 5/20, 5.3 cfs; 6/28, 6 cfs (est); 7/31, 3 cfs (est); 8/23, 4 cfs (est); 9/24, 3 cfs (est).

1997: 6/16, 11.4 cfs; 7/2, 8.7 cfs; 7/21, 4.2 cfs; 8/1, 3.5 cfs; 8/11, 5 cfs (est); 8/26, 4.3 cfs; 9/11, 0.9 cfs.

1998: 5/13, 5.1 cfs; 6/8, 4.8 cfs; 7/29, 5.5 cfs; 8/20, 3.5 cfs; 9/17, 3 cfs (est).

Supply: 1980, average; 1981, slightly below average; 1982, average; 1983, above average; 1984, above average; 1985, slightly below average; 1986, average; 1987, average; 1988, below average; 1989, below average; 1990, below average; 1991, slightly below average; 1992, below average; 1993, slightly below average; 1994, below average; 1995, slightly above average; 1996, average; 1997, average; 1998, slightly above average.

Source: State Engineer's Office, Annual Hydrographers' Reports.

Green River Basin, Wyoming; Key Structures and Diversions
Description and Operation Memorandum

Eden Valley Irrigation and Drainage District Ditches:

Means Canal, Eden Canal, Little Sandy Canal, Eden Lateral, West Side Lateral, Farson Lateral, M-Gates, Hay Ditch

Diversion Description: Eden Valley Irrigation and Drainage District – major canals: Means Canal, Eden Canal, Little Sandy Canal, Eden Lateral, West Side Lateral, Farson Lateral, M-Gates and Hay Ditch (Lateral). The Little Sandy Diversion diverts from Little Sandy River into Eden Reservoir.



Sandy

Dam

in the
of 635
lined
and an

Means Canal is controlled by slide gates Big Sandy Reservoir Dam with a capacity cfs.² Eden Reservoir outlet is a concrete tunnel with constant head orifice gates overflow structure. The West Side Canal diverts from the Means Canal through two 48” gates. Diversion into the Eden Canal and Farson Lateral is via large (6 to 10 foot) radial gates.¹

Means Canal

Diversion Location:

Source: Big Sandy and Little Sandy Rivers

Section, Township, Range: Means Canal, 11, 26, 106; Eden Canal, 30, 26, 105; Little Sandy Canal, 20, 26, 105; Eden Lateral, 1, 24, 106; West Side Lateral, 13, 26, 106; Farson Lateral, 30, 26, 105; M-Gates, 25, 26, 106; Hay Ditch, 1, 24, 106.

Conveyance Description: Earthen Canals, approximate lengths: Means Canal, 6 miles; Eden Canal, 10.8 miles; Little Sandy Canal, 1.5 miles; Eden Lateral, 8 miles; West Side Lateral, 12 miles; Farson Lateral, 4 miles; M-Gates, 5 miles; Hay Ditch, 7 miles.

Wyoming Water Rights Summary:

Eden Number 1 Ditch

| Priority Date (M-D-Y) | Permit Number | Permitted Use | Acres | Flow (cfs) | Cumulative Flow (cfs) | Comments |
|-----------------------|---------------|-----------------------------|----------|------------|-----------------------|--------------------------------------------------------------------------------------------------------------------|
| 11-24-1903 | 5718 | Domestic, Irrigation | 8,007.64 | 114.29 | 114.29 | |
| 12-30-1905 | 16814 | Domestic, Irrigation, Stock | | | 114.29 | Secondary Supply stored in Eden Valley Irrigation and Land Company No. 1 Reservoir (818R) (17,009.26 acres served) |

Green River Basin, Wyoming; Key Structures and Diversions
Description and Operation Memorandum

Eden Valley Irrigation and Drainage District Ditches:

Means Canal, Eden Canal, Little Sandy Canal, Eden Lateral, West Side Lateral, Farson Lateral, M-Gates, Hay Ditch

Means Canal

| Priority Date (M-D-Y) | Permit Number | Permitted Use | Acres | Flow (cfs) | Cumulative Flow (cfs) | Comments |
|-----------------------|---------------|----------------------------------------|----------|------------|-----------------------|--------------------------------------------------------------------------------|
| 11-24-1903 | 5718 | Domestic, Irrigation, Stock | 9,041.62 | 129.01 | 129.01 | POD/MOC change from Eden No. 1 Canal. |
| 04-24-1952 | 21403 | Domestic, Irrigation, Stock, Municipal | | | 129.01 | Secondary Supply stored in Big Sandy Reservoir (947R) (17,009.26 acres served) |

Storage Rights: Big Sandy Reservoir (947R) and Eden Reservoir (818R).

Estimated Canal Losses: All typical except Eden Canal, which is in sandy soil and is excessive (22-30%) and West Side, which can be considered excessive at 15-18%.¹

Irrigation Practices: District currently undergoing voluntary modifications from historic flood irrigation practices to gated pipe, border and row, and center pivots for salinity reduction purposes. Currently, about 8,700 acres out of 17,000 have been so modified.³

Crop Types / Consumptive Use: Irrigators typically rotate among several crops. Averages for the period 1989-1999 are: 55% grass hay, 26% alfalfa, 16% irrigated pasture, 1% each of silage, oats and barley. Occasional corn crops.

Return Flows: Means and Little Sandy canals have no returns; they deliver water to other canals. Eden Canal, Eden Lateral and Hay Ditch return to Bone Draw; Farson Lateral returns to Little Sandy River above Highway 187; M-Gates return 50% to Big Sandy River above Highway 187 and 50% to Little Sandy River above Highway 187; West Side Canal returns to Big Sandy River below confluence with Little Sandy River.¹

Other Operational Information: When Big Sandy Reservoir is spilling, the water is used as “river water” for direct flow rights. Under other operations, all ditches operate on a call basis when operators request water. Releases are then made from Big Sandy Reservoir added to a constant delivery of 30-50 cfs (80 cfs maximum) from Eden Reservoir via Little Sandy Canal to meet total demand. Typical flows are as follows: Means Canal, 300-450 cfs typical (470 maximum);

Green River Basin, Wyoming; Key Structures and Diversions
Description and Operation Memorandum

Eden Valley Irrigation and Drainage District Ditches:

Means Canal, Eden Canal, Little Sandy Canal, Eden Lateral, West Side Lateral, Farson Lateral, M-Gates, Hay Ditch

West Side Lateral, 100 cfs typical, 120 cfs maximum; M-Gates, 25 cfs; Eden Canal, 300 cfs typical; Farson Lateral, 80 cfs typical; Eden Lateral 175 cfs typical; Hay Ditch, 20 cfs typical.¹

The system typically operates from May 15 to the first part of July. It may start earlier in dry years. After a week or so for harvest, system comes back on, but irrigates less intensively for the remainder of the season. Irrigation continues until September 15th, when it is shut down until the following spring.¹

| | |
|----------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Sources: | 1) Ralph Delambert, EVIDD, Interview, May 10, 2000. 2) USBR DataWeb information; http://dataweb.usbr.gov/html/eden.html 3) Karen Johnson, District Conservationist, USDA NRCS Farson Field Office, Interview, May 10, 2000 |
|----------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

Green River Basin, Wyoming; Key Structures and Diversions
Description and Operation Memorandum

Eden Valley Irrigation and Drainage District Ditches:

Means Canal, Eden Canal, Little Sandy Canal, Eden Lateral, West Side Lateral, Farson Lateral, M-Gates, Hay Ditch

No Diversion Data Available.

Green River Basin, Wyoming; Key Structures and Diversions
Description and Operation Memorandum

Zemba Ditch, Little Sandy Creek

Diversion Description: Diversion consists of a wood headgate. No diversion dam exists.¹

Diversion Location:

Source: Little Sandy Creek, Trib. Big Sandy River, Trib. Green River
Section, Township, Range: 9, 29, 104

Conveyance Description: Open Channel Canal, approximately 3½ miles in length.¹

Wyoming Water Rights Summary:

| Priority Date (M-D-Y) | Permit Number | Permitted Use | Acres | Flow (cfs) | Cumulative Flow (cfs) | Comments |
|--------------------------|------------------|-----------------------------------|--------|---------------|--------------------------|----------|
| 11-06-1905 | 6977 | Domestic, Irrigation, Stock | 441.00 | 6.30 | 6.30 | |
| 05-16-1911 | 2450E | Domestic, Irrigation, Stock | 108.00 | 1.54 | 7.84 | |
| 06-23-1914 | 3021E | Irrigation, Stock | 277.50 | 3.96 | 11.80 | |

Storage Rights: None.

Estimated Canal Losses: Typical (10%).¹

Irrigation Practices: Information not available at time of report.

Crop Types / Consumptive Use: Information not available at time of report.

Return Flows: Return flows are delivered to Little Sandy Creek at Long Draw.²

Other Operational Information: Information not available at time of report.

Sources: 1) Loren Smith, Wyoming State Engineer's Office, Fax, June 9, 2000.
2) Williams, Linda I., "A Model of the Green River Using the Wyoming Integrated River System Operation Study (WIRSOS)," M.S. Thesis, University of Wyoming, Department of Civil Engineering, December 1995.

Green River Basin, Wyoming; Key Structures and Diversions
Description and Operation Memorandum

Zemba Ditch, Little Sandy Creek, Diversion Data

| Wateryear | May | | June | | July | | August | | September | |
|-----------|---------------|--------------------|---------------|--------------------|---------------|--------------------|---------------|--------------------|---------------|--------------------|
| | Average (cfs) | Monthly Total (AF) | Average (cfs) | Monthly Total (AF) | Average (cfs) | Monthly Total (AF) | Average (cfs) | Monthly Total (AF) | Average (cfs) | Monthly Total (AF) |
| 1980 | | | 10.48 | 623.38 | 12.09 | 743.47 | | | | |
| 1981 | | | | | | | | | | |
| 1982 | | | | | 12.30 | 756.30 | 0.24 | 14.76 | | |
| 1983 | | | 16.28 | 968.73 | | | | | | |
| 1984 | | | 5.30 | 315.61 | 6.03 | 370.67 | | | | |
| 1985 | | | | | | | | | | |
| 1986 | | | | | | | | | | |
| 1987 | | | | | | | | | | |
| 1988 | | | | | | | | | | |
| 1989 | | | | | | | | | | |
| 1990 | | | | | | | | | | |
| 1991 | | | | | | | | | | |
| 1992 | | | | | | | | | | |
| 1993 | | | | | | | 5.82 | 357.95 | 1.00 | 59.57 |
| 1994 | | | | | 8.33 | 512.19 | 0.03 | 1.84 | 0.75 | 44.63 |
| 1995 | | | | | | | | | | |
| 1996 | | | | | | | | | | |
| 1997 | | | | | | | | | | |
| 1998 | | | | | | | | | | |

Averages:

| | | | | | | | | | |
|--|--|-------|--------|------|--------|------|--------|------|-------|
| | | 10.69 | 635.91 | 9.69 | 595.66 | 2.03 | 124.88 | 0.88 | 52.10 |
|--|--|-------|--------|------|--------|------|--------|------|-------|

Blank cells are due to missing/insufficient data.

Average = Average Flow for ENTIRE month. Monthly Total = Total Volume used during month.

See Methodology section for explanations.

Spot data readings used in calculating averages in table on following pages.

Green River Basin, Wyoming; Key Structures and Diversions
Description and Operation Memorandum

Zemba Ditch, Little Sandy Creek, Diversion Data

Data:

1980: 6/11, 10 cfs; 6/11, 15 cfs; 7/9, 17 cfs; 8/8, off.
1981: 6/4, 21 cfs; 7/22, 8/5, 8/27, off.
1982: (all est): 6/22, 18 cfs; 7/8, 14 cfs; 7/12, 15 cfs; 7/23, 12 cfs; 8/5, 8/30, off.
1983: (all est): 6/1, 12 cfs; 6/29, 20 cfs; 7/7, 22 cfs.
1984: 6/14, 8 cfs (est); 7/9, 12 cfs (est); 7/25, off.
1993: 8/3, 12.00 cfs; 8/26, 2.50 cfs; 9/30, off.
1994: 5/11, 14.00 cfs; 7/5, 17.00 cfs; 7/7, 9.00 cfs; 7/12, 10.60 cfs; 8/3, off; 9/7, dry; 9/22, 3.00 cfs.
1995: 5/16, 6.0 cfs; 6/22, 25 cfs (est); 8/17, 5.0 cfs; 9/15, 4.3 cfs.
1996: 7/31, 12 cfs (est); 9/4, 4 cfs (est).

Supply: 1980, average; 1981, slightly below average; 1982, average; 1983, above average; 1984, above average; 1985, slightly below average; 1986, average; 1987, average; 1988, below average; 1989, below average; 1990, below average; 1991, slightly below average; 1992, below average; 1993, slightly below average; 1994, below average; 1995, slightly above average; 1996, average; 1997, average; 1998, slightly above average.

Source: State Engineer's Office, Annual Hydrographers' Reports.