

Water Division IV

District 7

Green River Basin, Wyoming; Key Structures and Diversions
Description and Operation Memorandum

Alexander Ditch, West Fork New Fork River

Diversion Description: Diversion consists of a 6' wide wood gate.¹

Diversion Location:

Source: West Fork New Fork River, Trib. New Fork River, Trib. Green River

Section, Township, Range: 34, 35, 110

Conveyance Description: Open Channel Canal, approximately 1 mile in length.¹

Wyoming Water Rights Summary:

| Priority Date (M-D-Y) | Permit Number | Permitted Use | Acres | Flow (cfs) | Cumulative Flow (cfs) | Comments |
|-----------------------|---------------|----------------------|--------|------------|-----------------------|---|
| 07-03-1896 | 1281 | Irrigation | 520.00 | 7.40 | 7.40 | POD/MOC change from a portion of W.F. Irrigation Ditch. |
| 03-15-1901 | 3081 | Irrigation | 320.00 | 4.57 | 11.97 | POD/MOC change from a portion of Luman Ditch. |
| 03-15-1901 | 3082 | Irrigation | 160.00 | 2.28 | 14.25 | POD/MOC change from a portion of Luman No. 2 Ditch. |
| 11-11-1903 | 5855 | Irrigation | | | 14.25 | 11.12 AF Secondary Supply from New Fork Lake Reservoir (480R) (8.00 acres served) |
| 11-11-1903 | 4865E | Irrigation | | | 14.25 | 107.44 AF Secondary Supply from New Fork Lake Reservoir (480R) (77.30 acres served) |
| 02-02-1915 | 13032 | Domestic, Irrigation | 13.00 | 0.18 | 14.43 | |
| 06-11-1929 | 4836E | Irrigation | 51.90 | 0.74 | 15.17 | |

Storage Rights: New Fork Lake Reservoir.

Estimated Canal Losses: Typical losses (10%) are experienced.¹

Irrigation Practices: Lands are flood irrigated.¹

Crop Types / Consumptive Use: Lands are native grass hay and pasture.¹

Return Flows: Return flows are delivered to West Fork New Fork River at Beeline Ditch.²

Other Operational Information: The canal is typically turned on in late May and irrigation flows stop in late July. Stock flows continue until October.¹

Note: There are two ditches with the name of Alexander on the West Fork New Fork River. This memo describes the larger (lower) ditch. The other ditch has a headgate located at Section 32, Township 36, Range 110, and has a total permitted flow of 1.20 cfs.

Green River Basin, Wyoming; Key Structures and Diversions
Description and Operation Memorandum

Alexander Ditch, West Fork New Fork River

Sources: 1) Floyd Briggs, New Fork River Irrigation District, Interview, May 5, 2000.
2) Williams, Linda I., "A Model of the Green River Using the Wyoming Integrated River System
Operation Study (WIRSOS)," M.S. Thesis, University of Wyoming, Department of Civil Engineering,
December 1995.

Green River Basin, Wyoming; Key Structures and Diversions
Description and Operation Memorandum

Alexander Ditch, West Fork New Fork River, Diversion Data

| Wateryear | May | | June | | July | | August | | September | |
|-----------|---------------|--------------------|---------------|--------------------|---------------|--------------------|---------------|--------------------|---------------|--------------------|
| | Average (cfs) | Monthly Total (AF) | Average (cfs) | Monthly Total (AF) | Average (cfs) | Monthly Total (AF) | Average (cfs) | Monthly Total (AF) | Average (cfs) | Monthly Total (AF) |
| 1980 | | | | | | | | | | |
| 1981 | | | | | | | | | | |
| 1982 | | | | | | | | | | |
| 1983 | | | | | | | | | | |
| 1984 | | | <i>21.17</i> | <i>1,259.90</i> | <i>9.57</i> | <i>588.28</i> | <i>0.59</i> | <i>36.28</i> | <i>4.39</i> | <i>261.42</i> |
| 1985 | | | <i>20.85</i> | <i>1,240.46</i> | <i>8.82</i> | <i>542.48</i> | <i>0.76</i> | <i>47.01</i> | <i>2.03</i> | <i>121.05</i> |
| 1986 | | | <i>23.06</i> | <i>1,371.97</i> | <i>12.23</i> | <i>751.80</i> | <i>1.10</i> | <i>67.93</i> | <i>3.08</i> | <i>183.29</i> |
| 1987 | <i>6.81</i> | <i>418.85</i> | <i>19.28</i> | <i>1,147.26</i> | <i>9.65</i> | <i>593.32</i> | <i>1.41</i> | <i>86.82</i> | <i>3.21</i> | <i>191.21</i> |
| 1988 | | | | | | | | | | |
| 1989 | | | | | | | | | | |
| 1990 | | | | | | | | | | |
| 1991 | | | | | | | | | | |
| 1992 | | | | | | | | | | |
| 1993 | | | | | | | | | | |
| 1994 | 0.00 | 0.00 | 5.12 | 304.66 | 14.46 | 889.11 | 2.35 | 144.50 | | |
| 1995 | | | | | | | | | | |
| 1996 | | | | | | | | | | |
| 1997 | | | | | | | | | | |
| 1998 | | | | | | | | | | |

| | | | | | | | | | | |
|-----------|------|--------|-------|----------|-------|--------|------|-------|------|--------|
| Averages: | 3.41 | 209.43 | 17.90 | 1,064.85 | 10.95 | 673.00 | 1.24 | 76.51 | 3.18 | 189.24 |
|-----------|------|--------|-------|----------|-------|--------|------|-------|------|--------|

Data in italics from USGS gaging station 007115.00, see attached data sheets.
Blank cells are due to missing/insufficient data.
Average = Average Flow for ENTIRE month. Monthly Total = Total Volume used during month.
See Methodology section for explanations.
Spot data readings used in calculating averages in table on following pages.

Green River Basin, Wyoming; Key Structures and Diversions
Description and Operation Memorandum

Alexander Ditch, West Fork New Fork River, Diversion Data

Data:

1994: 5/13, 6/13, dry; 7/2, 18.00 cfs; 7/22, 14.00 cfs; 8/15, dry; 9/7, 2.50 cfs.

Supply: 1980, below average; 1981, slightly below average; 1982, average (late peak); 1983, above average; 1984, above average; 1985, below average; 1986, average to slightly above average; 1988: very below average; 1989, below average; 1990, below average; 1991, slightly below average; 1992, below average; 1993, average; 1994, below average; 1995, average to above average; 1996, average; 1997, average; 1998, average to above average.

Source: State Engineer's Office, Annual Hydrographers' Reports.

Green River Basin, Wyoming; Key Structures and Diversions
Description and Operation Memorandum

Alexander Ditch, West Fork New Fork River, Diversion Data

ALEXANDER DITCH
 LATITUDE 42-59-51 LONGITUDE 109-58-39
 SW1/4SE1/4 SECTION 34 TOWNSHIP 35 N,RANGE 110 W 6TH P.M.
 ELEVATION 7350.00 FT DRAINAGE AREA UNKNOWN
 NONCONTRIBUTING 0.00 SQ MI BASIN 15570000
 SUBLETTE COUNTY DATA FROM WWRC (C)
 *****TO USE THIS DATA, SEE VIC HASFURTHER*****

STATION NO. 007115.00

| MEAN DAILY FLOW IN CFS BY WATER YEAR | | | | | | | | | | | | | |
|--------------------------------------|-----|-----|-----|-----|-----|-----|-----|---------|---------|--------|-------|--------|-----|
| 1984 | | | | | | | | | | | | | |
| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUNE | JULY | AUG | SEPT | DAY |
| 1 | ** | ** | ** | ** | ** | ** | ** | ** | 23.50 | 20.10 | 0.59 | 0.59 | 1 |
| 2 | ** | ** | ** | ** | ** | ** | ** | ** | 23.50 | 20.90 | 0.59 | 0.59 | 2 |
| 3 | ** | ** | ** | ** | ** | ** | ** | ** | 23.50 | 21.40 | 0.59 | 1.33 | 3 |
| 4 | ** | ** | ** | ** | ** | ** | ** | ** | 20.90 | 25.20 | 0.59 | 4.58 | 4 |
| 5 | ** | ** | ** | ** | ** | ** | ** | ** | 20.10 | 25.40 | 0.59 | 4.58 | 5 |
| 6 | ** | ** | ** | ** | ** | ** | ** | ** | 24.00 | 25.40 | 0.59 | 4.04 | 6 |
| 7 | ** | ** | ** | ** | ** | ** | ** | ** | 23.00 | 24.60 | 0.59 | 4.25 | 7 |
| 8 | ** | ** | ** | ** | ** | ** | ** | ** | 22.20 | 24.30 | 0.59 | 4.46 | 8 |
| 9 | ** | ** | ** | ** | ** | ** | ** | ** | 21.60 | 13.20 | 0.59 | 5.04 | 9 |
| 10 | ** | ** | ** | ** | ** | ** | ** | ** | 22.40 | 4.58 | 0.59 | 5.28 | 10 |
| 11 | ** | ** | ** | ** | ** | ** | ** | ** | 22.70 | 4.58 | 0.59 | 5.41 | 11 |
| 12 | ** | ** | ** | ** | ** | ** | ** | ** | 21.60 | 4.58 | 0.59 | 6.20 | 12 |
| 13 | ** | ** | ** | ** | ** | ** | ** | ** | 20.40 | 4.58 | 0.59 | 5.66 | 13 |
| 14 | ** | ** | ** | ** | ** | ** | ** | ** | 19.60 | 7.53 | 0.59 | 5.53 | 14 |
| 15 | ** | ** | ** | ** | ** | ** | ** | ** | 19.40 | 18.20 | 0.59 | 5.53 | 15 |
| 16 | ** | ** | ** | ** | ** | ** | ** | ** | 22.20 | 15.60 | 0.59 | 5.53 | 16 |
| 17 | ** | ** | ** | ** | ** | ** | ** | ** | 22.20 | 15.80 | 0.59 | 5.04 | 17 |
| 18 | ** | ** | ** | ** | ** | ** | ** | ** | 21.40 | 9.22 | 0.59 | 5.04 | 18 |
| 19 | ** | ** | ** | ** | ** | ** | ** | ** | 19.40 | 1.02 | 0.59 | 4.92 | 19 |
| 20 | ** | ** | ** | ** | ** | ** | ** | ** | 19.20 | 0.91 | 0.59 | 5.16 | 20 |
| 21 | ** | ** | ** | ** | ** | ** | ** | 2.61 | 19.20 | 0.94 | 0.59 | 5.93 | 21 |
| 22 | ** | ** | ** | ** | ** | ** | ** | 3.45 | 19.60 | 0.87 | 0.59 | 5.79 | 22 |
| 23 | ** | ** | ** | ** | ** | ** | ** | 4.46 | 19.60 | 0.94 | 0.59 | 7.53 | 23 |
| 24 | ** | ** | ** | ** | ** | ** | ** | 5.66 | 20.40 | 0.87 | 0.59 | 7.53 | 24 |
| 25 | ** | ** | ** | ** | ** | ** | ** | 5.66 | 21.40 | 0.87 | 0.59 | 4.80 | 25 |
| 26 | ** | ** | ** | ** | ** | ** | ** | 4.69 | 21.40 | 0.84 | 0.59 | 2.32 | 26 |
| 27 | ** | ** | ** | ** | ** | ** | ** | 10.70 | 20.90 | 0.84 | 0.59 | 2.32 | 27 |
| 28 | ** | ** | ** | ** | ** | ** | ** | 9.78 | 19.40 | 0.80 | 0.59 | 2.32 | 28 |
| 29 | ** | ** | ** | ** | ** | ** | ** | 9.78 | 19.60 | 0.84 | 0.59 | 2.25 | 29 |
| 30 | ** | ** | ** | ** | | ** | ** | 23.00 | 20.90 | 0.84 | 0.59 | 2.25 | 30 |
| 31 | ** | | ** | ** | | ** | | 23.50 | | 0.84 | 0.59 | | 31 |
| TOTAL | ** | ** | ** | ** | ** | ** | ** | 103.29* | 635.20 | 296.59 | 18.29 | 131.80 | |
| MEAN | ** | ** | ** | ** | ** | ** | ** | 9.39* | 21.17 | 9.57 | 0.59 | 4.39 | |
| AC-FT | ** | ** | ** | ** | ** | ** | ** | 204.87* | 1259.90 | 588.28 | 36.28 | 261.42 | |

** INDICATES
MISSING DATA

* INDICATES
COMPUTED FROM
INCOMPLETE DATA

E INDICATES
ESTIMATED VALUE

Green River Basin, Wyoming; Key Structures and Diversions
Description and Operation Memorandum

Alexander Ditch, West Fork New Fork River, Diversion Data

ALEXANDER DITCH
 LATITUDE 42-59-51 LONGITUDE 109-58-39
 SW1/4SE1/4 SECTION 34 TOWNSHIP 35 N,RANGE 110 W 6TH P.M.
 ELEVATION 7350.00 FT DRAINAGE AREA UNKNOWN
 NONCONTRIBUTING 0.00 SQ MI BASIN 15570000
 SUBLETTE COUNTY DATA FROM WWRC
 *****TO USE THIS DATA, SEE VIC HASFURTHER*****

STATION NO. 007115.00

(C)

| MEAN DAILY FLOW IN CFS BY WATER YEAR | | | | | | | | | | | | | |
|--------------------------------------|--------|-----|-----|-----|-----|-----|-----|---------|---------|--------|-------|--------|-----|
| 1985 | | | | | | | | | | | | | |
| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUNE | JULY | AUG | SEPT | DAY |
| 1 | 2.25 | ** | ** | ** | ** | ** | ** | ** | 25.89 | 0.25 | 0.02 | 1.47 | 1 |
| 2 | 2.32 | ** | ** | ** | ** | ** | ** | ** | 24.96 | 0.19 | 0.02 | 0.63 | 2 |
| 3 | 2.32 | ** | ** | ** | ** | ** | ** | ** | 26.51 | 3.88 | 0.02 | 0.98 | 3 |
| 4 | 2.32 | ** | ** | ** | ** | ** | ** | ** | 26.20 | 20.32 | 0.02 | 1.18 | 4 |
| 5 | 2.39 | ** | ** | ** | ** | ** | ** | ** | 25.27 | 21.15 | 0.03 | 1.32 | 5 |
| 6 | 2.39 | ** | ** | ** | ** | ** | ** | ** | 22.83 | 21.72 | 0.02 | 1.47 | 6 |
| 7 | 2.32 | ** | ** | ** | ** | ** | ** | ** | 22.29 | 21.15 | 0.01 | 1.39 | 7 |
| 8 | 2.25 | ** | ** | ** | ** | ** | ** | ** | 22.00 | 18.96 | 0.01 | 1.47 | 8 |
| 9 | 2.18 | ** | ** | ** | ** | ** | ** | ** | 22.58 | 18.43 | 0.02 | 1.55 | 9 |
| 10 | 2.18 | ** | ** | ** | ** | ** | ** | ** | 22.29 | 18.96 | 0.01 | 1.63 | 10 |
| 11 | 2.12 | ** | ** | ** | ** | ** | ** | ** | 22.29 | 19.77 | 0.02 | 1.71 | 11 |
| 12 | 2.05 | ** | ** | ** | ** | ** | ** | ** | 22.58 | 19.50 | 0.03 | 2.15 | 12 |
| 13 | 1.93 | ** | ** | ** | ** | ** | ** | ** | 22.58 | 18.69 | 0.04 | 1.71 | 13 |
| 14 | 1.87 | ** | ** | ** | ** | ** | ** | ** | 22.83 | 17.91 | 0.06 | 1.55 | 14 |
| 15 | 1.75 | ** | ** | ** | ** | ** | ** | ** | 23.46 | 17.65 | 0.04 | 1.79 | 15 |
| 16 | 1.33 | ** | ** | ** | ** | ** | ** | ** | 24.06 | 16.63 | 0.09 | 2.15 | 16 |
| 17 | 1.33 | ** | ** | ** | ** | ** | ** | ** | 24.36 | 15.89 | 0.14 | 2.15 | 17 |
| 18 | 1.02 | ** | ** | ** | ** | ** | ** | ** | 23.46 | 1.79 | 0.16 | 2.24 | 18 |
| 19 | 0.00 | ** | ** | ** | ** | ** | ** | ** | 20.87 | 0.32 | 0.12 | 2.95 | 19 |
| 20 | 0.00 | ** | ** | ** | ** | ** | ** | ** | 19.23 | 0.16 | 0.07 | 2.34 | 20 |
| 21 | 0.00 | ** | ** | ** | ** | ** | ** | ** | 17.65 | 0.07 | 1.79 | 2.64 | 21 |
| 22 | 0.00 | ** | ** | ** | ** | ** | ** | 7.39 | 17.39 | 0.07 | 1.71 | 3.52 | 22 |
| 23 | 0.00 | ** | ** | ** | ** | ** | ** | 7.34 | 17.39 | 0.02 | 1.79 | 3.06 | 23 |
| 24 | 0.00 | ** | ** | ** | ** | ** | ** | 7.34 | 17.91 | 0.00 | 1.88 | 2.74 | 24 |
| 25 | 0.00 | ** | ** | ** | ** | ** | ** | 13.30 | 23.46 | 0.00 | 1.97 | 2.74 | 25 |
| 26 | 0.00 | ** | ** | ** | ** | ** | ** | 15.40 | 24.06 | 0.00 | 2.15 | 2.74 | 26 |
| 27 | 0.00 | ** | ** | ** | ** | ** | ** | 17.39 | 23.46 | 0.00 | 2.54 | 2.95 | 27 |
| 28 | ** | ** | ** | ** | ** | ** | ** | 17.39 | 16.38 | 0.00 | 2.74 | 2.95 | 28 |
| 29 | ** | ** | ** | ** | | ** | ** | 18.17 | 0.80 | 0.00 | 2.15 | 2.15 | 29 |
| 30 | ** | ** | ** | ** | | ** | ** | 31.43 | 0.36 | 0.01 | 2.06 | 1.71 | 30 |
| 31 | ** | | ** | ** | | ** | | 29.08 | | 0.01 | 1.97 | | 31 |
| TOTAL | 36.32* | ** | ** | ** | ** | ** | ** | 164.23* | 625.40 | 273.50 | 23.70 | 61.03 | |
| MEAN | 1.35* | ** | ** | ** | ** | ** | ** | 16.42* | 20.85 | 8.82 | 0.76 | 2.03 | |
| AC-FT | 72.04* | ** | ** | ** | ** | ** | ** | 325.75* | 1240.46 | 542.48 | 47.01 | 121.05 | |

** INDICATES
MISSING DATA

* INDICATES
COMPUTED FROM
INCOMPLETE DATA

E INDICATES
ESTIMATED VALUE

Green River Basin, Wyoming; Key Structures and Diversions
Description and Operation Memorandum

Alexander Ditch, West Fork New Fork River, Diversion Data

ALEXANDER DITCH
 LATITUDE 42-59-51 LONGITUDE 109-58-39
 SW1/4SE1/4 SECTION 34 TOWNSHIP 35 N,RANGE 110 W 6TH P.M.
 ELEVATION 7350.00 FT DRAINAGE AREA UNKNOWN
 NONCONTRIBUTING 0.00 SQ MI BASIN 15570000
 SUBLETTE COUNTY DATA FROM WWRC
 *****TO USE THIS DATA, SEE VIC HASFURTHER*****

STATION NO. 007115.00

(C)

| MEAN DAILY FLOW IN CFS BY WATER YEAR | | | | | | | | | | | | | |
|--------------------------------------|--------|-------|-----|-----|-----|-----|-----|--------|---------|--------|-------|--------|-----|
| 1986 | | | | | | | | | | | | | |
| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUNE | JULY | AUG | SEPT | DAY |
| 1 | 1.63 | 1.47 | ** | ** | ** | ** | ** | ** | 10.03 | 28.47 | 0.07 | 2.75 | 1 |
| 2 | 1.71 | 1.63 | ** | ** | ** | ** | ** | ** | 12.99 | 28.47 | 0.09 | 2.75 | 2 |
| 3 | 1.71 | 1.63 | ** | ** | ** | ** | ** | ** | 15.32 | 28.14 | 0.07 | 2.65 | 3 |
| 4 | 1.71 | ** | ** | ** | ** | ** | ** | ** | 17.58 | 28.14 | 0.09 | 2.65 | 4 |
| 5 | 1.71 | ** | ** | ** | ** | ** | ** | ** | 21.98 | 28.47 | 0.11 | 2.75 | 5 |
| 6 | 1.63 | ** | ** | ** | ** | ** | ** | ** | 15.08 | 28.47 | 0.09 | 2.75 | 6 |
| 7 | 2.06 | ** | ** | ** | ** | ** | ** | ** | 25.28 | 25.59 | 0.07 | 2.75 | 7 |
| 8 | 2.24 | ** | ** | ** | ** | ** | ** | ** | 24.36 | 9.45 | 0.07 | 3.08 | 8 |
| 9 | 2.15 | ** | ** | ** | ** | ** | ** | ** | 23.75 | 9.07 | 0.09 | 3.54 | 9 |
| 10 | 2.15 | ** | ** | ** | ** | ** | ** | ** | 21.69 | 8.33 | 0.11 | 3.78 | 10 |
| 11 | 2.06 | ** | ** | ** | ** | ** | ** | ** | 22.27 | 13.21 | 0.32 | 3.78 | 11 |
| 12 | 2.06 | ** | ** | ** | ** | ** | ** | ** | 26.85 | 26.85 | 2.35 | 3.66 | 12 |
| 13 | 1.97 | ** | ** | ** | ** | ** | ** | ** | 29.13 | 26.85 | 2.35 | 3.54 | 13 |
| 14 | 1.88 | ** | ** | ** | ** | ** | ** | ** | 28.14 | 26.85 | 2.45 | 3.42 | 14 |
| 15 | 1.88 | ** | ** | ** | ** | ** | ** | ** | 26.53 | 27.17 | 2.55 | 3.42 | 15 |
| 16 | 1.88 | ** | ** | ** | ** | ** | ** | ** | 25.28 | 18.64 | 2.55 | 3.42 | 16 |
| 17 | 1.88 | ** | ** | ** | ** | ** | ** | ** | 24.05 | 10.23 | 2.65 | 3.42 | 17 |
| 18 | 1.79 | ** | ** | ** | ** | ** | ** | ** | 22.86 | 3.42 | 2.65 | 3.66 | 18 |
| 19 | 1.79 | ** | ** | ** | ** | ** | ** | ** | 21.69 | 1.63 | 2.45 | 3.90 | 19 |
| 20 | 1.71 | ** | ** | ** | ** | ** | ** | ** | 20.55 | 0.19 | 2.35 | 4.16 | 20 |
| 21 | 1.71 | ** | ** | ** | ** | ** | ** | 0.00 | 27.17 | 0.09 | 2.35 | 4.16 | 21 |
| 22 | 1.79 | ** | ** | ** | ** | ** | ** | 0.00 | 27.17 | 0.09 | 2.45 | 3.42 | 22 |
| 23 | 2.06 | ** | ** | ** | ** | ** | ** | 0.16 | 26.53 | 0.14 | 0.85 | 2.35 | 23 |
| 24 | 1.97 | ** | ** | ** | ** | ** | ** | 2.65 | 24.97 | 0.14 | 0.06 | 2.35 | 24 |
| 25 | 1.88 | ** | ** | ** | ** | ** | ** | 2.65 | 25.28 | 0.22 | 0.07 | 2.35 | 25 |
| 26 | 1.79 | ** | ** | ** | ** | ** | ** | 2.65 | 25.59 | 0.19 | 0.09 | 2.35 | 26 |
| 27 | 1.71 | ** | ** | ** | ** | ** | ** | 2.75 | 25.28 | 0.16 | 0.16 | 2.35 | 27 |
| 28 | 1.63 | ** | ** | ** | ** | ** | ** | 1.89 | 24.97 | 0.11 | 0.22 | 2.35 | 28 |
| 29 | 1.25 | ** | ** | ** | | ** | ** | 0.53 | 24.97 | 0.09 | 0.29 | 2.45 | 29 |
| 30 | 1.04 | ** | ** | ** | | ** | ** | 1.80 | 24.36 | 0.09 | 1.32 | 2.45 | 30 |
| 31 | 1.39 | | ** | ** | | ** | | 7.80 | | 0.07 | 2.86 | | 31 |
| TOTAL | 55.82 | 4.73* | ** | ** | ** | ** | ** | 22.88* | 691.70 | 379.03 | 34.25 | 92.41 | |
| MEAN | 1.80 | 1.58* | ** | ** | ** | ** | ** | 2.08* | 23.06 | 12.23 | 1.10 | 3.08 | |
| AC-FT | 110.72 | 9.38* | ** | ** | ** | ** | ** | 45.38* | 1371.97 | 751.80 | 67.93 | 183.29 | |

** INDICATES
MISSING DATA

* INDICATES
COMPUTED FROM
INCOMPLETE DATA

E INDICATES
ESTIMATED VALUE

Green River Basin, Wyoming; Key Structures and Diversions
Description and Operation Memorandum

Alexander Ditch, West Fork New Fork River, Diversion Data

ALEXANDER DITCH
 LATITUDE 42-59-51 LONGITUDE 109-58-39
 SW1/4SE1/4 SECTION 34 TOWNSHIP 35 N,RANGE 110 W 6TH P.M.
 ELEVATION 7350.00 FT DRAINAGE AREA UNKNOWN
 NONCONTRIBUTING 0.00 SQ MI BASIN 15570000
 SUBLETTE COUNTY DATA FROM WWRC (C)
 *****TO USE THIS DATA, SEE VIC HASFURTHER*****

STATION NO. 007115.00

| MEAN DAILY FLOW IN CFS BY WATER YEAR | | | | | | | | | | | | | |
|--------------------------------------|--------|--------|-----|-----|-----|-----|-----|---------|---------|--------|-------|--------|-----|
| 1987 | | | | | | | | | | | | | |
| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUNE | JULY | AUG | SEPT | DAY |
| 1 | 2.45 | 1.97 | ** | ** | ** | ** | ** | ** | 14.91 | 19.40 | 0.07 | 2.83 | 1 |
| 2 | 2.45 | 2.06 | ** | ** | ** | ** | ** | ** | 15.38 | 18.10 | 0.07 | 2.93 | 2 |
| 3 | 2.35 | 1.18 | ** | ** | ** | ** | ** | ** | 16.59 | 7.47 | 0.09 | 4.35 | 3 |
| 4 | 2.35 | 0.25 | ** | ** | ** | ** | ** | ** | 16.34 | 5.02 | 0.11 | 4.75 | 4 |
| 5 | 2.35 | 0.19 | ** | ** | ** | ** | ** | ** | 16.10 | 4.48 | 0.11 | 4.61 | 5 |
| 6 | 2.35 | 0.14 | ** | ** | ** | ** | ** | ** | 18.10 | 4.09 | 0.11 | 4.61 | 6 |
| 7 | 2.35 | 0.11 | ** | ** | ** | ** | ** | ** | 20.75 | 23.59 | 0.11 | 3.85 | 7 |
| 8 | 2.35 | 0.11 | ** | ** | ** | ** | ** | ** | 20.48 | 23.59 | 0.11 | 3.15 | 8 |
| 9 | 2.25 | 0.14 | ** | ** | ** | ** | ** | ** | 21.87 | 23.88 | 0.09 | 3.26 | 9 |
| 10 | 2.06 | 0.16 | ** | ** | ** | ** | ** | ** | 23.59 | 26.90 | 0.09 | 3.26 | 10 |
| 11 | 2.06 | 0.19 | ** | ** | ** | ** | ** | ** | 23.29 | 26.27 | 0.05 | 3.26 | 11 |
| 12 | 2.16 | 0.19 | ** | ** | ** | ** | ** | 1.31 | 22.72 | 25.67 | 0.05 | 3.37 | 12 |
| 13 | 2.06 | 0.22 | ** | ** | ** | ** | ** | 2.32 | 22.72 | 24.77 | 0.09 | 3.43 | 13 |
| 14 | 2.16 | 0.32 | ** | ** | ** | ** | ** | 4.35 | 21.87 | 23.88 | 0.19 | 3.49 | 14 |
| 15 | 2.16 | 0.32 | ** | ** | ** | ** | ** | 6.03 | 19.94 | 25.37 | 0.32 | 3.49 | 15 |
| 16 | 2.16 | 0.44 | ** | ** | ** | ** | ** | 6.50 | 8.16 | 11.39 | 0.19 | 3.61 | 16 |
| 17 | 2.25 | 0.36 | ** | ** | ** | ** | ** | 6.50 | 5.73 | 1.04 | 0.14 | 3.73 | 17 |
| 18 | 2.25 | 0.32 | ** | ** | ** | ** | ** | 7.14 | 6.97 | 0.91 | 0.16 | 3.61 | 18 |
| 19 | 2.45 | 0.32 | ** | ** | ** | ** | ** | 9.24 | 21.87 | 0.74 | 0.58 | 3.15 | 19 |
| 20 | 2.45 | 0.29 | ** | ** | ** | ** | ** | 12.66 | 22.72 | 0.63 | 3.97 | 3.15 | 20 |
| 21 | 2.55 | 0.29 | ** | ** | ** | ** | ** | 14.21 | 22.72 | 0.63 | 3.97 | 3.15 | 21 |
| 22 | 2.65 | 0.29 | ** | ** | ** | ** | ** | 15.86 | 22.72 | 0.40 | 3.85 | 3.04 | 22 |
| 23 | 2.55 | 0.29 | ** | ** | ** | ** | ** | 14.44 | 22.72 | 0.22 | 3.61 | 2.83 | 23 |
| 24 | 2.45 | 0.29 | ** | ** | ** | ** | ** | 13.53 | 22.15 | 0.19 | 3.85 | 2.23 | 24 |
| 25 | 2.35 | 0.32 | ** | ** | ** | ** | ** | 12.87 | 22.72 | 0.09 | 3.73 | 2.52 | 25 |
| 26 | 2.35 | ** | ** | ** | ** | ** | ** | 13.76 | 24.17 | 0.04 | 3.49 | 2.72 | 26 |
| 27 | 2.25 | ** | ** | ** | ** | ** | ** | 15.38 | 20.21 | 0.02 | 3.26 | 2.05 | 27 |
| 28 | 2.16 | ** | ** | ** | ** | ** | ** | 14.67 | 19.94 | 0.02 | 2.93 | 2.05 | 28 |
| 29 | 2.35 | ** | ** | ** | | ** | ** | 13.53 | 20.48 | 0.11 | 2.83 | 1.96 | 29 |
| 30 | 2.45 | ** | ** | ** | | ** | ** | 12.66 | 20.48 | 0.11 | 2.83 | 1.96 | 30 |
| 31 | 2.25 | | ** | ** | | ** | | 14.21 | | 0.11 | 2.72 | | 31 |
| TOTAL | 71.83 | 10.76* | ** | ** | ** | ** | ** | 211.17* | 578.41 | 299.13 | 43.77 | 96.40 | |
| MEAN | 2.32 | .43* | ** | ** | ** | ** | ** | 10.56* | 19.28 | 9.65 | 1.41 | 3.21 | |
| AC-FT | 142.47 | 21.34* | ** | ** | ** | ** | ** | 418.85* | 1147.26 | 593.32 | 86.82 | 191.21 | |

** INDICATES
MISSING DATA

* INDICATES
COMPUTED FROM
INCOMPLETE DATA

E INDICATES
ESTIMATED VALUE

Green River Basin, Wyoming; Key Structures and Diversions
Description and Operation Memorandum

Alexander Ditch, West Fork New Fork River, Diversion Data

ALEXANDER DITCH
 LATITUDE 42-59-51 LONGITUDE 109-58-39
 SW1/4SE1/4 SECTION 34 TOWNSHIP 35 N,RANGE 110 W 6TH P.M.
 ELEVATION 7350.00 FT DRAINAGE AREA UNKNOWN
 NONCONTRIBUTING 0.00 SQ MI BASIN 15570000
 SUBLETTE COUNTY DATA FROM WWRC
 *****TO USE THIS DATA, SEE VIC HASFURTHER*****

STATION NO. 007115.00

(C)

| MEAN DAILY FLOW IN CFS BY WATER YEAR | | | | | | | | | | | | | |
|--------------------------------------|--------|-------|-----|-----|-----|-----|-----|-----|------|------|-----|------|-----|
| 1988 | | | | | | | | | | | | | |
| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUNE | JULY | AUG | SEPT | DAY |
| 1 | 1.96 | 1.91 | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | 1 |
| 2 | 1.87 | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | 2 |
| 3 | 1.62 | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | 3 |
| 4 | 1.96 | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | 4 |
| 5 | 2.83 | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | 5 |
| 6 | 2.62 | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | 6 |
| 7 | 2.83 | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | 7 |
| 8 | 2.72 | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | 8 |
| 9 | 2.93 | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | 9 |
| 10 | 3.37 | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | 10 |
| 11 | 3.43 | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | 11 |
| 12 | 2.93 | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | 12 |
| 13 | 2.93 | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | 13 |
| 14 | 3.04 | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | 14 |
| 15 | 2.93 | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | 15 |
| 16 | 2.93 | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | 16 |
| 17 | 2.93 | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | 17 |
| 18 | 2.93 | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | 18 |
| 19 | 2.93 | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | 19 |
| 20 | 3.04 | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | 20 |
| 21 | 3.15 | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | 21 |
| 22 | 3.15 | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | 22 |
| 23 | 2.83 | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | 23 |
| 24 | 2.67 | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | 24 |
| 25 | 2.62 | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | 25 |
| 26 | 2.52 | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | 26 |
| 27 | 2.52 | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | 27 |
| 28 | 2.57 | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | 28 |
| 29 | 2.52 | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | 29 |
| 30 | 2.37 | ** | ** | ** | | ** | ** | ** | ** | ** | ** | ** | 30 |
| 31 | 1.96 | ** | | ** | | ** | | ** | | ** | ** | | 31 |
| TOTAL | 83.61 | 1.91* | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | |
| MEAN | 2.70 | 1.91* | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | |
| AC-FT | 165.84 | 3.79* | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | |

** INDICATES
MISSING DATA

* INDICATES
COMPUTED FROM
INCOMPLETE DATA

E INDICATES
ESTIMATED VALUE

Source: Wyoming Water Resources Data System, March 20, 2000

Green River Basin, Wyoming; Key Structures and Diversions
Description and Operation Memorandum

Bee Line Ditch, West Fork New Fork River

Diversion Description: Diversion consists of two 30” diameter slide gates. A wooden plank diversion dam exists.¹

Diversion Location:

Source: West Fork New Fork River, Trib. New Fork River, Trib. Green River

Section, Township, Range: 13, 34, 110

Conveyance Description: Open Channel Canal. Approximately ¾ of a mile below the headgate, the canal splits into two branches: the east branch is approximately 12 miles long; the west branch is approximately 9 miles long¹

Wyoming Water Rights Summary:

| Priority Date (M–D–Y) | Permit Number | Permitted Use | Acres | Flow (cfs) | Cumulative Flow (cfs) | Comments |
|-----------------------|---------------|---------------|--------|------------|-----------------------|--|
| 05-10-1897 | 1487 | Irrigation | 707.40 | 10.13 | 10.13 | |
| 05-15-1899 | 425E | Irrigation | 596.00 | 8.50 | 18.63 | |
| 11-11-1903 | 4871E | Irrigation | | | 18.63 | 482.19 AF Secondary Supply from New Fork Lake Reservoir (480R) (346.90 acres served) |
| 11-21-1904 | 1303E | Irrigation | 80.00 | 1.14 | 19.77 | |
| 06-11-1929 | 4843E | Irrigation | 268.78 | 3.81 | 23.58 | |

Storage Rights: New Fork Lake Reservoir.

Estimated Canal Losses: Typical losses (10%) are experienced.¹

Irrigation Practices: Lands are flood irrigated.¹

Crop Types / Consumptive Use: Lands are native grass hay and pasture.¹

Return Flows: Return flows are delivered to West Fork New Fork River at Duck Creek.²

Other Operational Information: The canal is typically turned on in late May and irrigation flows stop in late July. Stock flows continue until October.¹

Sources: 1) Floyd Briggs, New Fork River Irrigation District, Interview, May 5, 2000.
2) Williams, Linda I., “A Model of the Green River Using the Wyoming Integrated River System Operation Study (WIRSOS),” M.S. Thesis, University of Wyoming, Department of Civil Engineering, December 1995.

Green River Basin, Wyoming; Key Structures and Diversions
Description and Operation Memorandum

Bee Line Ditch, West Fork New Fork River, Diversion Data

| Wateryear | May | | June | | July | | August | | September | |
|-----------|---------------|--------------------|---------------|--------------------|---------------|--------------------|---------------|--------------------|---------------|--------------------|
| | Average (cfs) | Monthly Total (AF) | Average (cfs) | Monthly Total (AF) | Average (cfs) | Monthly Total (AF) | Average (cfs) | Monthly Total (AF) | Average (cfs) | Monthly Total (AF) |
| 1980 | | | | | | | | | | |
| 1981 | | | | | | | | | | |
| 1982 | | | | | | | | | | |
| 1983 | | | | | | | | | | |
| 1984 | | | 23.88 | 1,420.88 | 27.57 | 1,695.35 | 0.83 | 50.80 | 1.37 | 81.76 |
| 1985 | <i>2.61</i> | <i>160.36</i> | <i>27.80</i> | <i>1,654.41</i> | <i>24.74</i> | <i>1,521.46</i> | <i>3.70</i> | <i>227.56</i> | <i>6.69</i> | <i>398.12</i> |
| 1986 | <i>1.78</i> | <i>109.63</i> | <i>42.50</i> | <i>2,529.14</i> | <i>32.27</i> | <i>1,984.30</i> | <i>6.26</i> | <i>384.67</i> | <i>6.20</i> | <i>369.12</i> |
| 1987 | <i>11.14</i> | <i>685.01</i> | <i>27.13</i> | <i>1,614.22</i> | <i>25.47</i> | <i>1,566.27</i> | <i>4.43</i> | <i>272.65</i> | <i>2.47</i> | <i>147.09</i> |
| 1988 | | | | | | | | | | |
| 1989 | | | | | | | | | | |
| 1990 | | | | | | | | | | |
| 1991 | | | | | | | | | | |
| 1992 | | | | | | | | | | |
| 1993 | | | 42.66 | 2,538.45 | 30.22 | 1,858.16 | | | | |
| 1994 | 11.95 | 734.78 | 29.36 | 1,747.04 | 10.67 | 656.07 | 10.10 | 621.02 | | |
| 1995 | | | | | | | | | | |
| 1996 | | | | | | | | | | |
| 1997 | | | | | | | | | | |
| 1998 | | | | | | | | | | |

| | | | | | | | | | | |
|-----------|------|--------|-------|----------|-------|----------|------|--------|------|--------|
| Averages: | 6.87 | 422.44 | 32.22 | 1,917.36 | 25.16 | 1,546.93 | 5.06 | 311.34 | 4.18 | 249.02 |
|-----------|------|--------|-------|----------|-------|----------|------|--------|------|--------|

Data in italics from USGS gaging station 007128.00, see attached data sheets.

Blank cells are due to missing/insufficient data.

Average = Average Flow for ENTIRE month. Monthly Total = Total Volume used during month.

See Methodology section for explanations.

Spot data readings used in calculating averages in table on following pages.

Green River Basin, Wyoming; Key Structures and Diversions
Description and Operation Memorandum

Bee Line Ditch, West Fork New Fork River, Diversion Data

Data:

1993: 6/3, 23.00 cfs; 6/4, 38.40 cfs; 6/16, 51.81 cfs; 7/29, 24.60 cfs.

1994: 5/13, 10.00 cfs; 6/13, 41.00 cfs; 7/2, 8.50 cfs; 7/22, 12.00 cfs; 9/7, 8.50 cfs.

Supply: 1980, below average; 1981, slightly below average; 1982, average (late peak); 1983, above average; 1984, above average; 1985, below average; 1986, average to slightly above average; 1988: very below average; 1989, below average; 1990, below average; 1991, slightly below average; 1992, below average; 1993, average; 1994, below average; 1995, average to above average; 1996, average; 1997, average; 1998, average to above average.

Source: State Engineer's Office, Annual Hydrographers' Reports.

Green River Basin, Wyoming; Key Structures and Diversions
Description and Operation Memorandum

Bee Line Ditch, West Fork New Fork River, Diversion Data

BEE-LINE DITCH

STATION NO. 007128.00

LATITUDE 42-54-35 LONGITUDE 109-58-42

SE1/4NW1/4 SECTION 13 TOWNSHIP 34 N,RANGE 110 W 6TH P.M.

ELEVATION 7258.00 FT DRAINAGE AREA UNKNOWN

NONCONTRIBUTING 0.00 SQ MI BASIN 15570000

SUBLETTE COUNTY

DATA FROM WWRC

(C)

****TO USE THIS DATA, SEE VIC HASFURTHER****

| MEAN DAILY FLOW IN CFS BY WATER YEAR | | | | | | | | | | | | | |
|--------------------------------------|-----|-----|-----|-----|-----|-----|-----|--------|---------|---------|-------|-------|-----|
| 1984 | | | | | | | | | | | | | |
| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUNE | JULY | AUG | SEPT | DAY |
| 1 | ** | ** | ** | ** | ** | ** | ** | ** | 2.28 | 49.80 | 1.10 | 0.54 | 1 |
| 2 | ** | ** | ** | ** | ** | ** | ** | ** | 0.38 | 43.90 | 0.98 | 0.54 | 2 |
| 3 | ** | ** | ** | ** | ** | ** | ** | ** | 0.38 | 40.30 | 0.88 | 0.58 | 3 |
| 4 | ** | ** | ** | ** | ** | ** | ** | ** | 0.38 | 43.30 | 0.79 | 0.61 | 4 |
| 5 | ** | ** | ** | ** | ** | ** | ** | ** | 0.38 | 45.20 | 0.58 | 0.74 | 5 |
| 6 | ** | ** | ** | ** | ** | ** | ** | ** | 5.26 | 45.80 | 0.70 | 0.79 | 6 |
| 7 | ** | ** | ** | ** | ** | ** | ** | ** | 18.60 | 45.20 | 0.88 | 0.79 | 7 |
| 8 | ** | ** | ** | ** | ** | ** | ** | ** | 16.20 | 45.20 | 0.74 | 0.79 | 8 |
| 9 | ** | ** | ** | ** | ** | ** | ** | ** | 15.60 | 44.60 | 0.61 | 0.79 | 9 |
| 10 | ** | ** | ** | ** | ** | ** | ** | ** | 17.20 | 45.80 | 0.61 | 0.93 | 10 |
| 11 | ** | ** | ** | ** | ** | ** | ** | ** | 19.00 | 43.30 | 0.61 | 0.88 | 11 |
| 12 | ** | ** | ** | ** | ** | ** | ** | ** | 19.40 | 42.70 | 0.61 | 0.93 | 12 |
| 13 | ** | ** | ** | ** | ** | ** | ** | ** | 21.30 | 47.10 | 0.61 | 0.88 | 13 |
| 14 | ** | ** | ** | ** | ** | ** | ** | ** | 20.90 | 46.50 | 0.70 | 0.83 | 14 |
| 15 | ** | ** | ** | ** | ** | ** | ** | ** | 20.10 | 42.70 | 0.74 | 0.58 | 15 |
| 16 | ** | ** | ** | ** | ** | ** | ** | ** | 20.90 | 39.70 | 0.79 | 0.50 | 16 |
| 17 | ** | ** | ** | ** | ** | ** | ** | ** | 22.90 | 36.80 | 0.83 | 0.50 | 17 |
| 18 | ** | ** | ** | ** | ** | ** | ** | ** | 23.70 | 36.30 | 0.88 | 0.54 | 18 |
| 19 | ** | ** | ** | ** | ** | ** | ** | ** | 23.70 | 37.40 | 0.88 | 0.58 | 19 |
| 20 | ** | ** | ** | ** | ** | ** | ** | ** | 22.90 | 17.60 | 0.88 | 0.65 | 20 |
| 21 | ** | ** | ** | ** | ** | ** | ** | ** | 28.60 | 2.99 | 0.88 | 0.70 | 21 |
| 22 | ** | ** | ** | ** | ** | ** | ** | ** | 39.70 | 2.47 | 0.88 | 0.70 | 22 |
| 23 | ** | ** | ** | ** | ** | ** | ** | ** | 42.70 | 2.28 | 0.93 | 0.70 | 23 |
| 24 | ** | ** | ** | ** | ** | ** | ** | ** | 43.30 | 1.55 | 0.83 | 1.77 | 24 |
| 25 | ** | ** | ** | ** | ** | ** | ** | 1.10 | 44.60 | 0.74 | 0.98 | 1.55 | 25 |
| 26 | ** | ** | ** | ** | ** | ** | ** | 0.79 | 45.80 | 0.70 | 1.10 | 5.42 | 26 |
| 27 | ** | ** | ** | ** | ** | ** | ** | 0.74 | 45.80 | 0.88 | 1.15 | 2.67 | 27 |
| 28 | ** | ** | ** | ** | ** | ** | ** | 0.58 | 44.60 | 1.04 | 1.04 | 2.38 | 28 |
| 29 | ** | ** | ** | ** | ** | ** | ** | 0.58 | 43.30 | 0.98 | 0.93 | 4.36 | 29 |
| 30 | ** | ** | ** | ** | ** | ** | ** | 3.22 | 46.50 | 0.98 | 0.88 | 7.00 | 30 |
| 31 | ** | ** | ** | ** | ** | ** | ** | 7.19 | ** | 0.93 | 0.61 | ** | 31 |
| TOTAL | ** | ** | ** | ** | ** | ** | ** | 14.20* | 716.36 | 854.74 | 25.61 | 41.22 | |
| MEAN | ** | ** | ** | ** | ** | ** | ** | 2.03* | 23.88 | 27.57 | 0.83 | 1.37 | |
| AC-FT | ** | ** | ** | ** | ** | ** | ** | 28.17* | 1420.88 | 1695.35 | 50.80 | 81.76 | |

** INDICATES
MISSING DATA

* INDICATES
COMPUTED FROM
INCOMPLETE DATA

E INDICATES
ESTIMATED VALUE

Green River Basin, Wyoming; Key Structures and Diversions
Description and Operation Memorandum

Bee Line Ditch, West Fork New Fork River, Diversion Data

BEE-LINE DITCH

STATION NO. 007128.00

LATITUDE 42-54-35 LONGITUDE 109-58-42

SE1/4NW1/4 SECTION 13 TOWNSHIP 34 N,RANGE 110 W 6TH P.M.

ELEVATION 7258.00 FT DRAINAGE AREA UNKNOWN

NONCONTRIBUTING 0.00 SQ MI BASIN 15570000

SUBLETTE COUNTY

DATA FROM WWRC

(C)

****TO USE THIS DATA, SEE VIC HASFURTHER****

| MEAN DAILY FLOW IN CFS BY WATER YEAR | | | | | | | | | | | | | |
|--------------------------------------|---------|-----|-----|-----|-----|-----|-----|---------|---------|---------|--------|--------|-----|
| 1985 | | | | | | | | | | | | | |
| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUNE | JULY | AUG | SEPT | DAY |
| 1 | 5.10 | ** | ** | ** | ** | ** | ** | ** | 28.05 | 26.26 | 4.01 | 3.52 | 1 |
| 2 | 4.95 | ** | ** | ** | ** | ** | ** | ** | 31.03 | 25.91 | 4.01 | 6.28 | 2 |
| 3 | 4.36 | ** | ** | ** | ** | ** | ** | ** | 29.89 | 22.56 | 4.26 | 6.28 | 3 |
| 4 | 3.96 | ** | ** | ** | ** | ** | ** | ** | 16.35 | 21.61 | 4.13 | 6.12 | 4 |
| 5 | 3.83 | ** | ** | ** | ** | ** | ** | ** | 15.29 | 21.93 | 4.13 | 6.12 | 5 |
| 6 | 3.83 | ** | ** | ** | ** | ** | ** | ** | 23.54 | 28.78 | 4.13 | 6.12 | 6 |
| 7 | 4.65 | ** | ** | ** | ** | ** | ** | ** | 27.32 | 32.20 | 4.13 | 6.12 | 7 |
| 8 | 4.51 | ** | ** | ** | ** | ** | ** | ** | 26.26 | 36.24 | 4.13 | 6.12 | 8 |
| 9 | 4.51 | ** | ** | ** | ** | ** | ** | ** | 26.61 | 35.41 | 3.88 | 6.28 | 9 |
| 10 | 4.51 | ** | ** | ** | ** | ** | ** | ** | 13.28 | 34.19 | 3.88 | 6.44 | 10 |
| 11 | 4.51 | ** | ** | ** | ** | ** | ** | ** | 4.39 | 37.94 | 3.88 | 6.44 | 11 |
| 12 | 4.51 | ** | ** | ** | ** | ** | ** | ** | 9.93 | 48.01 | 4.01 | 7.28 | 12 |
| 13 | 3.57 | ** | ** | ** | ** | ** | ** | ** | 29.15 | 43.27 | 4.01 | 7.11 | 13 |
| 14 | 4.36 | ** | ** | ** | ** | ** | ** | ** | 29.15 | 39.67 | 3.88 | 6.77 | 14 |
| 15 | 4.23 | ** | ** | ** | ** | ** | ** | ** | 29.15 | 37.94 | 3.88 | 6.61 | 15 |
| 16 | 4.80 | ** | ** | ** | ** | ** | ** | ** | 30.27 | 37.51 | 3.88 | 6.44 | 16 |
| 17 | 4.23 | ** | ** | ** | ** | ** | ** | ** | 29.52 | 40.56 | 3.88 | 6.28 | 17 |
| 18 | 4.65 | ** | ** | ** | ** | ** | ** | ** | 30.65 | 41.91 | 3.88 | 6.28 | 18 |
| 19 | 5.75 | ** | ** | ** | ** | ** | ** | ** | 31.81 | 38.80 | 3.88 | 7.28 | 19 |
| 20 | 5.75 | ** | ** | ** | ** | ** | ** | ** | 31.42 | 30.65 | 3.88 | 7.28 | 20 |
| 21 | 2.02 | ** | ** | ** | ** | ** | ** | ** | 30.65 | 22.89 | 3.76 | 6.94 | 21 |
| 22 | 2.10 | ** | ** | ** | ** | ** | ** | 1.46 | 29.89 | 21.92 | 3.88 | 7.99 | 22 |
| 23 | 2.38 | ** | ** | ** | ** | ** | ** | 2.86 | 30.65 | 9.33 | 3.88 | 7.81 | 23 |
| 24 | 1.93 | ** | ** | ** | ** | ** | ** | 3.07 | 31.81 | 3.76 | 3.76 | 7.28 | 24 |
| 25 | 3.45 | ** | ** | ** | ** | ** | ** | 3.07 | 37.51 | 3.64 | 3.64 | 7.11 | 25 |
| 26 | 5.58 | ** | ** | ** | ** | ** | ** | 2.86 | 37.94 | 4.01 | 2.76 | 7.11 | 26 |
| 27 | 5.26 | ** | ** | ** | ** | ** | ** | 2.10 | 41.00 | 4.01 | 2.76 | 7.11 | 27 |
| 28 | ** | ** | ** | ** | ** | ** | ** | 1.32 | 37.51 | 4.01 | 2.76 | 7.28 | 28 |
| 29 | ** | ** | ** | ** | ** | ** | ** | 14.77 | 34.19 | 4.01 | 2.66 | 7.46 | 29 |
| 30 | ** | ** | ** | ** | ** | ** | ** | 21.29 | 29.89 | 4.01 | 2.56 | 7.46 | 30 |
| 31 | ** | ** | ** | ** | ** | ** | ** | 28.05 | | 4.13 | 2.56 | | 31 |
| TOTAL | 113.29* | ** | ** | ** | ** | ** | ** | 80.85* | 834.10 | 767.07 | 114.73 | 200.72 | |
| MEAN | 4.20* | ** | ** | ** | ** | ** | ** | 8.09* | 27.80 | 24.74 | 3.70 | 6.69 | |
| AC-FT | 224.71* | ** | ** | ** | ** | ** | ** | 160.36* | 1654.41 | 1521.46 | 227.56 | 398.12 | |

** INDICATES MISSING DATA
* INDICATES COMPUTED FROM INCOMPLETE DATA
E INDICATES ESTIMATED VALUE

Green River Basin, Wyoming; Key Structures and Diversions
Description and Operation Memorandum

Bee Line Ditch, West Fork New Fork River, Diversion Data

BEE-LINE DITCH

STATION NO. 007128.00

LATITUDE 42-54-35 LONGITUDE 109-58-42

SE1/4NW1/4 SECTION 13 TOWNSHIP 34 N,RANGE 110 W 6TH P.M.

ELEVATION 7258.00 FT DRAINAGE AREA UNKNOWN

NONCONTRIBUTING 0.00 SQ MI BASIN 15570000

SUBLETTE COUNTY

DATA FROM WWRC

(C)

*****TO USE THIS DATA, SEE VIC HASFURTHER*****

| MEAN DAILY FLOW IN CFS BY WATER YEAR | | | | | | | | | | | | | |
|--------------------------------------|--------|--------|-----|-----|-----|-----|-----|---------|---------|---------|--------|--------|-----|
| 1986 | | | | | | | | | | | | | |
| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUNE | JULY | AUG | SEPT | DAY |
| 1 | 7.28 | 4.79 | ** | ** | ** | ** | ** | ** | 18.60 | 45.37 | 5.42 | 6.33 | 1 |
| 2 | 7.11 | 4.79 | ** | ** | ** | ** | ** | ** | 23.71 | 51.47 | 5.42 | 6.33 | 2 |
| 3 | 6.94 | 4.79 | ** | ** | ** | ** | ** | ** | 36.78 | 51.47 | 5.42 | 6.33 | 3 |
| 4 | 6.77 | 4.79 | ** | ** | ** | ** | ** | ** | 38.42 | 50.99 | 5.42 | 6.33 | 4 |
| 5 | 6.77 | ** | ** | ** | ** | ** | ** | ** | 43.13 | 52.45 | 5.27 | 6.17 | 5 |
| 6 | 6.77 | ** | ** | ** | ** | ** | ** | ** | 44.46 | 50.50 | 5.42 | 6.17 | 6 |
| 7 | 6.77 | ** | ** | ** | ** | ** | ** | ** | 45.37 | 51.47 | 5.42 | 6.17 | 7 |
| 8 | 6.94 | ** | ** | ** | ** | ** | ** | ** | 48.60 | 51.47 | 5.42 | 6.17 | 8 |
| 9 | 6.77 | ** | ** | ** | ** | ** | ** | ** | 46.74 | 50.99 | 5.42 | 6.17 | 9 |
| 10 | 6.77 | ** | ** | ** | ** | ** | ** | ** | 43.13 | 48.60 | 5.42 | 6.17 | 10 |
| 11 | 6.61 | ** | ** | ** | ** | ** | ** | ** | 38.83 | 46.28 | 5.42 | 6.17 | 11 |
| 12 | 6.77 | ** | ** | ** | ** | ** | ** | ** | 43.13 | 42.25 | 5.42 | 6.17 | 12 |
| 13 | 6.77 | ** | ** | ** | ** | ** | ** | ** | 45.82 | 40.95 | 5.42 | 6.01 | 13 |
| 14 | 6.44 | ** | ** | ** | ** | ** | ** | ** | 45.37 | 40.95 | 5.42 | 6.01 | 14 |
| 15 | 6.44 | ** | ** | ** | ** | ** | ** | ** | 45.37 | 46.74 | 5.42 | 6.01 | 15 |
| 16 | 6.44 | ** | ** | ** | ** | ** | ** | ** | 43.57 | 50.50 | 5.56 | 6.01 | 16 |
| 17 | 6.28 | ** | ** | ** | ** | ** | ** | ** | 42.25 | 46.28 | 6.33 | 6.01 | 17 |
| 18 | 6.28 | ** | ** | ** | ** | ** | ** | ** | 43.13 | 36.37 | 7.31 | 5.86 | 18 |
| 19 | 6.12 | ** | ** | ** | ** | ** | ** | ** | 43.57 | 31.71 | 7.49 | 5.71 | 19 |
| 20 | 6.12 | ** | ** | ** | ** | ** | ** | ** | 40.52 | 26.35 | 7.31 | 5.71 | 20 |
| 21 | 6.12 | ** | ** | ** | ** | ** | ** | ** | 44.46 | 23.71 | 7.49 | 5.71 | 21 |
| 22 | 6.12 | ** | ** | ** | ** | ** | ** | ** | 50.03 | 10.32 | 7.49 | 5.71 | 22 |
| 23 | 6.28 | ** | ** | ** | ** | ** | ** | ** | 49.55 | 5.86 | 7.49 | 5.56 | 23 |
| 24 | 6.28 | ** | ** | ** | ** | ** | ** | ** | 47.67 | 5.71 | 7.31 | 5.71 | 24 |
| 25 | 6.28 | ** | ** | ** | ** | ** | ** | ** | 46.28 | 6.01 | 7.14 | 5.56 | 25 |
| 26 | 6.28 | ** | ** | ** | ** | ** | ** | ** | 46.28 | 6.33 | 7.14 | 5.56 | 26 |
| 27 | 6.12 | ** | ** | ** | ** | ** | ** | 2.61 | 43.57 | 6.33 | 7.14 | 5.56 | 27 |
| 28 | 6.12 | ** | ** | ** | ** | ** | ** | 7.66 | 43.13 | 6.01 | 6.98 | 5.42 | 28 |
| 29 | 6.12 | ** | ** | ** | ** | ** | ** | 13.42 | 42.69 | 5.71 | 6.98 | 8.56 | 29 |
| 30 | 5.97 | ** | ** | ** | ** | ** | ** | 14.63 | 40.95 | 5.71 | 6.98 | 10.74 | 30 |
| 31 | 5.36 | ** | ** | ** | ** | ** | ** | 16.95 | ** | 5.56 | 6.65 | ** | 31 |
| TOTAL | 200.21 | 19.16* | ** | ** | ** | ** | ** | 55.27* | 1275.11 | 1000.42 | 193.94 | 186.10 | |
| MEAN | 6.46 | 4.79* | ** | ** | ** | ** | ** | 11.05* | 42.50 | 32.27 | 6.26 | 6.20 | |
| AC-FT | 397.11 | 38.00* | ** | ** | ** | ** | ** | 109.63* | 2529.14 | 1984.30 | 384.67 | 369.12 | |

** INDICATES MISSING DATA
* INDICATES COMPUTED FROM INCOMPLETE DATA
E INDICATES ESTIMATED VALUE

Green River Basin, Wyoming; Key Structures and Diversions
Description and Operation Memorandum

Bee Line Ditch, West Fork New Fork River, Diversion Data

BEE-LINE DITCH

STATION NO. 007128.00

LATITUDE 42-54-35 LONGITUDE 109-58-42

SE1/4NW1/4 SECTION 13 TOWNSHIP 34 N,RANGE 110 W 6TH P.M.

ELEVATION 7258.00 FT DRAINAGE AREA UNKNOWN

NONCONTRIBUTING 0.00 SQ MI BASIN 15570000

SUBLETTE COUNTY

DATA FROM WWRC

(C)

****TO USE THIS DATA, SEE VIC HASFURTHER****

| MEAN DAILY FLOW IN CFS BY WATER YEAR | | | | | | | | | | | | | |
|--------------------------------------|--------|--------|-------|-----|-----|-----|-----|---------|---------|---------|--------|--------|-----|
| 1987 | | | | | | | | | | | | | |
| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUNE | JULY | AUG | SEPT | DAY |
| 1 | 9.92 | 7.31 | 0.00 | ** | ** | ** | ** | ** | 18.16 | 33.09 | 4.26 | 4.00 | 1 |
| 2 | 10.32 | 6.81 | 0.00 | ** | ** | ** | ** | ** | 15.59 | 33.09 | 4.13 | 3.76 | 2 |
| 3 | 10.95 | 6.98 | 0.00 | ** | ** | ** | ** | ** | 15.35 | 33.09 | 4.13 | 3.76 | 3 |
| 4 | 10.32 | 6.98 | 0.00 | ** | ** | ** | ** | ** | 16.09 | 31.33 | 4.13 | 3.88 | 4 |
| 5 | 9.92 | 6.49 | 0.00 | ** | ** | ** | ** | ** | 16.34 | 28.61 | 4.13 | 3.88 | 5 |
| 6 | 9.72 | 6.33 | ** | ** | ** | ** | ** | ** | 16.34 | 27.63 | 4.00 | 3.17 | 6 |
| 7 | 9.72 | 5.86 | ** | ** | ** | ** | ** | ** | 19.51 | 26.66 | 4.00 | 2.73 | 7 |
| 8 | 10.95 | 4.58 | ** | ** | ** | ** | ** | ** | 25.39 | 28.28 | 4.00 | 2.52 | 8 |
| 9 | 11.60 | 3.13 | ** | ** | ** | ** | ** | ** | 23.24 | 32.03 | 4.33 | 2.42 | 9 |
| 10 | 11.60 | 1.97 | ** | ** | ** | ** | ** | ** | 35.63 | 47.99 | 4.80 | 2.33 | 10 |
| 11 | 12.04 | 1.22 | ** | ** | ** | ** | ** | ** | 28.61 | 50.15 | 4.80 | 2.33 | 11 |
| 12 | 11.82 | 1.50 | ** | ** | ** | ** | ** | 3.63 | 27.63 | 41.78 | 4.73 | 2.23 | 12 |
| 13 | 11.82 | 0.76 | ** | ** | ** | ** | ** | 3.88 | 29.96 | 37.88 | 4.73 | 2.23 | 13 |
| 14 | 11.82 | 0.81 | ** | ** | ** | ** | ** | 4.00 | 28.61 | 37.12 | 4.80 | 2.23 | 14 |
| 15 | 11.82 | 0.81 | ** | ** | ** | ** | ** | 3.88 | 30.64 | 34.89 | 5.23 | 2.23 | 15 |
| 16 | 11.60 | 0.86 | ** | ** | ** | ** | ** | 4.13 | 34.89 | 33.81 | 5.01 | 2.23 | 16 |
| 17 | 11.60 | 0.71 | ** | ** | ** | ** | ** | 4.39 | 29.96 | 37.88 | 4.80 | 2.23 | 17 |
| 18 | 11.82 | 0.37 | ** | ** | ** | ** | ** | 9.64 | 26.34 | 39.81 | 4.73 | 2.23 | 18 |
| 19 | 9.52 | 0.18 | ** | ** | ** | ** | ** | 16.60 | 26.02 | 35.63 | 4.66 | 2.23 | 19 |
| 20 | 7.49 | 0.14 | ** | ** | ** | ** | ** | 21.77 | 27.95 | 33.09 | 4.53 | 2.23 | 20 |
| 21 | 7.49 | 0.00 | ** | ** | ** | ** | ** | 26.98 | 30.30 | 32.03 | 4.53 | 2.13 | 21 |
| 22 | 7.49 | 0.00 | ** | ** | ** | ** | ** | 27.63 | 32.03 | 17.11 | 4.39 | 2.04 | 22 |
| 23 | 7.31 | 0.00 | ** | ** | ** | ** | ** | 26.34 | 33.81 | 3.76 | 4.39 | 2.05 | 23 |
| 24 | 7.31 | 0.00 | ** | ** | ** | ** | ** | 23.85 | 33.81 | 3.88 | 4.39 | 1.95 | 24 |
| 25 | 7.14 | 0.00 | ** | ** | ** | ** | ** | 23.85 | 33.09 | 4.13 | 4.53 | 1.95 | 25 |
| 26 | 7.14 | 0.00 | ** | ** | ** | ** | ** | 25.08 | 33.45 | 4.13 | 4.39 | 1.91 | 26 |
| 27 | 6.98 | 0.00 | ** | ** | ** | ** | ** | 26.66 | 32.03 | 4.13 | 4.39 | 1.86 | 27 |
| 28 | 6.98 | 0.00 | ** | ** | ** | ** | ** | 27.95 | 30.30 | 4.13 | 4.26 | 1.86 | 28 |
| 29 | 6.98 | 0.00 | ** | ** | | ** | ** | 23.55 | 30.64 | 4.13 | 4.13 | 1.78 | 29 |
| 30 | 7.31 | 0.00 | ** | ** | | ** | ** | 21.77 | 32.38 | 4.13 | 4.13 | 1.78 | 30 |
| 31 | 7.31 | | ** | ** | | ** | | 19.78 | | 4.26 | 4.00 | | 31 |
| TOTAL | 295.81 | 63.80 | 0.00* | ** | ** | ** | ** | 345.36* | 814.09 | 789.66 | 137.46 | 74.16 | |
| MEAN | 9.54 | 2.13 | 0.00* | ** | ** | ** | ** | 17.27* | 27.14 | 25.47 | 4.43 | 2.47 | |
| AC-FT | 586.73 | 126.55 | 0.00* | ** | ** | ** | ** | 685.01* | 1614.72 | 1566.27 | 272.65 | 147.09 | |

** INDICATES MISSING DATA
* INDICATES COMPUTED FROM INCOMPLETE DATA
E INDICATES ESTIMATED VALUE

Green River Basin, Wyoming; Key Structures and Diversions
Description and Operation Memorandum

Bee Line Ditch, West Fork New Fork River, Diversion Data

BEE-LINE DITCH

STATION NO. 007128.00

LATITUDE 42-54-35 LONGITUDE 109-58-42

SE1/4NW1/4 SECTION 13 TOWNSHIP 34 N,RANGE 110 W 6TH P.M.

ELEVATION 7258.00 FT DRAINAGE AREA UNKNOWN

NONCONTRIBUTING 0.00 SQ MI BASIN 15570000

SUBLETTE COUNTY

DATA FROM WWRC

(C)

****TO USE THIS DATA, SEE VIC HASFURTHER****

| MEAN DAILY FLOW IN CFS BY WATER YEAR | | | | | | | | | | | | | |
|--------------------------------------|--------|-----|-----|-----|-----|-----|-----|-----|------|------|-----|------|-----|
| 1988 | | | | | | | | | | | | | |
| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUNE | JULY | AUG | SEPT | DAY |
| 1 | 1.78 | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | 1 |
| 2 | 3.05 | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | 2 |
| 3 | 6.60 | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | 3 |
| 4 | 6.44 | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | 4 |
| 5 | 6.93 | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | 5 |
| 6 | 6.77 | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | 6 |
| 7 | 7.27 | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | 7 |
| 8 | 8.14 | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | 8 |
| 9 | 8.32 | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | 9 |
| 10 | 8.50 | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | 10 |
| 11 | 8.50 | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | 11 |
| 12 | 8.50 | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | 12 |
| 13 | 8.54 | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | 13 |
| 14 | 8.72 | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | 14 |
| 15 | 8.72 | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | 15 |
| 16 | 8.69 | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | 16 |
| 17 | 8.54 | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | 17 |
| 18 | 8.54 | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | 18 |
| 19 | 8.54 | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | 19 |
| 20 | 8.87 | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | 20 |
| 21 | 8.69 | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | 21 |
| 22 | 8.69 | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | 22 |
| 23 | 8.50 | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | 23 |
| 24 | 8.73 | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | 24 |
| 25 | 8.69 | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | 25 |
| 26 | 8.50 | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | 26 |
| 27 | 8.50 | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | 27 |
| 28 | 8.37 | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | 28 |
| 29 | 8.50 | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | 29 |
| 30 | 8.69 | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | 30 |
| 31 | 8.50 | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | 31 |
| TOTAL | 244.32 | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | |
| MEAN | 7.88 | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | |
| AC-FT | 484.60 | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | |

** INDICATES MISSING DATA
* INDICATES COMPUTED FROM INCOMPLETE DATA
E INDICATES ESTIMATED VALUE

Source: Wyoming Water Resources Data System, March 20, 2000

Green River Basin, Wyoming; Key Structures and Diversions
Description and Operation Memorandum

Bertram Ditch, New Fork River

Diversion Description: Diversion consists of a single 24” slide gate. No diversion dam exists.¹

Diversion Location:

Source: New Fork River, Trib. Green River

Section, Township, Range: 16, 31, 109

Conveyance Description: Open Channel Canal, approximately 1 mile in length.¹

Wyoming Water Rights Summary:

| Priority Date (M–D–Y) | Permit Number | Permitted Use | Acres | Flow (cfs) | Cumulative Flow (cfs) | Comments |
|--------------------------|------------------|------------------|--------|---------------|--------------------------|----------|
| 09-09-1901 | 3406 | Irrigation | 226.00 | 3.22 | 3.22 | |
| 05-19-1908 | 1890E | Irrigation | 725.00 | 10.35 | 13.57 | |
| 03-06-1925 | 4444E | Irrigation | 86.00 | 1.22 | 14.79 | |

Storage Rights: None.

Estimated Canal Losses: Information not available at time of report.

Irrigation Practices: Information not available at time of report.

Crop Types / Consumptive Use: Information not available at time of report.

Return Flows: Return flows are delivered to New Fork River near Big Piney.²

Other Operational Information: Information not available at time of report.

Sources: 1) Loren Smith, Wyoming State Engineer’s Office, Fax, June 6, 2000.
2) Williams, Linda I., “A Model of the Green River Using the Wyoming Integrated River System Operation Study (WIRSOS),” M.S. Thesis, University of Wyoming, Department of Civil Engineering, December 1995.

Green River Basin, Wyoming; Key Structures and Diversions
Description and Operation Memorandum

Bertram Ditch, New Fork River, Diversion Data

No Diversion Data Available.

Green River Basin, Wyoming; Key Structures and Diversions
Description and Operation Memorandum

Boulder Canal, Boulder Creek

Diversion Description: Diversion consists of a single 72” steel radial gate. A rock diversion dam exists.¹

Diversion Location:

Source: Boulder Creek, Trib. West Fork New Fork River, Trib. New Fork River, Trib. Green River
Section, Township, Range: 23, 33, 108

Conveyance Description: Open Channel Canal, approximately 14 miles in length.¹

Wyoming Water Rights Summary:

| Priority Date (M–D–Y) | Permit Number | Permitted Use | Acres | Flow (cfs) | Cumulative Flow (cfs) | Comments |
|--------------------------|------------------|-----------------------------------|----------|---------------|--------------------------|--|
| 10-18-1899 | 2322 | Irrigation | 630.00 | 9.00 | 9.00 | Permitted Name: Burkhalter |
| 03-08-1901 | 633E | Irrigation | 285.00 | 4.07 | 13.07 | Permitted Name: Enl. Burkhalter |
| 08-01-1902 | 889E | Domestic, Irrigation | 3,087.50 | 44.05 | 57.12 | Permitted Name: Boulder Canal (Enl. Oliver) |
| 08-25-1902 | 906E | Irrigation | 260.00 | 3.71 | 60.83 | Permitted Name: Enl. Burkhalter |
| 05-11-1903 | 1042E | Irrigation | 320.00 | 4.56 | 65.39 | Permitted Name: Enl. Burkhalter |
| 06-04-1903 | 1099E | Irrigation | 729.00 | 10.41 | 75.80 | Permitted Name: Enl. Burkhalter & Thompson |
| 12-18-1906 | 1646E | Domestic, Irrigation | 746.00 | 10.64 | 86.44 | Permitted Name: Boulder (Enl. Burkhalter) |
| 10-14-1919 | 4030E | Domestic, Irrigation, Stock | 3,693.47 | 52.66 | 139.10 | Permitted Name: Enl. Boulder Canal (Oliver and Burkhalter) |
| 03-11-1948 | 5454E | Irrigation | 99.00 | 1.41 | 140.51 | Permitted Name: Enl. Boulder Canal |
| 03-01-1984 | 6749E | Irrigation | 37.00 | 0.53 | 141.04 | Permitted Name: Lozier Enl. Boulder Canal |
| 03-01-1984 | 6750E | Irrigation | 59.00 | 0.84 | 141.88 | Permitted Name: Johnston Enl. Boulder Canal |

Green River Basin, Wyoming; Key Structures and Diversions
Description and Operation Memorandum

Boulder Canal, Boulder Creek

| Priority Date (M-D-Y) | Permit Number | Permitted Use | Acres | Flow (cfs) | Cumulative Flow (cfs) | Comments |
|--------------------------|------------------|------------------|-------|---------------|--------------------------|--|
| 04-04-1985 | 6780E | Irrigation | 26.60 | 0.39 | 142.27 | Permitted Name: Steele Enl. Boulder Canal. Supplementary Supply for 63.90 acres with Original Supply from East Fork New Fork River |

Storage Rights: None.

Estimated Canal Losses: Typical (10%) losses are experienced in the first 6 miles of the canal; higher than typical losses (20-25%) are experienced in the remainder of the canal.¹

Irrigation Practices: Information not available at time of report.

Crop Types / Consumptive Use: Information not available at time of report.

Return Flows: Approximately 85% of the return flows are delivered to West Fork New Fork River near Ward Ball, and approximately 15% are delivered to East Fork River near New Fork Wyoming.²

Other Operational Information: Information not available at time of report.

| | |
|----------|---|
| Sources: | <p>1) Loren Smith, Wyoming State Engineer's Office, Fax, June 9, 2000.</p> <p>2) Williams, Linda I., "A Model of the Green River Using the Wyoming Integrated River System Operation Study (WIRSOS)," M.S. Thesis, University of Wyoming, Department of Civil Engineering, December 1995.</p> |
|----------|---|

Green River Basin, Wyoming; Key Structures and Diversions
Description and Operation Memorandum

Boulder Canal, Boulder Creek, Diversion Data

| Wateryear | May | | June | | July | | August | | September | |
|-----------|---------------|--------------------|---------------|--------------------|---------------|--------------------|---------------|--------------------|---------------|--------------------|
| | Average (cfs) | Monthly Total (AF) | Average (cfs) | Monthly Total (AF) | Average (cfs) | Monthly Total (AF) | Average (cfs) | Monthly Total (AF) | Average (cfs) | Monthly Total (AF) |
| 1980 | | | | | | | | | | |
| 1981 | | | | | | | | | | |
| 1982 | | | | | | | | | | |
| 1983 | | | | | | | | | | |
| 1984 | | | 323.50 | 19,249.59 | | | | | | |
| 1985 | | | | | | | | | | |
| 1986 | | | | | | | | | | |
| 1987 | | | | | | | | | | |
| 1988 | | | | | | | | | | |
| 1989 | | | | | | | | | | |
| 1990 | | | | | | | | | | |
| 1991 | | | | | | | | | | |
| 1992 | | | | | | | | | | |
| 1993 | | | | | | | | | | |
| 1994 | | | | | | | | | | |
| 1995 | | | | | | | | | | |
| 1996 | | | | | | | | | | |
| 1997 | | | | | | | | | | |
| 1998 | | | | | | | | | | |

| | | | | | | | | | | |
|-----------|--|--|--------|-----------|--|--|--|--|--|--|
| Averages: | | | 323.50 | 19,249.59 | | | | | | |
|-----------|--|--|--------|-----------|--|--|--|--|--|--|

Blank cells are due to missing/insufficient data.
Average = Average Flow for ENTIRE month. Monthly Total = Total Volume used during month.
See Methodology section for explanations.
Spot data readings used in calculating averages in table on following pages.

Green River Basin, Wyoming; Key Structures and Diversions
Description and Operation Memorandum

Boulder Canal, Boulder Creek, Diversion Data

Data:

1981: 6/9, 360 cfs; 8/11, 22 cfs; 8/27, 120 cfs.
1982: 6/7, 380 cfs; 6/17, 360 cfs; 7/22, off.
1983: 5/10, 65 cfs (est); 5/18, off; 5/26, 80 cfs; 6/13, 384 cfs.
1984: 5/17, 100 cfs; 6/19, 366 cfs; 7/3, 372 cfs.
1991: 6/24, 344.26 cfs.
1992: 6/10, 251.00 cfs; 6/24, 100.00 cfs.
1993: 7/6, 350.00 cfs.
1994: 7/5, 350.00 cfs.
1996: 6/15, 348 cfs; 8/1, 76.8 cfs.
1997: 5/19, 160.6 cfs; 6/12, 305 cfs; 7/29, 112.7 cfs.
1998: 8/4, 99.42 cfs; 9/30, 68.7 cfs.

Supply: 1980, below average; 1981, slightly below average; 1982, average (late peak); 1983, above average; 1984, above average; 1985, below average; 1986, average to slightly above average; 1988: very below average; 1989, below average; 1990, below average; 1991, slightly below average; 1992, below average; 1993, average; 1994, below average; 1995, average to above average; 1996, average; 1997, average; 1998, average to above average.

Source: State Engineer's Office, Annual Hydrographers' Reports.

Green River Basin, Wyoming; Key Structures and Diversions
Description and Operation Memorandum

Colorado Ditch, Pine Creek

Diversion Description: Diversion consists of a 5' wide slide gate mounted on a concrete structure. A rock diversion dam exists.¹

Diversion Location:

Source: Pine Creek, Trib. West Fork New Fork River, Trib. New Fork River, Trib. Green River
Section, Township, Range: 28-34-109

Conveyance Description: Open Channel Canal, approximately 2 miles in length.¹

Wyoming Water Rights Summary:

| Priority Date (M-D-Y) | Permit Number | Permitted Use | Acres | Flow (cfs) | Cumulative Flow (cfs) | Comments |
|-----------------------|---------------|-----------------------------|--------|------------|-----------------------|--|
| 05-06-1898 | 1817 | Irrigation | 723.98 | 10.34 | 10.34 | |
| 02-09-1899 | 402E | Irrigation | 287.00 | 4.06 | 14.40 | |
| 11-08-1906 | 1631E | Irrigation | 241.55 | 3.44 | 17.84 | |
| 08-10-1934 | 4954E | Domestic, Irrigation, Stock | | | 17.84 | 3,370.23 AF Secondary Supply from Fremont Lake Reservoir (4453R and 4465R) (878.55 acres served) |
| 06-26-1945 | 5406E | Irrigation, Stock | 72.90 | 1.04 | 18.88 | |
| 05-07-1984 | 6859E | Res. Supply | | | 18.88 | Supply ditch for Golf Course Pond Nos. 1-4 |

Storage Rights: Fremont Lake Reservoir.

Estimated Canal Losses: No significant losses are experienced. In fact, minor gains are experienced from seepage of other ditches.¹

Irrigation Practices: Lands are flood irrigated.¹

Crop Types / Consumptive Use: Lands are native grass hay and pasture.¹

Return Flows: Return flows are delivered to West Fork New Fork River near Sill Ditch.²

Other Operational Information: The canal is typically turned on the first of May and off the first of September.¹

Green River Basin, Wyoming; Key Structures and Diversions
Description and Operation Memorandum

Colorado Ditch, Pine Creek

Sources: 1) Bill Sours, Colorado Ditch Company, Interview, May 4, 2000.
2) Williams, Linda I., "A Model of the Green River Using the Wyoming Integrated River System Operation Study (WIRSOS)," M.S. Thesis, University of Wyoming, Department of Civil Engineering, December 1995.

Green River Basin, Wyoming; Key Structures and Diversions
Description and Operation Memorandum

Colorado Ditch, Pine Creek, Diversion Data

| Wateryear | May | | June | | July | | August | | September | |
|-----------|---------------|--------------------|---------------|--------------------|---------------|--------------------|---------------|--------------------|---------------|--------------------|
| | Average (cfs) | Monthly Total (AF) | Average (cfs) | Monthly Total (AF) | Average (cfs) | Monthly Total (AF) | Average (cfs) | Monthly Total (AF) | Average (cfs) | Monthly Total (AF) |
| 1974 | <i>21.11</i> | <i>1,298.20</i> | <i>54.85</i> | <i>3,263.80</i> | <i>42.38</i> | <i>2,606.08</i> | <i>0.00</i> | <i>0.00</i> | <i>4.75</i> | <i>282.64</i> |
| 1975 | | | <i>37.65</i> | <i>2,240.13</i> | <i>54.72</i> | <i>3,364.76</i> | | | <i>3.41</i> | <i>202.91</i> |
| 1976 | | | <i>25.54</i> | <i>1,519.93</i> | <i>29.35</i> | <i>1,804.76</i> | <i>6.55</i> | <i>402.64</i> | <i>9.71</i> | <i>578.00</i> |
| 1978 | | | <i>42.41</i> | <i>2,523.57</i> | <i>32.48</i> | <i>1,997.35</i> | | | | |
| 1980 | 2.75 | 169.09 | 26.75 | 1,591.74 | 18.79 | 1,155.35 | 0.00 | 0.00 | | |
| 1981 | 3.52 | 216.44 | 25.78 | 1,534.02 | 20.63 | 1,268.49 | | | | |
| 1982 | | | 33.07 | 1,967.80 | 46.24 | 2,843.19 | 0.06 | 3.69 | 1.50 | 89.26 |
| 1983 | | | 28.43 | 1,691.70 | 30.32 | 1,864.30 | | | | |
| 1984 | | | 27.38 | 1,629.22 | 38.55 | 2,370.35 | 8.85 | 544.17 | | |
| 1985 | | | | | | | | | | |
| 1986 | | | | | | | | | | |
| 1987 | 15.95 | 980.73 | 37.64 | 2,239.74 | 29.61 | 1,820.65 | | | | |
| 1988 | | | | | 13.51 | 830.68 | | | | |
| 1989 | 7.12 | 437.79 | 19.93 | 1,185.92 | 19.32 | 1,187.94 | | | | |
| 1990 | | | 2.69 | 160.07 | | | | | | |
| 1991 | | | 20.36 | 1,211.25 | | | | | | |
| 1992 | 32.49 | 1,997.73 | 34.03 | 2,024.93 | 23.64 | 1,453.57 | 20.16 | 1,239.59 | 6.39 | 380.23 |
| 1993 | | | 45.01 | 2,678.28 | 30.48 | 1,874.14 | 6.20 | 381.22 | 5.79 | 344.53 |
| 1994 | 26.08 | 1,603.60 | 42.44 | 2,525.36 | 31.88 | 1,960.22 | 9.07 | 557.69 | 5.85 | 348.10 |
| 1995 | 19.71 | 1,211.92 | 33.16 | 1,973.16 | 34.78 | 2,138.54 | 8.87 | 545.40 | 10.94 | 650.98 |
| 1996 | 8.77 | 539.25 | 28.47 | 1,694.08 | 20.57 | 1,264.80 | | | | |
| 1997 | | | | | | | | | | |
| 1998 | | | | | | | 2.19 | 134.76 | | |

| | | | | | | | | | | |
|-----------|-------|--------|-------|----------|-------|----------|------|--------|------|--------|
| Averages: | 15.28 | 939.42 | 31.42 | 1,869.71 | 30.43 | 1,870.89 | 6.20 | 380.92 | 6.04 | 359.58 |
|-----------|-------|--------|-------|----------|-------|----------|------|--------|------|--------|

Data in italics from USGS gaging station 006040.00, see attached data sheets.

Blank cells are due to missing/insufficient data.

Average = Average Flow for ENTIRE month. Monthly Total = Total Volume used during month.

See Methodology section for explanations.

Spot data readings used in calculating averages in table on following pages.

Green River Basin, Wyoming; Key Structures and Diversions
Description and Operation Memorandum

Colorado Ditch, Pine Creek, Diversion Data

Data:

1980: 5/14, 6 cfs; 5/24, 5 cfs; 5/28, 3 cfs; 6/4, 5 cfs; 6/9, 10 cfs; 6/13, 30 cfs; 6/17, 32 cfs; 6/24, 40 cfs; 6/27, 40 cfs; 7/7, 58 cfs; 7/10, 40 cfs; 7/16, 7/17, 8/1 1, off.

1981: 5/13, 2 cfs (est); 5/27, 6 cfs; 6/9, 30 cfs; 6/15, 21 cfs; 7/6, 38 cfs; 7/15, 32 cfs; 7/24, 7/30, off; 8/7, 2 cfs (est).

1982: 5/24, off; 6/9, 20 cfs; 6/18, 40 cfs; 6/24, 45 cfs; 7/7, 62 cfs; 7/19, 55 cfs; 8/2, 9/6, off; 9/21, 6 cfs (est).

1983: 6/3, off; 6/22, 44 cfs; 6/27, 50 cfs; 7/11, 50 cfs; 7/19, 32 cfs; 7/26, off.

1984: 5/22, 4 cfs; 5/30, 2 cfs; 6/9, 17 cfs; 6/18, 31 cfs; 7/2, 50 cfs; 7/10, 45 cfs; 7/16, 30 cfs; 7/26, 38 cfs; 8/20, off.

1986: 6/18, 22.5 cfs; 6/26, 39 cfs; 7/9, 22.5 cfs.

1987: 5/6, 16.3 cfs; 5/7, 9.6 cfs; 6/2, 29.7 cfs; 6/23, 42.9 cfs; 7/13, 39.3 cfs; 7/15, 35.7 cfs; 8/3, 3.0 cfs.

1988: 6/1, 46.3 cfs; 7/14, 35.1 cfs; 7/26, 21.8 cfs; 8/1, 4 cfs; 8/5, 4 cfs.

1989: 5/4, 4 cfs; 5/17, 3 cfs; 5/26, 15 cfs; 6/8, 18 cfs; 6/26, 21 cfs; 7/3, 33 cfs; 8/2, 3 cfs.

1990: 5/21, 10.5 cfs; 6/13, 1.9 cfs (est); 7/12, 1.3 cfs (est).

1991: 6/10, 23.40 cfs; 7/2, 35.30 cfs.

1992: 4/15, 12.00 cfs; 5/6, 18.00 cfs; 5/26, 50.30 cfs; 5/27, 38.00 cfs; 6/3, 40.00 cfs; 6/16, 35.00 cfs; 6/24, 30.00 cfs; 7/17, 15.00 cfs; 7/18, 25.00 cfs; 7/20, 30.00 cfs; 8/31, 15.00 cfs; 9/4, 10.00 cfs; 9/28, 3.00 cfs.

1993: 5/17, 39.30 cfs; 5/22, 45.00 cfs; 5/28, 48.60 cfs; 6/2, 45.00 cfs; 7/5, 45.00 cfs; 7/7, 44.00 cfs; 8/4, 6.00 cfs; 8/8, 6.00 cfs; 8/10, 6.00 cfs; 8/16, 6.00 cfs; 8/20, 6.00 cfs; 8/23, 6.00 cfs; 9/20, 6.00 cfs; 9/23, 6.00 cfs; 9/25, 6.00 cfs; 9/29, 4.50 cfs; 10/2, 4.00 cfs.

1994: 5/2, off; 5/26, 45.30 cfs; 6/14, 38.00 cfs; 6/16, 40.00 cfs; 6/24, 48.80 cfs; 7/6, 35.00 cfs; 7/20, 38.00 cfs; 8/1, 10.00 cfs; 8/11, 9.00 cfs; 8/22, 9.00 cfs; 9/8, 8.00 cfs; 9/20, 10.00 cfs; 9/21, 10.00 cfs.

1995: 4/3, 4/30, off; 5/1, 12.5 cfs; 5/7, 18.8 cfs; 5/13, 20.0 cfs; 5/25, 21.5 cfs; 6/3, 22.0 cfs; 6/9, 33.0 cfs; 6/24, 37.8 cfs; 7/1, 35 cfs (est); 7/31, 35.0 cfs; 8/2, 8.0 cfs; 8/24, 7.5 cfs; 9/5, 18.7 cfs; 9/22, 12.0 cfs (est).

1996: 5/10, 2.0 cfs (est); 5/14, 8.5 cfs (est); 6/25, 33.9 cfs; 7/8, 42 cfs (est); 7/25, off; 8/13, 1.5 cfs (est).

1997: 7/8, 28.2 cfs.

1998: 6/1, 33.05 cfs; 7/29, 2.5 cfs; 9/3, 1.9 cfs.

Supply: 1980, below average; 1981, slightly below average; 1982, average (late peak); 1983, above average; 1984, above average; 1985, below average; 1986, average to slightly above average; 1988: very below average; 1989, below average; 1990, below average; 1991, slightly below average; 1992, below average; 1993, average; 1994, below average; 1995, average to above average; 1996, average; 1997, average; 1998, average to above average.

Source: State Engineer's Office, Annual Hydrographers' Reports.

Green River Basin, Wyoming; Key Structures and Diversions
Description and Operation Memorandum

Colorado Ditch, Pine Creek, Diversion Data

COLORADO DITCH NEAR PINEDALE BY COUNTY ROAD

STATION NO. 006040.00

LATITUDE 42-53-17 LONGITUDE 109-52-11

NW1/4SE1/4SE1/4 SECTION 28 TOWNSHIP 34 N.RANGE 109 W 6TH P.M.

ELEVATION 7220.00 FT DRAINAGE AREA UNKNOWN

NONCONTRIBUTING AREA UNKNOWN BASIN 15570500

SUBLETTE COUNTY

DATA FROM WATER COMMISSIONERS

(P)

| MEAN DAILY FLOW IN CFS BY WATER YEAR | | | | | | | | | | | | | |
|--------------------------------------|-----|-----|-----|-----|-----|-----|-----|----------|---------|---------|------|--------|-----|
| 1974 | | | | | | | | | | | | | |
| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUNE | JULY | AUG | SEPT | DAY |
| 1 | ** | ** | ** | ** | ** | ** | ** | ** | 54.00 | 57.00 | 0.00 | 0.00 | 1 |
| 2 | ** | ** | ** | ** | ** | ** | ** | ** | 54.00 | 56.80 | 0.00 | 0.00 | 2 |
| 3 | ** | ** | ** | ** | ** | ** | ** | ** | 53.00 | 57.00 | 0.00 | 0.00 | 3 |
| 4 | ** | ** | ** | ** | ** | ** | ** | ** | 53.00 | 57.00 | 0.00 | 0.00 | 4 |
| 5 | ** | ** | ** | ** | ** | ** | ** | ** | 53.00 | 58.00 | 0.00 | 0.00 | 5 |
| 6 | ** | ** | ** | ** | ** | ** | ** | ** | 53.00 | 59.00 | 0.00 | 0.00 | 6 |
| 7 | ** | ** | ** | ** | ** | ** | ** | 7.00 | 53.00 | 60.00 | 0.00 | 0.00 | 7 |
| 8 | ** | ** | ** | ** | ** | ** | ** | 7.00 | 52.50 | 63.00 | 0.00 | 0.00 | 8 |
| 9 | ** | ** | ** | ** | ** | ** | ** | 7.00 | 52.00 | 63.00 | 0.00 | 0.00 | 9 |
| 10 | ** | ** | ** | ** | ** | ** | ** | 7.00 | 52.00 | 63.00 | 0.00 | 0.00 | 10 |
| 11 | ** | ** | ** | ** | ** | ** | ** | 8.00 | 53.00 | 62.00 | 0.00 | 0.00 | 11 |
| 12 | ** | ** | ** | ** | ** | ** | ** | 9.00 | 53.00 | 60.00 | 0.00 | 0.00 | 12 |
| 13 | ** | ** | ** | ** | ** | ** | ** | 10.00 | 53.00 | 58.00 | 0.00 | 0.00 | 13 |
| 14 | ** | ** | ** | ** | ** | ** | ** | 10.00 | 54.00 | 56.00 | 0.00 | 0.00 | 14 |
| 15 | ** | ** | ** | ** | ** | ** | ** | 10.01 | 54.00 | 54.00 | 0.00 | 0.00 | 15 |
| 16 | ** | ** | ** | ** | ** | ** | ** | 14.00 | 55.00 | 52.00 | 0.00 | 0.00 | 16 |
| 17 | ** | ** | ** | ** | ** | ** | ** | 18.00 | 55.00 | 50.10 | 0.00 | 0.00 | 17 |
| 18 | ** | ** | ** | ** | ** | ** | ** | 20.00 | 56.00 | 48.00 | 0.00 | 0.00 | 18 |
| 19 | ** | ** | ** | ** | ** | ** | ** | 24.00 | 56.00 | 46.00 | 0.00 | 17.50 | 19 |
| 20 | ** | ** | ** | ** | ** | ** | ** | 28.00 | 57.00 | 44.00 | 0.00 | 16.00 | 20 |
| 21 | ** | ** | ** | ** | ** | ** | ** | 32.00 | 57.00 | 42.00 | 0.00 | 16.00 | 21 |
| 22 | ** | ** | ** | ** | ** | ** | ** | 36.80 | 57.00 | 40.00 | 0.00 | 15.00 | 22 |
| 23 | ** | ** | ** | ** | ** | ** | ** | 38.30 | 57.00 | 38.00 | 0.00 | 14.00 | 23 |
| 24 | ** | ** | ** | ** | ** | ** | ** | 39.80 | 57.00 | 36.00 | 0.00 | 13.00 | 24 |
| 25 | ** | ** | ** | ** | ** | ** | ** | 41.30 | 57.00 | 34.00 | 0.00 | 12.00 | 25 |
| 26 | ** | ** | ** | ** | ** | ** | ** | 42.80 | 57.00 | 0.00 | 0.00 | 11.00 | 26 |
| 27 | ** | ** | ** | ** | ** | ** | ** | 44.30 | 57.00 | 0.00 | 0.00 | 7.00 | 27 |
| 28 | ** | ** | ** | ** | ** | ** | ** | 45.80 | 57.00 | 0.00 | 0.00 | 7.00 | 28 |
| 29 | ** | ** | ** | ** | ** | ** | ** | 48.50 | 57.00 | 0.00 | 0.00 | 7.00 | 29 |
| 30 | ** | ** | ** | ** | ** | ** | ** | 51.90 | 57.00 | 0.00 | 0.00 | 7.00 | 30 |
| 31 | ** | ** | ** | ** | ** | ** | ** | 54.00 | 57.00 | 0.00 | 0.00 | ** | 31 |
| TOTAL | ** | ** | ** | ** | ** | ** | ** | 654.51* | 1645.50 | 1313.90 | 0.00 | 142.50 | |
| MEAN | ** | ** | ** | ** | ** | ** | ** | 26.18* | 54.85 | 42.38 | 0.00 | 4.75 | |
| AC-FT | ** | ** | ** | ** | ** | ** | ** | 1298.20* | 3263.80 | 2606.08 | 0.00 | 282.64 | |

** INDICATES MISSING DATA
* INDICATES COMPUTED FROM INCOMPLETE DATA
E INDICATES ESTIMATED VALUE

Green River Basin, Wyoming; Key Structures and Diversions
Description and Operation Memorandum

Colorado Ditch, Pine Creek, Diversion Data

COLORADO DITCH NEAR PINEDALE BY COUNTY ROAD

STATION NO. 006040.00

LATITUDE 42-53-17 LONGITUDE 109-52-11

NW1/4SE1/4SE1/4 SECTION 28 TOWNSHIP 34 N.RANGE 109 W 6TH P.M.

ELEVATION 7220.00 FT DRAINAGE AREA UNKNOWN

NONCONTRIBUTING AREA UNKNOWN BASIN 15570500

SUBLETTE COUNTY

DATA FROM WATER COMMISSIONERS

(P)

| MEAN DAILY FLOW IN CFS BY WATER YEAR | | | | | | | | | | | | | |
|--------------------------------------|---------|-----|-----|-----|-----|-----|-----|--------|---------|---------|---------|---------|-----|
| 1975 | | | | | | | | | | | | | |
| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUNE | JULY | AUG | SEPT | DAY |
| 1 | 7.00 | ** | ** | ** | ** | ** | ** | ** | 12.00 | 50.90 | 48.00 | ** | 1 |
| 2 | 7.00 | ** | ** | ** | ** | ** | ** | ** | 13.00 | 53.00 | 47.00 | ** | 2 |
| 3 | 7.00 | ** | ** | ** | ** | ** | ** | ** | 14.00 | 54.00 | 47.00 | ** | 3 |
| 4 | 7.00 | ** | ** | ** | ** | ** | ** | ** | 15.00 | 55.00 | ** | ** | 4 |
| 5 | 7.00 | ** | ** | ** | ** | ** | ** | ** | 20.00 | 56.00 | ** | ** | 5 |
| 6 | 9.00 | ** | ** | ** | ** | ** | ** | ** | 25.00 | 57.00 | ** | ** | 6 |
| 7 | 9.00 | ** | ** | ** | ** | ** | ** | ** | 30.00 | 58.00 | ** | ** | 7 |
| 8 | 9.00 | ** | ** | ** | ** | ** | ** | ** | 35.00 | 59.70 | ** | ** | 8 |
| 9 | 9.00 | ** | ** | ** | ** | ** | ** | ** | 37.30 | 60.00 | ** | ** | 9 |
| 10 | 9.00 | ** | ** | ** | ** | ** | ** | ** | 38.00 | 59.00 | ** | 2.30 | 10 |
| 11 | 9.00 | ** | ** | ** | ** | ** | ** | ** | 39.00 | 59.00 | ** | 3.00 | 11 |
| 12 | 8.00 | ** | ** | ** | ** | ** | ** | ** | 40.00 | 59.00 | ** | 3.00 | 12 |
| 13 | 8.00 | ** | ** | ** | ** | ** | ** | ** | 41.00 | 58.00 | ** | 3.00 | 13 |
| 14 | 7.00 | ** | ** | ** | ** | ** | ** | ** | 42.00 | 58.00 | ** | 3.00 | 14 |
| 15 | ** | ** | ** | ** | ** | ** | ** | ** | 42.00 | 58.00 | ** | 3.00 | 15 |
| 16 | ** | ** | ** | ** | ** | ** | ** | ** | 42.90 | 57.00 | ** | 3.00 | 16 |
| 17 | ** | ** | ** | ** | ** | ** | ** | ** | 43.00 | 57.00 | ** | 3.00 | 17 |
| 18 | ** | ** | ** | ** | ** | ** | ** | ** | 43.00 | 57.00 | ** | 3.00 | 18 |
| 19 | ** | ** | ** | ** | ** | ** | ** | ** | 43.00 | 56.00 | ** | 3.00 | 19 |
| 20 | ** | ** | ** | ** | ** | ** | ** | ** | 43.00 | 55.00 | ** | 3.00 | 20 |
| 21 | ** | ** | ** | ** | ** | ** | ** | ** | 44.00 | 54.00 | ** | 7.00 | 21 |
| 22 | ** | ** | ** | ** | ** | ** | ** | ** | 44.00 | 53.00 | ** | 7.00 | 22 |
| 23 | ** | ** | ** | ** | ** | ** | ** | ** | 44.00 | 52.50 | ** | 7.00 | 23 |
| 24 | ** | ** | ** | ** | ** | ** | ** | ** | 44.50 | 52.00 | ** | 7.00 | 24 |
| 25 | ** | ** | ** | ** | ** | ** | ** | ** | 46.00 | 51.00 | ** | 7.00 | 25 |
| 26 | ** | ** | ** | ** | ** | ** | ** | ** | 48.00 | 51.00 | ** | 7.00 | 26 |
| 27 | ** | ** | ** | ** | ** | ** | ** | ** | 50.00 | 50.00 | ** | 7.00 | 27 |
| 28 | ** | ** | ** | ** | ** | ** | ** | ** | 50.10 | 50.00 | ** | 7.00 | 28 |
| 29 | ** | ** | ** | ** | | ** | ** | ** | 50.10 | 49.30 | ** | 7.00 | 29 |
| 30 | ** | ** | ** | ** | | ** | ** | ** | 50.50 | 49.00 | ** | 7.00 | 30 |
| 31 | ** | | ** | ** | | ** | | 11.35 | | 48.00 | ** | | 31 |
| TOTAL | 112.00* | ** | ** | ** | ** | ** | ** | 11.35* | 1129.40 | 1696.40 | 142.00* | 102.30* | |
| MEAN | 8.00* | ** | ** | ** | ** | ** | ** | 11.35* | 37.65 | 54.72 | 47.33* | 4.87* | |
| AC-FT | 222.15* | ** | ** | ** | ** | ** | ** | 22.51* | 2240.13 | 3364.76 | 281.65* | 202.91* | |

** INDICATES MISSING DATA
* INDICATES COMPUTED FROM INCOMPLETE DATA
E INDICATES ESTIMATED VALUE

Green River Basin, Wyoming; Key Structures and Diversions
Description and Operation Memorandum

Colorado Ditch, Pine Creek, Diversion Data

COLORADO DITCH NEAR PINEDALE BY COUNTY ROAD

STATION NO. 006040.00

LATITUDE 42-53-17 LONGITUDE 109-52-11

NW1/4SE1/4SE1/4 SECTION 28 TOWNSHIP 34 N.RANGE 109 W 6TH P.M.

ELEVATION 7220.00 FT DRAINAGE AREA UNKNOWN

NONCONTRIBUTING AREA UNKNOWN BASIN 15570500

SUBLETTE COUNTY

DATA FROM WATER COMMISSIONERS

(P)

| MEAN DAILY FLOW IN CFS BY WATER YEAR | | | | | | | | | | | | | |
|--------------------------------------|----------|-----|-----|-----|-----|-----|-----|---------|----------|---------|--------|--------|-----|
| 1976 | | | | | | | | | | | | | |
| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUNE | JULY | AUG | SEPT | DAY |
| 1 | ** | ** | ** | ** | ** | ** | ** | ** | 18.30 | 30.00 | 5.00 | 5.00 | 1 |
| 2 | 3.50 | ** | ** | ** | ** | ** | ** | ** | 19.00 | 30.00 | 4.75 | 5.28 | 2 |
| 3 | 27.30 | ** | ** | ** | ** | ** | ** | ** | 21.00 | 30.00 | 5.00 | 5.00 | 3 |
| 4 | 27.00 | ** | ** | ** | ** | ** | ** | ** | 24.00 | 30.00 | 5.00 | 5.00 | 4 |
| 5 | 27.00 | ** | ** | ** | ** | ** | ** | ** | 27.00 | 31.00 | 6.00 | 5.00 | 5 |
| 6 | 27.00 | ** | ** | ** | ** | ** | ** | ** | 30.00 | 31.00 | 6.00 | 5.00 | 6 |
| 7 | 27.00 | ** | ** | ** | ** | ** | ** | ** | 33.00 | 31.00 | 7.00 | 5.04 | 7 |
| 8 | 26.00 | ** | ** | ** | ** | ** | ** | ** | 36.00 | 32.00 | 8.00 | 5.00 | 8 |
| 9 | 26.00 | ** | ** | ** | ** | ** | ** | ** | 39.80 | 32.00 | 9.00 | 5.00 | 9 |
| 10 | 26.00 | ** | ** | ** | ** | ** | ** | ** | 41.00 | 33.00 | 9.50 | 5.00 | 10 |
| 11 | 25.00 | ** | ** | ** | ** | ** | ** | ** | 41.00 | 34.00 | 10.00 | 12.00 | 11 |
| 12 | 25.00 | ** | ** | ** | ** | ** | ** | ** | 41.00 | 35.00 | 10.00 | 12.00 | 12 |
| 13 | 25.00 | ** | ** | ** | ** | ** | ** | ** | 36.00 | 36.50 | 9.00 | 12.60 | 13 |
| 14 | 24.00 | ** | ** | ** | ** | ** | ** | ** | 32.00 | 36.00 | 9.00 | 12.00 | 14 |
| 15 | 24.00 | ** | ** | ** | ** | ** | ** | ** | 32.50 | 35.00 | 8.00 | 12.00 | 15 |
| 16 | 24.00 | ** | ** | ** | ** | ** | ** | ** | 32.00 | 35.00 | 8.00 | 12.00 | 16 |
| 17 | 23.00 | ** | ** | ** | ** | ** | ** | 8.95 | 34.00 | 34.00 | 7.00 | 12.00 | 17 |
| 18 | 23.00 | ** | ** | ** | ** | ** | ** | 9.00 | 34.00 | 33.00 | 6.00 | 12.00 | 18 |
| 19 | 23.00 | ** | ** | ** | ** | ** | ** | 9.00 | ** | 32.50 | 5.00 | 12.00 | 19 |
| 20 | 22.00 | ** | ** | ** | ** | ** | ** | 9.00 | ** | 32.00 | 4.75 | 12.00 | 20 |
| 21 | 22.00 | ** | ** | ** | ** | ** | ** | 9.00 | ** | 32.00 | 5.00 | 12.00 | 21 |
| 22 | 22.00 | ** | ** | ** | ** | ** | ** | 9.00 | ** | 32.00 | 5.00 | 12.00 | 22 |
| 23 | 21.00 | ** | ** | ** | ** | ** | ** | 9.00 | 24.90 | 31.00 | 5.00 | 12.19 | 23 |
| 24 | 21.00 | ** | ** | ** | ** | ** | ** | 9.00 | 24.00 | 31.10 | 5.00 | 12.00 | 24 |
| 25 | 21.00 | ** | ** | ** | ** | ** | ** | 9.00 | 24.00 | 30.00 | 6.00 | 12.00 | 25 |
| 26 | 20.00 | ** | ** | ** | ** | ** | ** | 8.95 | 23.70 | 29.00 | 6.00 | 12.00 | 26 |
| 27 | 20.10 | ** | ** | ** | ** | ** | ** | 9.00 | 23.00 | 28.00 | 6.00 | 12.00 | 27 |
| 28 | 19.00 | ** | ** | ** | ** | ** | ** | 12.00 | 23.00 | 27.00 | 6.00 | 12.00 | 28 |
| 29 | 18.00 | ** | ** | ** | ** | ** | ** | 15.00 | 23.10 | 6.00 | 6.00 | 12.30 | 29 |
| 30 | ** | ** | ** | ** | ** | ** | ** | 18.00 | 29.00 | 5.80 | 6.00 | 12.00 | 30 |
| 31 | ** | ** | ** | ** | ** | ** | ** | 18.00 | ** | 5.00 | 5.00 | ** | 31 |
| TOTAL | 638.90* | ** | ** | ** | ** | ** | ** | 161.90* | 766.30* | 909.90 | 203.00 | 291.41 | |
| MEAN | 22.82* | ** | ** | ** | ** | ** | ** | 10.79* | 29.47* | 29.35 | 6.55 | 9.71 | |
| AC-FT | 1267.24* | ** | ** | ** | ** | ** | ** | 321.12* | 1519.93* | 1804.76 | 402.64 | 578.00 | |

** INDICATES MISSING DATA
* INDICATES COMPUTED FROM INCOMPLETE DATA
E INDICATES ESTIMATED VALUE

Green River Basin, Wyoming; Key Structures and Diversions
Description and Operation Memorandum

Colorado Ditch, Pine Creek, Diversion Data

COLORADO DITCH NEAR PINEDAILE BY COUNTY ROAD

STATION NO. 006040.00

LATITUDE 42-53-17 LONGITUDE 109-52-11

NW1/4SE1/4SE1/4 SECTION 28 TOWNSHIP 34 N.RANGE 109 W 6TH P.M.

ELEVATION 7220.00 FT DRAINAGE AREA UNKNOWN

NONCONTRIBUTING AREA UNKNOWN BASIN 15570500

SUBLETTE COUNTY

DATA FROM WATER COMMISSIONERS

(P)

| MEAN DAILY FLOW IN CFS BY WATER YEAR | | | | | | | | | | | | | | |
|--------------------------------------|-----|-----|-----|-----|-----|-----|-----|-----|---------|---------|----------|------|---------|----|
| 1978 | | | | | | | | | | | | | | |
| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUNE | JULY | AUG | SEPT | DAY | |
| 1 | ** | ** | ** | ** | ** | ** | ** | ** | 6.00 | 55.00 | ** | ** | 1 | |
| 2 | ** | ** | ** | ** | ** | ** | ** | ** | 33.00 | 56.00 | ** | ** | 2 | |
| 3 | ** | ** | ** | ** | ** | ** | ** | ** | 33.00 | 55.00 | ** | ** | 3 | |
| 4 | ** | ** | ** | ** | ** | ** | ** | ** | 33.00 | 54.00 | ** | ** | 4 | |
| 5 | ** | ** | ** | ** | ** | ** | ** | ** | 33.30 | 53.00 | ** | ** | 5 | |
| 6 | ** | ** | ** | ** | ** | ** | ** | ** | 33.00 | 52.00 | ** | ** | 6 | |
| 7 | ** | ** | ** | ** | ** | ** | ** | ** | 34.00 | 50.00 | ** | ** | 7 | |
| 8 | ** | ** | ** | ** | ** | ** | ** | ** | 35.00 | 48.00 | ** | ** | 8 | |
| 9 | ** | ** | ** | ** | ** | ** | ** | ** | 38.00 | 46.00 | ** | ** | 9 | |
| 10 | ** | ** | ** | ** | ** | ** | ** | ** | 40.00 | 44.00 | ** | ** | 10 | |
| 11 | ** | ** | ** | ** | ** | ** | ** | ** | 42.00 | 40.00 | ** | ** | 11 | |
| 12 | ** | ** | ** | ** | ** | ** | ** | ** | 44.00 | 32.00 | ** | ** | 12 | |
| 13 | ** | ** | ** | ** | ** | ** | ** | ** | 46.00 | 28.00 | ** | ** | 13 | |
| 14 | ** | ** | ** | ** | ** | ** | ** | ** | 46.00 | 28.00 | ** | ** | 14 | |
| 15 | ** | ** | ** | ** | ** | ** | ** | ** | 46.00 | 28.00 | ** | ** | 15 | |
| 16 | ** | ** | ** | ** | ** | ** | ** | ** | 46.00 | 49.00 | ** | ** | 16 | |
| 17 | ** | ** | ** | ** | ** | ** | ** | ** | 46.00 | 49.00 | ** | ** | 17 | |
| 18 | ** | ** | ** | ** | ** | ** | ** | ** | 46.00 | 49.00 | ** | ** | 18 | |
| 19 | ** | ** | ** | ** | ** | ** | ** | ** | 46.00 | 49.00 | ** | ** | 19 | |
| 20 | ** | ** | ** | ** | ** | ** | ** | ** | 6.00 | 47.00 | 48.00 | ** | 19.00 | 20 |
| 21 | ** | ** | ** | ** | ** | ** | ** | ** | 6.00 | 47.00 | 46.00 | ** | 18.00 | 21 |
| 22 | ** | ** | ** | ** | ** | ** | ** | ** | 6.00 | 47.00 | 44.00 | ** | 18.00 | 22 |
| 23 | ** | ** | ** | ** | ** | ** | ** | ** | 6.00 | 48.00 | 2.00 | ** | 17.00 | 23 |
| 24 | ** | ** | ** | ** | ** | ** | ** | ** | 6.00 | 48.00 | 2.00 | ** | 17.00 | 24 |
| 25 | ** | ** | ** | ** | ** | ** | ** | ** | 6.00 | 49.00 | ** | ** | 17.00 | 25 |
| 26 | ** | ** | ** | ** | ** | ** | ** | ** | 6.00 | 50.00 | ** | ** | 16.00 | 26 |
| 27 | ** | ** | ** | ** | ** | ** | ** | ** | 6.00 | 51.00 | ** | ** | 16.00 | 27 |
| 28 | ** | ** | ** | ** | ** | ** | ** | ** | 6.00 | 52.00 | ** | ** | 16.00 | 28 |
| 29 | ** | ** | ** | ** | ** | ** | ** | ** | 6.00 | 53.00 | ** | ** | 15.00 | 29 |
| 30 | ** | ** | ** | ** | ** | ** | ** | ** | 6.00 | 54.00 | ** | ** | 14.00 | 30 |
| 31 | ** | ** | ** | ** | ** | ** | ** | ** | 6.00 | ** | ** | ** | ** | 31 |
| TOTAL | ** | ** | ** | ** | ** | ** | ** | ** | 72.00* | 1272.30 | 1007.00* | ** | 183.00* | |
| MEAN | ** | ** | ** | ** | ** | ** | ** | ** | 6.00* | 42.41 | 41.96* | ** | 16.64* | |
| AC-FT | ** | ** | ** | ** | ** | ** | ** | ** | 142.81* | 2523.57 | 1997.35* | ** | 362.98* | |

** INDICATES MISSING DATA
* INDICATES COMPUTED FROM INCOMPLETE DATA
E INDICATES ESTIMATED VALUE

Source: Wyoming Water Resources Data System, March 20, 2000

Green River Basin, Wyoming; Key Structures and Diversions
Description and Operation Memorandum

Converse Ditch, West Fork New Fork River

Diversion Description: Diversion consists of two 8' wide concrete and plank drop gates.¹

Diversion Location:

Source: West Fork New Fork River, Trib. New Fork River, Trib. Green River

Section, Township, Range: 3, 34, 110

Conveyance Description: Open Channel Canal, approximately 11 miles long¹

Wyoming Water Rights Summary:

| Priority Date (M-D-Y) | Permit Number | Permitted Use | Acres | Flow (cfs) | Cumulative Flow (cfs) | Comments |
|-----------------------|---------------|---------------|--------|------------|-----------------------|--|
| 08-09-1898 | 1928 | Irrigation | 622.00 | 8.88 | 8.88 | POD/MOC change from a portion of Belknap & Noble Ditch. |
| 11-05-1900 | 2898 | Irrigation | 320.00 | 4.57 | 13.45 | POD/MOC change from a portion of Belknap & Noble Ditch. |
| 10-31-1901 | 3519 | Irrigation | 720.00 | 10.26 | 23.71 | |
| 11-11-1903 | 5855 | Irrigation | | | 23.71 | 2,532.58 AF Secondary Supply from New Fork Lake Reservoir (480R) (1,822.00 acres served) |
| 04-26-1906 | 1545E | Irrigation | 80.00 | 1.14 | 24.85 | |

Storage Rights: New Fork Lake Reservoir.

Estimated Canal Losses: Greater than typical losses (50%) are experienced.¹

Irrigation Practices: Lands are flood irrigated.¹

Crop Types / Consumptive Use: Approximately 100 acres alfalfa; remaining lands are native grass hay and pasture.¹

Return Flows: Return flows are delivered to Duck Creek south of Cora.²

Other Operational Information: The canal is typically turned on in late May and irrigation flows stop in late July. Stock flows continue until October.¹

Sources: 1) Floyd Briggs, New Fork River Irrigation District, Interview, May 5, 2000.

2) Williams, Linda I., "A Model of the Green River Using the Wyoming Integrated River System Operation Study (WIRSOS)," M.S. Thesis, University of Wyoming, Department of Civil Engineering, December 1995.

Green River Basin, Wyoming; Key Structures and Diversions
Description and Operation Memorandum

Converse Ditch, West Fork New Fork River, Diversion Data

| Wateryear | May | | June | | July | | August | | September | |
|-----------|---------------|--------------------|---------------|--------------------|---------------|--------------------|---------------|--------------------|---------------|--------------------|
| | Average (cfs) | Monthly Total (AF) | Average (cfs) | Monthly Total (AF) | Average (cfs) | Monthly Total (AF) | Average (cfs) | Monthly Total (AF) | Average (cfs) | Monthly Total (AF) |
| 1980 | | | | | | | | | | |
| 1981 | | | | | | | | | | |
| 1982 | | | | | | | | | | |
| 1983 | | | | | | | | | | |
| 1984 | | | <i>43.99</i> | <i>2,617.79</i> | <i>32.26</i> | <i>1,983.47</i> | <i>0.03</i> | <i>1.86</i> | <i>0.54</i> | <i>32.39</i> |
| 1985 | <i>17.53</i> | <i>1,077.90</i> | <i>37.34</i> | <i>2,221.59</i> | <i>18.31</i> | <i>1,125.86</i> | <i>1.79</i> | <i>110.24</i> | <i>9.03</i> | <i>537.32</i> |
| 1986 | | | <i>55.54</i> | <i>3,304.88</i> | <i>44.89</i> | <i>2,760.28</i> | <i>0.00</i> | <i>0.00</i> | <i>4.20</i> | <i>250.06</i> |
| 1987 | <i>24.09</i> | <i>1,480.98</i> | <i>32.79</i> | <i>1,951.18</i> | <i>21.36</i> | <i>1,313.49</i> | <i>0.00</i> | <i>0.00</i> | <i>6.39</i> | <i>380.15</i> |
| 1988 | | | | | | | | | | |
| 1989 | | | | | | | | | | |
| 1990 | | | | | | | | | | |
| 1991 | | | | | | | | | | |
| 1992 | | | | | | | | | | |
| 1993 | | | | | | | | | | |
| 1994 | <i>17.20</i> | <i>1,057.59</i> | <i>27.18</i> | <i>1,617.32</i> | <i>6.87</i> | <i>422.19</i> | | | | |
| 1995 | | | <i>38.82</i> | <i>2,309.95</i> | <i>50.96</i> | <i>3,133.41</i> | | | | |
| 1996 | | | | | | | | | | |
| 1997 | | | | | | | | | | |
| 1998 | | | | | | | | | | |

| | | | | | | | | | | |
|-----------|-------|----------|-------|----------|-------|----------|------|-------|------|--------|
| Averages: | 19.61 | 1,205.49 | 39.28 | 2,337.12 | 29.11 | 1,789.78 | 0.46 | 28.03 | 5.04 | 299.98 |
|-----------|-------|----------|-------|----------|-------|----------|------|-------|------|--------|

Data in italics from USGS gaging station 007122.00, see attached data sheets.

Blank cells are due to missing/insufficient data.

Average = Average Flow for ENTIRE month. Monthly Total = Total Volume used during month.

See Methodology section for explanations.

Spot data readings used in calculating averages in table on following pages.

Data for Belknap and Noble Ditch Included in Total.

Green River Basin, Wyoming; Key Structures and Diversions
Description and Operation Memorandum

Converse Ditch, West Fork New Fork River, Diversion Data

Data:

1993: 6/3, 65.00 cfs.

1994: 5/13, 25.00 cfs; 6/13, 35.00 cfs; 7/2, 10.20 cfs; 7/22, 10.00 cfs; 9/7, 6.00 cfs.

1995: 6/7, 25.0 cfs (est); 6/21, 58 cfs (est); 7/18, 59.9 cfs; 8/9, off.

1998: 6/9, 46.2 cfs.

Supply: 1980, below average; 1981, slightly below average; 1982, average (late peak); 1983, above average; 1984, above average; 1985, below average; 1986, average to slightly above average; 1988: very below average; 1989, below average; 1990, below average; 1991, slightly below average; 1992, below average; 1993, average; 1994, below average; 1995, average to above average; 1996, average; 1997, average; 1998, average to above average.

Source: State Engineer's Office, Annual Hydrographers' Reports.

Green River Basin, Wyoming; Key Structures and Diversions
Description and Operation Memorandum

Converse Ditch, West Fork New Fork River, Diversion Data

CONVERSE DITCH

STATION NO. 007122.00

LATITUDE 42-54-35 LONGITUDE 109-58-42

SE1/4SE1/4 SECTION 3 TOWNSHIP 34 N,RANGE 110 W 6TH P.M.

ELEVATION 7317.00 FT DRAINAGE AREA UNKNOWN

NONCONTRIBUTING 0.00 SQ MI BASIN 15570000

SUBLETTE COUNTY

DATA FROM WWRC

(C)

****TO USE THIS DATA, SEE VIC HASFURTHER****

| MEAN DAILY FLOW IN CFS BY WATER YEAR | | | | | | | | | | | | | |
|--------------------------------------|-----|-----|-----|-----|-----|-----|-----|---------|---------|---------|------|-------|-----|
| 1984 | | | | | | | | | | | | | |
| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUNE | JULY | AUG | SEPT | DAY |
| 1 | ** | ** | ** | ** | ** | ** | ** | ** | 50.90 | 41.50 | 0.06 | 0.01 | 1 |
| 2 | ** | ** | ** | ** | ** | ** | ** | ** | 52.00 | 41.20 | 0.06 | 0.01 | 2 |
| 3 | ** | ** | ** | ** | ** | ** | ** | ** | 52.40 | 41.50 | 0.06 | 0.01 | 3 |
| 4 | ** | ** | ** | ** | ** | ** | ** | ** | 43.30 | 49.80 | 0.06 | 0.01 | 4 |
| 5 | ** | ** | ** | ** | ** | ** | ** | ** | 41.90 | 51.20 | 0.06 | 0.01 | 5 |
| 6 | ** | ** | ** | ** | ** | ** | ** | ** | 50.50 | 46.90 | 0.04 | 0.01 | 6 |
| 7 | ** | ** | ** | ** | ** | ** | ** | ** | 48.30 | 43.70 | 0.04 | 0.01 | 7 |
| 8 | ** | ** | ** | ** | ** | ** | ** | ** | 45.80 | 41.90 | 0.04 | 0.01 | 8 |
| 9 | ** | ** | ** | ** | ** | ** | ** | ** | 44.70 | 38.70 | 0.04 | 0.01 | 9 |
| 10 | ** | ** | ** | ** | ** | ** | ** | ** | 46.50 | 37.70 | 0.04 | 0.01 | 10 |
| 11 | ** | ** | ** | ** | ** | ** | ** | ** | 50.20 | 39.80 | 0.04 | 0.01 | 11 |
| 12 | ** | ** | ** | ** | ** | ** | ** | ** | 44.70 | 38.70 | 0.04 | 0.01 | 12 |
| 13 | ** | ** | ** | ** | ** | ** | ** | ** | 41.50 | 39.80 | 0.04 | 0.01 | 13 |
| 14 | ** | ** | ** | ** | ** | ** | ** | ** | 38.70 | 37.70 | 0.04 | 0.01 | 14 |
| 15 | ** | ** | ** | ** | ** | ** | ** | ** | 35.60 | 32.90 | 0.04 | 0.01 | 15 |
| 16 | ** | ** | ** | ** | ** | ** | ** | ** | 45.80 | 32.90 | 0.02 | 0.01 | 16 |
| 17 | ** | ** | ** | ** | ** | ** | ** | ** | 46.50 | 34.60 | 0.02 | 0.01 | 17 |
| 18 | ** | ** | ** | ** | ** | ** | ** | ** | 45.10 | 38.40 | 0.02 | 0.01 | 18 |
| 19 | ** | ** | ** | ** | ** | ** | ** | ** | 39.40 | 45.40 | 0.02 | 0.01 | 19 |
| 20 | ** | ** | ** | ** | ** | ** | ** | ** | 39.10 | 36.30 | 0.02 | 0.01 | 20 |
| 21 | ** | ** | ** | ** | ** | ** | ** | 15.88 | 39.10 | 37.00 | 0.02 | 0.01 | 21 |
| 22 | ** | ** | ** | ** | ** | ** | ** | 13.50 | 40.50 | 41.20 | 0.02 | 0.01 | 22 |
| 23 | ** | ** | ** | ** | ** | ** | ** | 10.97 | 40.50 | 43.00 | 0.02 | 0.01 | 23 |
| 24 | ** | ** | ** | ** | ** | ** | ** | 8.70 | 41.90 | 28.60 | 0.01 | 0.01 | 24 |
| 25 | ** | ** | ** | ** | ** | ** | ** | 9.64 | 44.40 | 24.20 | 0.01 | 0.01 | 25 |
| 26 | ** | ** | ** | ** | ** | ** | ** | 8.70 | 44.00 | 15.10 | 0.01 | 0.01 | 26 |
| 27 | ** | ** | ** | ** | ** | ** | ** | 22.20 | 43.00 | 0.06 | 0.01 | 0.01 | 27 |
| 28 | ** | ** | ** | ** | ** | ** | ** | 17.60 | 40.10 | 0.06 | 0.01 | 1.00 | 28 |
| 29 | ** | ** | ** | ** | ** | ** | ** | 16.30 | 40.10 | 0.06 | 0.01 | 7.53 | 29 |
| 30 | ** | ** | ** | ** | ** | ** | ** | 47.60 | 43.30 | 0.06 | 0.01 | 7.53 | 30 |
| 31 | ** | ** | ** | ** | ** | ** | ** | 50.20 | | 0.06 | 0.01 | | 31 |
| TOTAL | ** | ** | ** | ** | ** | ** | ** | 221.29* | 1319.80 | 1000.00 | 0.94 | 16.33 | |
| MEAN | ** | ** | ** | ** | ** | ** | ** | 20.12* | 43.99 | 32.26 | 0.03 | 0.54 | |
| AC-FT | ** | ** | ** | ** | ** | ** | ** | 438.92* | 2617.79 | 1983.47 | 1.86 | 32.39 | |

** INDICATES
MISSING DATA

* INDICATES
COMPUTED FROM
INCOMPLETE DATA

E INDICATES
ESTIMATED VALUE

Green River Basin, Wyoming; Key Structures and Diversions
Description and Operation Memorandum

Converse Ditch, West Fork New Fork River, Diversion Data

CONVERSE DITCH

STATION NO. 007122.00

LATITUDE 42-54-35 LONGITUDE 109-58-42

SE1/4SE1/4 SECTION 3 TOWNSHIP 34 N,RANGE 110 W 6TH P.M.

ELEVATION 7317.00 FT DRAINAGE AREA UNKNOWN

NONCONTRIBUTING 0.00 SQ MI BASIN 15570000

SUBLETTE COUNTY

DATA FROM WWRC

(C)

****TO USE THIS DATA, SEE VIC HASFURTHER****

| MEAN DAILY FLOW IN CFS BY WATER YEAR | | | | | | | | | | | | | |
|--------------------------------------|---------|-----|-----|-----|-----|-----|-----|----------|---------|---------|--------|--------|-----|
| 1985 | | | | | | | | | | | | | |
| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUNE | JULY | AUG | SEPT | DAY |
| 1 | 7.25 | ** | ** | ** | ** | ** | ** | ** | 48.89 | 7.28 | 0.38 | 5.11 | 1 |
| 2 | 5.44 | ** | ** | ** | ** | ** | ** | ** | 70.91 | 6.77 | 0.38 | 6.53 | 2 |
| 3 | 6.70 | ** | ** | ** | ** | ** | ** | ** | 49.37 | 11.40 | 0.38 | 8.05 | 3 |
| 4 | 8.11 | ** | ** | ** | ** | ** | ** | ** | 49.37 | 31.44 | 0.38 | 8.85 | 4 |
| 5 | 8.11 | ** | ** | ** | ** | ** | ** | ** | 46.51 | 35.66 | 0.38 | 8.85 | 5 |
| 6 | 8.11 | ** | ** | ** | ** | ** | ** | ** | 38.29 | 37.40 | 0.38 | 9.12 | 6 |
| 7 | 7.53 | ** | ** | ** | ** | ** | ** | ** | 36.97 | 36.53 | 0.29 | 9.12 | 7 |
| 8 | 8.11 | ** | ** | ** | ** | ** | ** | ** | 36.53 | 35.66 | 0.07 | 9.40 | 8 |
| 9 | 9.32 | ** | ** | ** | ** | ** | ** | ** | 37.84 | 39.62 | 0.13 | 9.96 | 9 |
| 10 | 9.97 | ** | ** | ** | ** | ** | ** | 28.18 | 37.40 | 38.29 | 0.13 | 9.96 | 10 |
| 11 | 10.30 | ** | ** | ** | ** | ** | ** | 27.39 | 37.40 | 42.79 | 0.13 | 9.96 | 11 |
| 12 | 12.40 | ** | ** | ** | ** | ** | ** | 18.47 | 38.73 | 41.88 | 0.21 | 11.11 | 12 |
| 13 | 12.80 | ** | ** | ** | ** | ** | ** | 20.23 | 20.23 | 39.17 | 0.21 | 9.12 | 13 |
| 14 | 13.10 | ** | ** | ** | ** | ** | ** | 19.88 | 37.84 | 36.53 | 0.13 | 10.24 | 14 |
| 15 | 9.64 | ** | ** | ** | ** | ** | ** | 17.44 | 39.62 | 29.79 | 0.21 | 10.53 | 15 |
| 16 | 14.70 | ** | ** | ** | ** | ** | ** | 17.10 | 40.97 | 28.18 | 0.48 | 9.40 | 16 |
| 17 | 13.50 | ** | ** | ** | ** | ** | ** | 17.10 | 41.88 | 27.79 | 0.82 | 9.12 | 17 |
| 18 | 14.70 | ** | ** | ** | ** | ** | ** | 14.16 | 40.52 | 14.16 | 1.35 | 9.12 | 18 |
| 19 | 15.90 | ** | ** | ** | ** | ** | ** | 13.84 | 36.53 | 9.68 | 1.81 | 10.24 | 19 |
| 20 | 13.90 | ** | ** | ** | ** | ** | ** | 17.10 | 35.23 | 7.28 | 2.31 | 8.31 | 20 |
| 21 | 13.90 | ** | ** | ** | ** | ** | ** | 18.47 | 31.02 | 6.28 | 2.84 | 8.05 | 21 |
| 22 | 13.50 | ** | ** | ** | ** | ** | ** | 19.17 | 28.58 | 1.67 | 2.84 | 9.12 | 22 |
| 23 | 13.10 | ** | ** | ** | ** | ** | ** | 15.77 | 28.58 | 0.21 | 2.84 | 9.68 | 23 |
| 24 | 9.01 | ** | ** | ** | ** | ** | ** | 11.11 | 31.44 | 0.13 | 2.84 | 9.12 | 24 |
| 25 | 7.82 | ** | ** | ** | ** | ** | ** | 20.95 | 46.98 | 0.29 | 3.03 | 8.85 | 25 |
| 26 | 7.82 | ** | ** | ** | ** | ** | ** | 25.82 | 44.64 | 0.29 | 3.62 | 8.85 | 26 |
| 27 | 9.97 | ** | ** | ** | ** | ** | ** | 28.99 | 39.62 | 0.29 | 6.04 | 8.85 | 27 |
| 28 | ** | ** | ** | ** | ** | ** | ** | 28.18 | 28.18 | 0.29 | 6.28 | 9.12 | 28 |
| 29 | ** | ** | ** | ** | ** | ** | ** | 29.79 | 11.40 | 0.29 | 4.24 | 8.85 | 29 |
| 30 | ** | ** | ** | ** | ** | ** | ** | 69.28 | 8.58 | 0.29 | 5.34 | 8.31 | 30 |
| 31 | ** | ** | ** | ** | ** | ** | ** | 65.02 | ** | 0.29 | 5.11 | ** | 31 |
| TOTAL | 284.71* | ** | ** | ** | ** | ** | ** | 543.44* | 1120.05 | 567.62 | 55.58 | 270.90 | |
| MEAN | 10.54* | ** | ** | ** | ** | ** | ** | 24.70* | 37.34 | 18.31 | 1.79 | 9.03 | |
| AC-FT | 564.71* | ** | ** | ** | ** | ** | ** | 1077.90* | 2221.59 | 1125.86 | 110.24 | 537.32 | |

** INDICATES
MISSING DATA

* INDICATES
COMPUTED FROM
INCOMPLETE DATA

E INDICATES
ESTIMATED VALUE

Green River Basin, Wyoming; Key Structures and Diversions
Description and Operation Memorandum

Converse Ditch, West Fork New Fork River, Diversion Data

CONVERSE DITCH

STATION NO. 007122.00

LATITUDE 42-54-35 LONGITUDE 109-58-42

SE1/4SE1/4 SECTION 3 TOWNSHIP 34 N,RANGE 110 W 6TH P.M.

ELEVATION 7317.00 FT DRAINAGE AREA UNKNOWN

NONCONTRIBUTING 0.00 SQ MI BASIN 15570000

SUBLETTE COUNTY

DATA FROM WWRC

(C)

****TO USE THIS DATA, SEE VIC HASFURTHER****

| MEAN DAILY FLOW IN CFS BY WATER YEAR | | | | | | | | | | | | | |
|--------------------------------------|--------|--------|-----|-----|-----|-----|-----|---------|---------|---------|------|--------|-----|
| 1986 | | | | | | | | | | | | | |
| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUNE | JULY | AUG | SEPT | DAY |
| 1 | 8.05 | 7.02 | ** | ** | ** | ** | ** | ** | 33.78 | 74.80 | 0.00 | 0.00 | 1 |
| 2 | 7.79 | 7.28 | ** | ** | ** | ** | ** | ** | 36.29 | 76.96 | 0.00 | 0.00 | 2 |
| 3 | 7.53 | 7.28 | ** | ** | ** | ** | ** | ** | 29.74 | 74.27 | 0.00 | 0.00 | 3 |
| 4 | 7.53 | ** | ** | ** | ** | ** | ** | ** | 29.34 | 72.67 | 0.00 | 0.00 | 4 |
| 5 | 7.28 | ** | ** | ** | ** | ** | ** | ** | 58.81 | 67.94 | 0.00 | 0.00 | 5 |
| 6 | 7.28 | ** | ** | ** | ** | ** | ** | ** | 30.53 | 67.94 | 0.00 | 0.00 | 6 |
| 7 | 8.05 | ** | ** | ** | ** | ** | ** | ** | 79.13 | 68.46 | 0.00 | 0.00 | 7 |
| 8 | 8.05 | ** | ** | ** | ** | ** | ** | ** | 75.88 | 74.27 | 0.00 | 0.00 | 8 |
| 9 | 8.05 | ** | ** | ** | ** | ** | ** | ** | 63.83 | 72.67 | 0.00 | 0.00 | 9 |
| 10 | 8.85 | ** | ** | ** | ** | ** | ** | ** | 44.15 | 74.27 | 0.00 | 0.00 | 10 |
| 11 | 7.79 | ** | ** | ** | ** | ** | ** | ** | 45.05 | 70.56 | 0.00 | 0.00 | 11 |
| 12 | 7.79 | ** | ** | ** | ** | ** | ** | ** | 75.88 | 66.91 | 0.00 | 0.00 | 12 |
| 13 | 7.53 | ** | ** | ** | ** | ** | ** | ** | 74.80 | 66.39 | 0.00 | 0.00 | 13 |
| 14 | 7.53 | ** | ** | ** | ** | ** | ** | ** | 72.14 | 65.88 | 0.00 | 0.00 | 14 |
| 15 | 7.53 | ** | ** | ** | ** | ** | ** | ** | 64.34 | 70.56 | 0.00 | 0.00 | 15 |
| 16 | 7.53 | ** | ** | ** | ** | ** | ** | ** | 56.84 | 62.31 | 0.00 | 0.00 | 16 |
| 17 | 7.53 | ** | ** | ** | ** | ** | ** | ** | 51.54 | 59.81 | 0.00 | 0.00 | 17 |
| 18 | 7.53 | ** | ** | ** | ** | ** | ** | ** | 48.26 | 56.84 | 0.00 | 3.38 | 18 |
| 19 | 7.53 | ** | ** | ** | ** | ** | ** | ** | 41.91 | 37.99 | 0.00 | 8.41 | 19 |
| 20 | 7.28 | ** | ** | ** | ** | ** | ** | ** | 38.42 | 17.35 | 0.00 | 8.41 | 20 |
| 21 | 7.28 | ** | ** | ** | ** | ** | ** | ** | 74.80 | 16.36 | 0.00 | 8.68 | 21 |
| 22 | 7.53 | ** | ** | ** | ** | ** | ** | 11.44 | 74.27 | 20.06 | 0.00 | 8.68 | 22 |
| 23 | 8.31 | ** | ** | ** | ** | ** | ** | 9.75 | 67.94 | 22.18 | 0.00 | 8.94 | 23 |
| 24 | 8.05 | ** | ** | ** | ** | ** | ** | 8.94 | 59.31 | 19.72 | 0.00 | 10.59 | 24 |
| 25 | 8.05 | ** | ** | ** | ** | ** | ** | 10.87 | 58.81 | 6.65 | 0.00 | 10.59 | 25 |
| 26 | 7.79 | ** | ** | ** | ** | ** | ** | 10.31 | 59.31 | 4.39 | 0.00 | 11.16 | 26 |
| 27 | 7.79 | ** | ** | ** | ** | ** | ** | 10.31 | 56.84 | 2.46 | 0.00 | 11.44 | 27 |
| 28 | 7.53 | ** | ** | ** | ** | ** | ** | 8.68 | 57.83 | 0.94 | 0.00 | 12.03 | 28 |
| 29 | 6.77 | ** | ** | ** | ** | ** | ** | 6.90 | 54.90 | 0.03 | 0.00 | 11.73 | 29 |
| 30 | 6.28 | ** | ** | ** | ** | ** | ** | 6.90 | 51.54 | 0.00 | 0.00 | 12.03 | 30 |
| 31 | 7.28 | ** | ** | ** | ** | ** | ** | 32.55 | 0.00 | 0.00 | 0.00 | 0.00 | 31 |
| TOTAL | 236.69 | 21.58* | ** | ** | ** | ** | ** | 116.65* | 1666.21 | 1391.64 | 0.00 | 126.07 | |
| MEAN | 7.64 | 7.19* | ** | ** | ** | ** | ** | 11.67* | 55.54 | 44.89 | 0.00 | 4.20 | |
| AC-FT | 469.47 | 42.80* | ** | ** | ** | ** | ** | 231.37* | 3304.88 | 2760.28 | 0.00 | 250.06 | |

** INDICATES
MISSING DATA

* INDICATES
COMPUTED FROM
INCOMPLETE DATA

E INDICATES
ESTIMATED VALUE

Green River Basin, Wyoming; Key Structures and Diversions
Description and Operation Memorandum

Converse Ditch, West Fork New Fork River, Diversion Data

CONVERSE DITCH

STATION NO. 007122.00

LATITUDE 42-54-35 LONGITUDE 109-58-42

SE1/4SE1/4 SECTION 3 TOWNSHIP 34 N,RANGE 110 W 6TH P.M.

ELEVATION 7317.00 FT DRAINAGE AREA UNKNOWN

NONCONTRIBUTING 0.00 SQ MI BASIN 15570000

SUBLETTE COUNTY

DATA FROM WWRC

(C)

****TO USE THIS DATA, SEE VIC HASFURTHER****

| MEAN DAILY FLOW IN CFS BY WATER YEAR | | | | | | | | | | | | | |
|--------------------------------------|--------|--------|-----|-----|-----|-----|-----|----------|---------|---------|------|--------|-----|
| 1987 | | | | | | | | | | | | | |
| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUNE | JULY | AUG | SEPT | DAY |
| 1 | 12.62 | 5.03 | ** | ** | ** | ** | ** | ** | 25.29 | 26.42 | 0.00 | 0.00 | 1 |
| 2 | 13.22 | 5.48 | ** | ** | ** | ** | ** | ** | 26.04 | 23.44 | 0.00 | 0.00 | 2 |
| 3 | 11.44 | 5.03 | ** | ** | ** | ** | ** | ** | 28.73 | 14.01 | 0.00 | 0.00 | 3 |
| 4 | 10.59 | 4.81 | ** | ** | ** | ** | ** | ** | 26.80 | 7.79 | 0.00 | 3.90 | 4 |
| 5 | 10.03 | ** | ** | ** | ** | ** | ** | ** | 27.57 | 6.44 | 0.00 | 7.79 | 5 |
| 6 | 9.75 | ** | ** | ** | ** | ** | ** | ** | 27.57 | 5.53 | 0.00 | 7.79 | 6 |
| 7 | 9.75 | ** | ** | ** | ** | ** | ** | ** | 29.91 | 21.64 | 0.00 | 7.79 | 7 |
| 8 | 9.75 | ** | ** | ** | ** | ** | ** | ** | 32.32 | 33.96 | 0.00 | 7.79 | 8 |
| 9 | 9.75 | ** | ** | ** | ** | ** | ** | ** | 40.79 | 35.21 | 0.00 | 7.79 | 9 |
| 10 | 10.03 | ** | ** | ** | ** | ** | ** | ** | 49.44 | 54.69 | 0.00 | 7.79 | 10 |
| 11 | 10.59 | ** | ** | ** | ** | ** | ** | ** | 42.12 | 46.19 | 0.00 | 8.15 | 11 |
| 12 | 10.59 | ** | ** | ** | ** | ** | ** | 11.83 | 41.68 | 39.92 | 0.00 | 8.15 | 12 |
| 13 | 10.59 | ** | ** | ** | ** | ** | ** | 27.57 | 39.92 | 36.48 | 0.00 | 8.52 | 13 |
| 14 | 10.87 | ** | ** | ** | ** | ** | ** | 29.12 | 38.16 | 34.38 | 0.00 | 8.52 | 14 |
| 15 | 10.87 | ** | ** | ** | ** | ** | ** | 29.12 | 36.90 | 37.33 | 0.00 | 8.15 | 15 |
| 16 | 10.87 | ** | ** | ** | ** | ** | ** | 34.38 | 16.54 | 41.24 | 0.00 | 8.90 | 16 |
| 17 | 10.87 | ** | ** | ** | ** | ** | ** | 37.33 | 10.94 | 48.97 | 0.00 | 9.09 | 17 |
| 18 | 11.16 | ** | ** | ** | ** | ** | ** | 45.27 | 10.94 | 37.33 | 0.00 | 8.52 | 18 |
| 19 | 12.92 | ** | ** | ** | ** | ** | ** | 45.27 | 36.48 | 27.95 | 0.00 | 7.44 | 19 |
| 20 | 11.16 | ** | ** | ** | ** | ** | ** | 39.48 | 41.68 | 14.32 | 0.00 | 7.44 | 20 |
| 21 | 7.14 | ** | ** | ** | ** | ** | ** | 48.50 | 41.68 | 19.89 | 0.00 | 7.27 | 21 |
| 22 | 6.41 | ** | ** | ** | ** | ** | ** | 55.18 | 41.68 | 22.71 | 0.00 | 7.27 | 22 |
| 23 | 5.94 | ** | ** | ** | ** | ** | ** | 44.82 | 42.52 | 8.52 | 0.00 | 6.44 | 23 |
| 24 | 5.94 | ** | ** | ** | ** | ** | ** | 41.68 | 41.68 | 4.45 | 0.00 | 5.25 | 24 |
| 25 | 5.71 | ** | ** | ** | ** | ** | ** | 39.48 | 39.48 | 7.10 | 0.00 | 6.13 | 25 |
| 26 | 5.71 | ** | ** | ** | ** | ** | ** | 41.68 | 37.33 | 5.83 | 0.00 | 6.44 | 26 |
| 27 | 5.71 | ** | ** | ** | ** | ** | ** | 44.82 | 29.12 | 0.12 | 0.00 | 4.97 | 27 |
| 28 | 5.48 | ** | ** | ** | ** | ** | ** | 42.12 | 25.66 | 0.12 | 0.00 | 4.97 | 28 |
| 29 | 7.64 | ** | ** | ** | ** | ** | ** | 32.32 | 27.18 | 0.12 | 0.00 | 4.70 | 29 |
| 30 | 10.03 | ** | ** | ** | ** | ** | ** | 29.12 | 27.57 | 0.12 | 0.00 | 4.70 | 30 |
| 31 | 7.39 | ** | ** | ** | ** | ** | ** | 27.57 | 0.00 | 0.00 | 0.00 | 31 | |
| TOTAL | 290.52 | 20.35* | ** | ** | ** | ** | ** | 746.66* | 983.72 | 662.22 | 0.00 | 191.66 | |
| MEAN | 9.37 | 5.09* | ** | ** | ** | ** | ** | 37.33* | 32.79 | 21.36 | 0.00 | 6.39 | |
| AC-FT | 576.24 | 40.36* | ** | ** | ** | ** | ** | 1480.98* | 1951.18 | 1313.49 | 0.00 | 380.15 | |

** INDICATES
MISSING DATA

* INDICATES
COMPUTED FROM
INCOMPLETE DATA

E INDICATES
ESTIMATED VALUE

Green River Basin, Wyoming; Key Structures and Diversions
Description and Operation Memorandum

Converse Ditch, West Fork New Fork River, Diversion Data

CONVERSE DITCH

STATION NO. 007122.00

LATITUDE 42-54-35 LONGITUDE 109-58-42

SE1/4SE1/4 SECTION 3 TOWNSHIP 34 N,RANGE 110 W 6TH P.M.

ELEVATION 7317.00 FT DRAINAGE AREA UNKNOWN

NONCONTRIBUTING 0.00 SQ MI BASIN 15570000

SUBLETTE COUNTY

DATA FROM WWRC

(C)

****TO USE THIS DATA, SEE VIC HASFURTHER****

| MEAN DAILY FLOW IN CFS BY WATER YEAR | | | | | | | | | | | | | |
|--------------------------------------|--------|--------|-----|-----|-----|-----|-----|-----|------|------|-----|------|-----|
| 1988 | | | | | | | | | | | | | |
| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUNE | JULY | AUG | SEPT | DAY |
| 1 | 4.70 | 7.10 | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | 1 |
| 2 | 4.45 | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | 2 |
| 3 | 4.19 | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | 3 |
| 4 | 5.53 | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | 4 |
| 5 | 10.94 | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | 5 |
| 6 | 8.15 | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | 6 |
| 7 | 8.90 | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | 7 |
| 8 | 8.52 | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | 8 |
| 9 | 9.68 | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | 9 |
| 10 | 11.38 | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | 10 |
| 11 | 11.83 | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | 11 |
| 12 | 10.26 | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | 12 |
| 13 | 10.51 | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | 13 |
| 14 | 10.94 | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | 14 |
| 15 | 10.94 | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | 15 |
| 16 | 10.94 | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | 16 |
| 17 | 10.94 | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | 17 |
| 18 | 10.94 | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | 18 |
| 19 | 10.94 | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | 19 |
| 20 | 10.94 | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | 20 |
| 21 | 11.38 | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | 21 |
| 22 | 11.38 | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | 22 |
| 23 | 10.09 | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | 23 |
| 24 | 10.09 | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | 24 |
| 25 | 10.09 | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | 25 |
| 26 | 9.68 | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | 26 |
| 27 | 9.68 | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | 27 |
| 28 | 9.68 | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | 28 |
| 29 | 9.68 | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | 29 |
| 30 | 8.52 | ** | ** | ** | | ** | ** | ** | ** | ** | ** | ** | 30 |
| 31 | 7.44 | | ** | ** | | ** | | ** | | ** | ** | | 31 |
| TOTAL | 293.33 | 7.10* | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | |
| MEAN | 9.46 | 7.10* | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | |
| AC-FT | 581.81 | 14.08* | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | |

** INDICATES
MISSING DATA

* INDICATES
COMPUTED FROM
INCOMPLETE DATA

E INDICATES
ESTIMATED VALUE

Source: Wyoming Water Resources Data System, March 20, 2000

Green River Basin, Wyoming; Key Structures and Diversions
Description and Operation Memorandum

East Fork Canal, East Fork New Fork River

Diversion Description: Diversion consists of a single 3' by 3' slide gate mounted on a concrete structure.¹

Diversion Location:

Source: East Fork New Fork River, Trib. New Fork River, Trib. Green River

Section, Township, Range: 10, 31, 106

Conveyance Description: Open Channel Canal, approximately 8 miles in length.¹

Wyoming Water Rights Summary:

| Priority Date (M-D-Y) | Permit Number | Permitted Use | Acres | Flow (cfs) | Cumulative Flow (cfs) | Comments |
|--------------------------|------------------|------------------|----------|------------|--------------------------|---------------------|
| 07-24-1905 | 6803 | Irrigation | 720.00 | 10.27 | 10.27 | Formerly Lake Ditch |
| 08-23-1906 | 7356 | Irrigation | 1,026.00 | 14.63 | 24.90 | |
| 01-21-1911 | 2397E | Irrigation | 84.00 | 1.20 | 26.10 | |

Storage Rights: None.

Estimated Canal Losses: Due to the high content of gravel, sand, and boulders in the soil in the upper reaches of the ditch, greater than typical losses (40%) are experienced.¹

Irrigation Practices: Lands are flood irrigated.¹

Crop Types / Consumptive Use: Lands are native grass hay and pasture.¹

Return Flows: Approximately 50% of the return flows are delivered to Muddy Creek, and 50% to East Fork New Fork River.¹

Other Operational Information: The canal is typically turned on the first of May and off in mid-July.¹

Sources: 1) Loren Smith, Wyoming State Engineer's Office, Interview, May 5, 2000.

2) Williams, Linda I., "A Model of the Green River Using the Wyoming Integrated River System Operation Study (WIRSOS)," M.S. Thesis, University of Wyoming, Department of Civil Engineering, December 1995.

Green River Basin, Wyoming; Key Structures and Diversions
Description and Operation Memorandum

East Fork Canal, East Fork New Fork River, Diversion Data

| Wateryear | May | | June | | July | | August | | September | |
|-----------|---------------|--------------------|---------------|--------------------|---------------|--------------------|---------------|--------------------|---------------|--------------------|
| | Average (cfs) | Monthly Total (AF) | Average (cfs) | Monthly Total (AF) | Average (cfs) | Monthly Total (AF) | Average (cfs) | Monthly Total (AF) | Average (cfs) | Monthly Total (AF) |
| 1980 | | | 23.49 | 1,397.75 | 20.30 | 1,207.93 | | | | |
| 1981 | 13.94 | 857.14 | 18.00 | 1,071.07 | | | | | | |
| 1982 | 10.64 | 654.23 | 27.18 | 1,617.32 | 18.18 | 1,081.79 | 10.00 | 614.88 | 10.00 | 595.04 |
| 1983 | 4.43 | 272.39 | 18.12 | 1,078.21 | 18.44 | 1,097.26 | | | | |
| 1984 | | | 23.45 | 1,395.37 | 15.45 | 919.34 | | | | |
| 1985 | | | | | 0.65 | 38.68 | 0.65 | 38.68 | 1.83 | 108.89 |
| 1986 | | | | | | | | | | |
| 1987 | | | | | | | | | | |
| 1988 | | | 14.35 | 853.88 | | | | | | |
| 1989 | 20.60 | 1,266.64 | 23.63 | 1,406.08 | 19.35 | 1,151.40 | | | | |
| 1990 | | | | | | | | | | |
| 1991 | | | 26.43 | 1,572.69 | | | | | | |
| 1992 | 30.11 | 1,851.39 | 25.40 | 1,511.40 | | | | | | |
| 1993 | | | | | | | | | | |
| 1994 | 33.11 | 2,035.85 | 32.85 | 1,954.71 | 21.83 | 1,298.98 | 3.90 | 232.07 | | |
| 1995 | 12.89 | 792.58 | 32.69 | 1,945.19 | 34.55 | 2,055.87 | 17.58 | 1,046.08 | 5.25 | 312.40 |
| 1996 | | | | | | | | | | |
| 1997 | | | | | | | | | | |
| 1998 | | | | | | | | | | |

| | | | | | | | | | | |
|-----------|-------|----------|-------|----------|-------|----------|------|--------|------|--------|
| Averages: | 17.97 | 1,104.32 | 24.14 | 1,436.70 | 18.59 | 1,106.41 | 8.03 | 482.93 | 5.69 | 338.78 |
|-----------|-------|----------|-------|----------|-------|----------|------|--------|------|--------|

Blank cells are due to missing/insufficient data.

Average = Average Flow for ENTIRE month. Monthly Total = Total Volume used during month.

See Methodology section for explanations.

Spot data readings used in calculating averages in table on following pages.

Green River Basin, Wyoming; Key Structures and Diversions
Description and Operation Memorandum

East Fork Canal, East Fork New Fork River, Diversion Data

Data:

1980: 5/18, on; 5/21, 19 cfs; 5/29, 20 cfs; 6/3, 21 cfs; 6/11, 23 cfs; 6/23, 25 cfs; 6/30, 26 cfs; 7/9, 26 cfs; 7/15, 23 cfs; 7/22, 15 cfs; 7/28, 12 cfs; 8/8, 8 cfs; 8/12, 7 cfs; 8/13, off.
1981: 4/24, off; 5/8, 7.5 cfs; 5/14, 14 cfs; 6/10, 27 cfs; 6/17, 24 cfs; 6/25, 22 cfs; 7/11, off.
1982: 5/14, off; 5/24, 20 cfs; 6/3, 24 cfs; 6/18, 26 cfs; 6/23, 33 cfs; 7/2, 30 cfs; 7/8, 30 cfs; 7/16, 26 cfs; 7/19, off; 8/27, 10 cfs; 8/30, 10 cfs; 10/5, off.
1983: 5/24, on, 10 cfs; 5/26, 20 cfs; 6/7, 27 cfs, 6/17, 26 cfs; 6/24, 26 cfs; 7/6, 29 cfs; 7/12, 26 cfs; 7/19, 16 cfs; 7/27, off; 9/12, 13 cfs.
1984: 5/18, off; 6/1, 26 cfs; 6/9, 20 cfs; 6/12, 21 cfs; 6/29, 27 cfs; 7/6, 29 cfs; 7/16, 15 cfs; 7/23, off; 9/25, off.
1985: 7/6, 20 cfs; 7/7, off; 7/31, off; 9/5, 1.5 cfs (est); 9/25, 5.0 cfs (est).
1986: 6/26, 31.1 cfs; 9/9, 3 cfs (est).
1987: 5/14, 28.6 cfs; 7/14, off; 8/31, 3 cfs.
1988: 4/12, 0 cfs; 5/25, 0 cfs; 6/26, 19.5 cfs; 7/1, 9.2 cfs.
1989: 4/14, 0 cfs; 4/21, 20 cfs; 5/3, 20 cfs; 5/13, 20 cfs; 6/26, 25 cfs; 7/13, 20 cfs; 8/3, 0.
1990: 5/23, 27.4 cfs; 7/11, 15.0 cfs (est).
1991: 6/4, 30.33 cfs; 7/11, 28.0 cfs.
1992: 5/6, 40.00 cfs; 5/29, 35.00 cfs; 6/8, 40.00 cfs; 6/9, 24.00 cfs; 6/10, 24.00 cfs; 6/11, 20.00 cfs; 7/10, 20.00 cfs.
1993: 4/29, off; 5/3, 4.00 cfs; 6/18, 48.30 cfs; 7/27, off; 9/2, off.
1994: 5/3, 15.00 cfs; 5/23, 50.00 cfs; 6/19, 30.20 cfs; 6/20, 25.2 cfs; 7/18, 25.00 cfs; 8/4, 5.00 cfs; 9/15, off.
1995: 4/10, off; 4/18, off; 4/26, off; 5/24, 18.8 cfs; 6/26, 41.0 cfs; 7/6, 42 cfs; 7/7, 40 cfs (est.); 8/16, 15 cfs (est); 8/30, 15 cfs (est); 9/21, off.
1996: 5/4, 9.5 cfs (est); 6/26, 33.0 cfs (arrive), 1.42 cfs (depart); 9/21, 19.0 cfs (est).
1997: 5/27, 24 cfs (est).

Supply: 1980, below average; 1981, slightly below average; 1982, average (late peak); 1983, above average; 1984, above average; 1985, below average; 1986, average to slightly above average; 1988: very below average; 1989, below average; 1990, below average; 1991, slightly below average; 1992, below average; 1993, average; 1994, below average; 1995, average to above average; 1996, average; 1997, average; 1998, average to above average.

Source: State Engineer's Office, Annual Hydrographers' Reports.

Green River Basin, Wyoming; Key Structures and Diversions
Description and Operation Memorandum

Fayette Canal, Fall Creek

Diversion Description: Diversion consists of two 36" slide gates.¹

Diversion Location:

Source: Fall Creek, Trib. Pole Creek, Trib. West Fork New Fork River, Trib. New Fork River, Trib. Green River
Section, Township, Range: 2, 33, 108

Conveyance Description: Open Channel Canal, approximately 8 miles in length.¹

Wyoming Water Rights Summary:

| Priority Date (M-D-Y) | Permit Number | Permitted Use | Acres | Flow (cfs) | Cumulative Flow (cfs) | Comments |
|-----------------------|---------------|-------------------|----------|------------|-----------------------|----------|
| 06-22-1906 | 7496 | Irrigation | 1,607.00 | 22.95 | 22.95 | |
| 08-11-1952 | 5637E | Irrigation, Stock | 522.00 | 7.45 | 30.40 | |

Storage Rights: None.

Estimated Canal Losses: Information not available at time of report.

Irrigation Practices: Information not available at time of report.

Crop Types / Consumptive Use: Information not available at time of report.

Return Flows: Return flows are delivered to West Fork new Fork River at Pole Creek.²

Other Operational Information: Information not available at time of report.

Sources: 1) Loren Smith, Wyoming State Engineer's Office, Fax, June 6, 2000.
2) Williams, Linda I., "A Model of the Green River Using the Wyoming Integrated River System Operation Study (WIRSOS)," M.S. Thesis, University of Wyoming, Department of Civil Engineering, December 1995.

Green River Basin, Wyoming; Key Structures and Diversions
Description and Operation Memorandum

Fayette Canal, Fall Creek

| Wateryear | May | | June | | July | | August | | September | |
|-----------|---------------|--------------------|---------------|--------------------|---------------|--------------------|---------------|--------------------|---------------|--------------------|
| | Average (cfs) | Monthly Total (AF) | Average (cfs) | Monthly Total (AF) | Average (cfs) | Monthly Total (AF) | Average (cfs) | Monthly Total (AF) | Average (cfs) | Monthly Total (AF) |
| 1980 | | | | | | | | | | |
| 1981 | | | | | | | | | | |
| 1982 | | | | | | | | | | |
| 1983 | | | | | | | | | | |
| 1984 | | | | | | | | | | |
| 1985 | | | | | | | | | | |
| 1986 | | | | | | | | | | |
| 1987 | | | | | | | | | | |
| 1988 | | | | | 6.15 | 378.07 | | | | |
| 1989 | | | | | | | | | | |
| 1990 | | | | | | | | | | |
| 1991 | | | 18.67 | 1,107.26 | | | | | | |
| 1992 | | | | | | | | | | |
| 1993 | | | 28.50 | 1,695.65 | 20.29 | 1,247.58 | 10.99 | 675.75 | 4.69 | 279.07 |
| 1994 | 25.00 | 1,537.19 | 42.06 | 2,502.74 | 29.41 | 1,808.35 | 6.11 | 375.69 | 4.20 | 249.92 |
| 1995 | 7.65 | 470.38 | 29.80 | 1,773.22 | 24.68 | 1,517.51 | 25.45 | 1,564.86 | 12.05 | 717.02 |
| 1996 | | | | | 20.00 | 1,229.75 | | | | |
| 1997 | | | | | | | 17.12 | 1,052.46 | | |
| 1998 | | | | | | | | | | |

| | | | | | | | | | | |
|-----------|-------|----------|-------|----------|-------|----------|-------|--------|------|--------|
| Averages: | 16.33 | 1,003.79 | 29.76 | 1,769.72 | 20.11 | 1,236.25 | 14.92 | 917.19 | 6.98 | 415.34 |
|-----------|-------|----------|-------|----------|-------|----------|-------|--------|------|--------|

Blank cells are due to missing/insufficient data.

Average = Average Flow for ENTIRE month. Monthly Total = Total Volume used during month.

See Methodology section for explanations.

Spot data readings used in calculating averages in table on following pages.

Green River Basin, Wyoming; Key Structures and Diversions
Description and Operation Memorandum

Fayette Canal, Fall Creek

Data:

1987: 7/14, 46.8 cfs; 9/8, 6 cfs.

1988: 5/13, 13 cfs; 6/26, 22 cfs; 7/5, 9 cfs; 8/5, 0.5 cfs.

1991: 5/19, 13.08 cfs; 6/19, 38.35 cfs.

1992: 4/8, 0.00 cfs; 6/3, 21.00 cfs; 9/3, 2.00 cfs.

1993: 5/19, 22.60 cfs; 6/21, 31.60 cfs; 7/8, 19.60 cfs; 7/30, 20.00 cfs; 8/25, 6.30 cfs; 9/1, 4.50 cfs; 9/20, 10.30 cfs.

1994: 5/12, 25.00 cfs; 5/26, 45.50 cfs; 6/1, 48.30 cfs; 6/7, 50.00 cfs; 6/14, 45.00 cfs; 6/22, 35.60 cfs; 7/25, 28.80 cfs; 8/5, 10.60 cfs; 8/23, off; 8/30, 7.00 cfs; 9/6, 7.00 cfs; 9/19, 7.00 cfs.

1995: 4/6, 4/17, 5/4, off; 5/10, 6.5 cfs (est); 5/31, 12.8 cfs; 6/5, 21.8 cfs; 6/27, 38.8 cfs; 8/3, 12.0 cfs; 9/14, off.

1996: 5/1, 5/13, off; 7/1, 38 cfs (est); 8/1, 2.0 cfs (est).

1997: 7/22, 42.1 cfs; 8/19, 23.5 cfs.

Supply: 1980, below average; 1981, slightly below average; 1982, average (late peak); 1983, above average; 1984, above average; 1985, below average; 1986, average to slightly above average; 1988: very below average; 1989, below average; 1990, below average; 1991, slightly below average; 1992, below average; 1993, average; 1994, below average; 1995, average to above average; 1996, average; 1997, average; 1998, average to above average.

Source: State Engineer's Office, Annual Hydrographers' Reports.

Green River Basin, Wyoming; Key Structures and Diversions
Description and Operation Memorandum

Fremont Ditch, Pine Creek

Diversion Description: Diversion consists of a single 4' by 4' slide gate. The headgate is attached to the Fremont Lake Dam.¹

Diversion Location:

Source: Pine Creek, Trib. West Fork New Fork River, Trib. New Fork River, Trib. Green River
Section, Township, Range: 23-34-109

Conveyance Description: Open Channel Canal, approximately 6 miles in length.¹

Wyoming Water Rights Summary:

| Priority Date (M-D-Y) | Permit Number | Permitted Use | Acres | Flow (cfs) | Cumulative Flow (cfs) | Comments |
|--------------------------|------------------|----------------------|--------|------------|--------------------------|----------|
| 03-02-1954 | 21373 | Irrigation, Stock | 474.00 | 6.77 | 6.77 | |
| 05-25-1971 | 6388E | Irrigation | 45.00 | 0.64 | 7.41 | |

Storage Rights: None.

Estimated Canal Losses: Losses are minor.¹

Irrigation Practices: Lands are flood irrigated.¹

Crop Types / Consumptive Use: Lands are native grass hay and pasture.¹

Return Flows: Return flows are delivered to West Fork New Fork River at Willow Creek.²

Other Operational Information: The canal is initially turned on the first of May for stock water use. By approximately the first of June the canal experiences its highest flows. Typically, the canal is turned off by the first of October.¹

Sources: 1) Ken Shriver, Fremont Ditch Company, Interview, May 5, 2000.
2) Williams, Linda I., "A Model of the Green River Using the Wyoming Integrated River System Operation Study (WIRSOS)," M.S. Thesis, University of Wyoming, Department of Civil Engineering, December 1995.

Green River Basin, Wyoming; Key Structures and Diversions
Description and Operation Memorandum

Fremont Ditch, Pine Creek, Diversion Data

| Wateryear | May | | June | | July | | August | | September | |
|-----------|---------------|--------------------|---------------|--------------------|---------------|--------------------|---------------|--------------------|---------------|--------------------|
| | Average (cfs) | Monthly Total (AF) | Average (cfs) | Monthly Total (AF) | Average (cfs) | Monthly Total (AF) | Average (cfs) | Monthly Total (AF) | Average (cfs) | Monthly Total (AF) |
| 1980 | | | | | | | | | | |
| 1981 | | | | | | | | | | |
| 1982 | | | | | | | | | | |
| 1983 | | | | | | | | | | |
| 1984 | | | | | | | | | | |
| 1985 | <i>4.29</i> | 263.78 | <i>16.46</i> | 979.44 | <i>13.97</i> | 858.98 | <i>0.45</i> | 27.67 | <i>0.19</i> | 11.31 |
| 1986 | <i>3.36</i> | 206.60 | <i>21.54</i> | 1,281.72 | <i>23.77</i> | 1,461.56 | <i>1.02</i> | 62.72 | <i>0.74</i> | 44.03 |
| 1987 | | | | | | | | | | |
| 1988 | <i>6.13</i> | 376.92 | <i>23.53</i> | 1,400.13 | <i>14.35</i> | 882.35 | <i>5.41</i> | 332.65 | <i>6.82</i> | 405.82 |
| 1989 | <i>11.84</i> | 728.01 | <i>27.17</i> | 1,616.73 | <i>21.33</i> | 1,311.53 | <i>2.79</i> | 171.55 | <i>9.38</i> | 558.15 |
| 1990 | <i>13.55</i> | 833.16 | <i>20.60</i> | 1,225.79 | <i>21.41</i> | 1,316.45 | <i>3.32</i> | 204.14 | <i>2.82</i> | 167.80 |
| 1991 | <i>6.99</i> | 429.80 | <i>18.17</i> | 1,081.19 | <i>19.68</i> | 1,210.08 | <i>2.36</i> | 145.11 | <i>1.88</i> | 111.87 |
| 1992 | <i>10.34</i> | 635.78 | <i>20.37</i> | 1,212.10 | <i>16.90</i> | 1,039.14 | <i>1.86</i> | 114.37 | <i>0.41</i> | 24.40 |
| 1993 | <i>4.95</i> | 304.36 | <i>20.20</i> | 1,201.98 | <i>30.13</i> | 1,852.62 | <i>6.78</i> | 416.89 | <i>2.48</i> | 147.57 |
| 1994 | <i>5.38</i> | 330.80 | <i>29.09</i> | 1,730.98 | <i>22.00</i> | 1,352.73 | <i>6.53</i> | 401.51 | <i>3.80</i> | 226.12 |
| 1995 | <i>4.13</i> | 253.94 | <i>24.45</i> | 1,454.88 | <i>35.03</i> | 2,153.91 | <i>11.25</i> | 691.74 | <i>4.36</i> | 259.44 |
| 1996 | <i>6.67</i> | 410.12 | <i>25.97</i> | 1,545.32 | <i>28.65</i> | 1,761.62 | <i>5.18</i> | 318.51 | <i>2.73</i> | 162.45 |
| 1997 | <i>3.07</i> | 188.77 | <i>19.52</i> | 1,161.52 | <i>23.68</i> | 1,456.03 | <i>14.90</i> | 916.17 | <i>8.81</i> | 524.23 |
| 1998 | | | | | <i>10.79</i> | 663.45 | <i>5.43</i> | 333.88 | <i>1.64</i> | 97.59 |

| | | | | | | | | | | |
|-----------|-------------|--------|-------|----------|-------|----------|------|--------|------|--------|
| Averages: | <i>6.73</i> | 413.50 | 22.26 | 1,324.31 | 21.67 | 1,332.34 | 5.18 | 318.22 | 3.54 | 210.83 |
|-----------|-------------|--------|-------|----------|-------|----------|------|--------|------|--------|

Figures in italics are computed by USGS from USGS gaging station #09196940 (Fremont Ditch near Pinedale, WY) records. Blank cells are due to missing/insufficient data.

Average = Average Flow for ENTIRE month. Monthly Total = Total Volume used during month.

See Methodology section for explanations.

Spot data readings used in calculating averages in table on following pages.

Green River Basin, Wyoming; Key Structures and Diversions
Description and Operation Memorandum

Fremont Ditch, Pine Creek, Diversion Data

Data:

1996: 5/10, off; 5/11, 3.0 cfs (est); 6/11, 23 cfs (est); 6/15, 31 cfs (est); 6/17, 30.0 cfs (est); 6/24, 28 cfs (est); 6/25, 30.1 cfs; 7/1, 30 cfs; 7/3, 32 cfs (est); 7/8, 35.0 cfs (est); 7/23, 26 cfs (est); 7/25, 32 cfs (est); 7/29, 20 cfs (est); 8/1, 20 cfs (est); 8/6, 4.5 cfs (est); 8/13, 4.5 cfs (est); 8/19, 2.5 cfs (est); 8/26, 4.0 cfs (est); 8/30, 4.0 cfs (est); 9/4, 4.0 cfs (est); 9/12, 4.5 cfs (est); 9/16, 2.5 cfs (est); 9/24, 3.0 cfs (est).
1997: 5/12, 5.0 cfs (est); 6/2, 4.5 cfs (est); 6/12, 23 cfs (est); 7/7, 23.9 cfs; 7/15, 24.5 cfs; 7/19, 24.5 cfs; 7/24, 24.5 cfs; 7/29, 23.9 cfs; 7/30, 18 cfs (est); 8/7, 15.4 cfs; 8/12, 15.4 cfs; 8/18, 14 cfs; 8/25, 15.4 cfs; 9/4, 10.4 cfs; 9/10, 10.5 cfs; 9/23, 10.0 cfs; 9/30, off.
1998: 7/6, 25 cfs (est); 7/9, 25 cfs (est); 7/29, 0.5 cfs (est); 8/7, 6.17 cfs; 8/13, 6.17 cfs; 8/19, 5.75 cfs; 8/27, 5.7 cfs (est); 9/3, 3.3 cfs; 9/9, 3.3 cfs; 9/16, 3.2 cfs.

Supply: 1980, below average; 1981, slightly below average; 1982, average (late peak); 1983, above average; 1984, above average; 1985, below average; 1986, average to slightly above average; 1988: very below average; 1989, below average; 1990, below average; 1991, slightly below average; 1992, below average; 1993, average; 1994, below average; 1995, average to above average; 1996, average; 1997, average; 1998, average to above average.

Source: State Engineer's Office, Annual Hydrographers' Reports.

Green River Basin, Wyoming; Key Structures and Diversions
Description and Operation Memorandum

Gilligan & Iven Ditch, East Fork New Fork River

Diversion Description: Diversion consists of a single 40” by 40” slide gate mounted on a concrete structure.¹

Diversion Location:

Source: East Fork New Fork River, Trib. New Fork River, Trib. Green River
Section, Township, Range: 9, 31, 106

Conveyance Description: Open Channel Canal, approximately 2½ miles in length.¹

Wyoming Water Rights Summary:

| Priority Date (M-D-Y) | Permit Number | Permitted Use | Acres | Flow (cfs) | Cumulative Flow (cfs) | Comments |
|-----------------------|---------------|-----------------------------|--------|------------|-----------------------|----------|
| 10-08-1897 | 1622 | Irrigation | 630.00 | 9.00 | 9.00 | |
| 12-11-1903 | 1137E | Domestic, Irrigation, Stock | 320.00 | 4.57 | 13.57 | |

Storage Rights: None.

Estimated Canal Losses: Slightly greater than typical losses (20%) are experienced.¹

Irrigation Practices: Lands are flood irrigated.¹

Crop Types / Consumptive Use: Lands are native grass hay and pasture.¹

Return Flows: Return flows are delivered to Cottonwood Creek above East Fork River.²

Other Operational Information: The canal is typically turned on the first of May and off in mid-July.¹

Sources: 1) Loren Smith, Wyoming State Engineer’s Office, Interview, May 5, 2000.
2) Williams, Linda I., “A Model of the Green River Using the Wyoming Integrated River System Operation Study (WIRSOS),” M.S. Thesis, University of Wyoming, Department of Civil Engineering, December 1995.

Green River Basin, Wyoming; Key Structures and Diversions
Description and Operation Memorandum

Gilligan & Iven Ditch, East Fork New Fork River, Diversion Data

| Wateryear | May | | June | | July | | August | | September | |
|-----------|---------------|--------------------|---------------|--------------------|---------------|--------------------|---------------|--------------------|---------------|--------------------|
| | Average (cfs) | Monthly Total (AF) | Average (cfs) | Monthly Total (AF) | Average (cfs) | Monthly Total (AF) | Average (cfs) | Monthly Total (AF) | Average (cfs) | Monthly Total (AF) |
| 1975 | 5.52 | 339.93 | 18.75 | 1,115.70 | 19.58 | 1,203.87 | 5.51 | 338.50 | 4.18 | 248.73 |
| 1976 | 4.81 | 295.93 | 19.44 | 1,156.56 | 16.56 | 1,018.31 | | | | |
| 1978 | 7.35 | 452.23 | 18.50 | 1,100.83 | 15.81 | 971.90 | | | | |
| 1980 | 7.48 | 459.93 | 10.60 | 630.74 | 9.36 | 575.52 | 7.99 | 491.29 | 5.39 | 320.73 |
| 1981 | 13.88 | 853.45 | 22.19 | 1,320.40 | 9.15 | 562.61 | 5.20 | 319.74 | 2.22 | 132.10 |
| 1982 | | | 22.92 | 1,363.83 | 16.44 | 1,010.86 | 3.95 | 242.88 | 5.73 | 340.96 |
| 1983 | | | 8.33 | 495.67 | 5.95 | 365.85 | 8.58 | 527.56 | | |
| 1984 | | | 14.76 | 878.28 | 10.38 | 638.24 | | | | |
| 1985 | | | | | | | | | | |
| 1986 | | | | | | | | | | |
| 1987 | | | | | | | | | | |
| 1988 | 6.67 | 410.12 | 10.69 | 636.10 | | | | | | |
| 1989 | 15.56 | 956.75 | 12.58 | 748.56 | 4.62 | 284.07 | | | | |
| 1990 | | | | | | | | | | |
| 1991 | | | | | | | | | | |
| 1992 | | | 13.30 | 791.40 | | | | | | |
| 1993 | 12.20 | 750.35 | | | | | | | | |
| 1994 | 22.39 | 1,376.71 | 17.73 | 1,055.01 | 11.51 | 707.72 | 2.23 | 137.12 | | |
| 1995 | 9.58 | 589.05 | 19.12 | 1,137.72 | 20.37 | 1,252.50 | 4.73 | 290.84 | 1.09 | 64.86 |
| 1996 | | | | | | | | | | |
| 1997 | | | | | | | | | | |
| 1998 | | | | | | | | | | |

| | | | | | | | | | | |
|-----------|-------|--------|-------|--------|-------|--------|------|--------|------|--------|
| Averages: | 10.54 | 648.45 | 16.07 | 956.22 | 12.70 | 781.04 | 5.46 | 335.42 | 3.72 | 221.48 |
|-----------|-------|--------|-------|--------|-------|--------|------|--------|------|--------|

Data in italics from USGS gaging station 006110.00, see attached data sheets.

Blank cells are due to missing/insufficient data.

Average = Average Flow for ENTIRE month. Monthly Total = Total Volume used during month.

See Methodology section for explanations.

Spot data readings used in calculating averages in table on following pages.

Green River Basin, Wyoming; Key Structures and Diversions
Description and Operation Memorandum

Gilligan & Iven Ditch, East Fork New Fork River, Diversion Data

Data:

1980: 5/6, 5 cfs; 5/13, 9 cfs; 5/20, 8 cfs; 5/21, 11 cfs; 5/29, 10 cfs; 6/3, 10 cfs; 6/10, 13 cfs; 6/18, 10 cfs; 6/23, 10 cfs; 6/30, 9 cfs; 7/9, 8 cfs; 7/15, 6 cfs; 7/22, 7 cfs; 7/24, 16 cfs; 7/28, 12 cfs; 8/1, 16 cfs; 8/8, 6 cfs; 8/12, 5 cfs; 8/21, 8 cfs; 9/22, 5 cfs; 9/30, 4 cfs.
1981: 4/24, 5 cfs; 5/8, 13 cfs; 5/14, 8 cfs; 5/28, 21 cfs; 6/4, 24 cfs; 6/9, 25 cfs; 6/17, 21 cfs; 6/25, 22 cfs; 7/7, 12 cfs; 7/15, 8 cfs; 7/20, 7 cfs; 8/4, 6 cfs; 8/13, 5 cfs; 8/27, 5 cfs; 10/2, off.
1982: 5/24, 21 cfs; 6/2, 21 cfs; 6/9, 21 cfs; 6/18, 27 cfs; 6/22, 26 cfs; 7/2, 17 cfs; 7/8, 22 cfs; 7/16, 23 cfs; 7/23, 13 cfs; 8/3, off; 8/27, 7 cfs; 9/22, 9 cfs.
1983: 5/26, 11 cfs; 6/1, 15 cfs; 6/7, 18 cfs; 6/17, 17 cfs; 6/24, 17 cfs; 7/6, 13 cfs; 7/12, 12 cfs; 7/19, 7 cfs; 7/27, off; 8/22, 12 cfs; 9/12, off.
1984: 5/18, 6 cfs; 5/22, 5 cfs; 6/1, 17 cfs; 6/9, 13 cfs; 6/12, 13 cfs; 6/14, 14 cfs; 6/29, 16 cfs; 7/6, 15 cfs; 7/11, 13 cfs; 7/16, 10 cfs; 7/19, 12 cfs; 7/23, 11 cfs; 7/30, off.
1985: 7/7, 13.3 cfs. (Ditch washed out.)
1986: 6/19, 10.0 cfs; 7/9, 12.8 cfs; 9/9, 8.1 cfs.
1987: 5/14, 27.7 cfs; 7/14, off.
1988: 4/12, 5 cfs; 5/25, 7 cfs; 6/18, 10 cfs; 6/26, 13.9 cfs; 6/27, 16.6 cfs; 7/1, 12.4 cfs.
1989: 4/14, 0 cfs; 4/21, 4.5 cfs; 5/3, 6 cfs; 5/13, 20 cfs; 6/28, 10 cfs; 7/13, 4 cfs; 8/1, 3 cfs.
1990: 6/18, 20.0 cfs (est); 7/11, 10.0 cfs (est).
1992: 5/29, 15.00 cfs; 6/8, 15.00 cfs; 6/10, 13.00 cfs; 6/11, 13.00 cfs; 7/10, 12.00 cfs.
1993: 4/29, 6.00 cfs; 5/3, 4.00 cfs; 6/14, 29.3 cfs; 7/27, 9/2, off.
1994: 5/3, 12.00 cfs; 5/23, 31.50 cfs; 6/19, 15.30 cfs; 6/20, 13.00 cfs; 7/18, 14.00 cfs; 8/4, 1.50 cfs; 9/3, 3.00 cfs.
1995: 4/10, off ; 4/18, 2.0 cfs (est); 4/26, 3.0 cfs (est); 5/24, 12.0 cfs; 6/26, 22.3 cfs; 7/6, 24 cfs (est); 7/17, 22 cfs; 8/16, 3.5 cfs; 8/30, off; 9/21, 3.0 cfs.
1996: 5/4, 3.0 cfs; 6/26, 28 cfs (est).
1997: 7/15, 8.3 cfs.

Supply: 1980, below average; 1981, slightly below average; 1982, average (late peak); 1983, above average; 1984, above average; 1985, below average; 1986, average to slightly above average; 1988: very below average; 1989, below average; 1990, below average; 1991, slightly below average; 1992, below average; 1993, average; 1994, below average; 1995, average to above average; 1996, average; 1997, average; 1998, average to above average.

Source: State Engineer's Office, Annual Hydrographers' Reports.

Green River Basin, Wyoming; Key Structures and Diversions
Description and Operation Memorandum

Gilligan & Iven Ditch, East Fork New Fork River, Diversion Data

GILLIGAN IVAN DITCH
 LATITUDE 0-00-00 LONGITUDE 0-00-00
 SECTION 0 TOWNSHIP 0 ,RANGE 0 P.M.
 ELEVATION UNKNOWN DRAINAGE AREA UNKNOWN
 NONCONTRIBUTING AREA UNKNOWN BASIN UNKNOWN
 DATA FROM WATER COMMISSIONERS (P)

STATION NO. 006110.00

| MEAN DAILY FLOW IN CFS BY WATER YEAR | | | | | | | | | | | | | |
|--------------------------------------|-----|-----|-----|-----|-----|-----|-----|---------|---------|---------|--------|--------|-----|
| 1975 | | | | | | | | | | | | | |
| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUNE | JULY | AUG | SEPT | DAY |
| 1 | ** | ** | ** | ** | ** | ** | ** | ** | 15.00 | 22.25 | 16.50 | 4.50 | 1 |
| 2 | ** | ** | ** | ** | ** | ** | ** | ** | 16.00 | 22.25 | 16.00 | 5.00 | 2 |
| 3 | ** | ** | ** | ** | ** | ** | ** | ** | 17.00 | 22.25 | 15.00 | 6.00 | 3 |
| 4 | ** | ** | ** | ** | ** | ** | ** | ** | 18.70 | 22.50 | 5.00 | 6.25 | 4 |
| 5 | ** | ** | ** | ** | ** | ** | ** | ** | 19.00 | 22.50 | 5.00 | 6.00 | 5 |
| 6 | ** | ** | ** | ** | ** | ** | ** | ** | 20.00 | 22.50 | 5.00 | 5.00 | 6 |
| 7 | ** | ** | ** | ** | ** | ** | ** | ** | 19.00 | 22.75 | 4.48 | 4.00 | 7 |
| 8 | ** | ** | ** | ** | ** | ** | ** | ** | 18.00 | 22.75 | 4.48 | 3.00 | 8 |
| 9 | ** | ** | ** | ** | ** | ** | ** | ** | 18.00 | 22.75 | 4.48 | 2.00 | 9 |
| 10 | ** | ** | ** | ** | ** | ** | ** | ** | 17.00 | 22.75 | 4.48 | 2.00 | 10 |
| 11 | ** | ** | ** | ** | ** | ** | ** | ** | 17.50 | 22.50 | 4.48 | 2.00 | 11 |
| 12 | ** | ** | ** | ** | ** | ** | ** | ** | 17.00 | 22.00 | 4.48 | 2.00 | 12 |
| 13 | ** | ** | ** | ** | ** | ** | ** | 6.38 | 18.00 | 21.00 | 4.48 | 3.00 | 13 |
| 14 | ** | ** | ** | ** | ** | ** | ** | 6.50 | 20.00 | 20.50 | 4.48 | 3.00 | 14 |
| 15 | ** | ** | ** | ** | ** | ** | ** | 6.50 | 22.00 | 20.00 | 4.48 | 3.40 | 15 |
| 16 | ** | ** | ** | ** | ** | ** | ** | 7.00 | 22.00 | 19.50 | 4.24 | 3.50 | 16 |
| 17 | ** | ** | ** | ** | ** | ** | ** | 7.00 | 24.00 | 19.00 | 4.24 | 3.50 | 17 |
| 18 | ** | ** | ** | ** | ** | ** | ** | 7.00 | 24.25 | 18.50 | 4.24 | 3.50 | 18 |
| 19 | ** | ** | ** | ** | ** | ** | ** | 7.00 | 18.00 | 18.00 | 4.24 | 4.00 | 19 |
| 20 | ** | ** | ** | ** | ** | ** | ** | 7.00 | 16.30 | 17.50 | 4.24 | 4.50 | 20 |
| 21 | ** | ** | ** | ** | ** | ** | ** | 8.00 | 15.00 | 17.00 | 4.24 | 4.50 | 21 |
| 22 | ** | ** | ** | ** | ** | ** | ** | 8.00 | 15.00 | 17.00 | 4.24 | 4.50 | 22 |
| 23 | ** | ** | ** | ** | ** | ** | ** | 9.00 | 17.00 | 17.00 | 4.24 | 5.00 | 23 |
| 24 | ** | ** | ** | ** | ** | ** | ** | 9.00 | 19.00 | 16.70 | 4.24 | 5.00 | 24 |
| 25 | ** | ** | ** | ** | ** | ** | ** | 10.00 | 22.75 | 16.50 | 4.24 | 5.25 | 25 |
| 26 | ** | ** | ** | ** | ** | ** | ** | 10.00 | 17.50 | 16.50 | 4.24 | 5.00 | 26 |
| 27 | ** | ** | ** | ** | ** | ** | ** | 11.00 | 17.50 | 16.50 | 4.24 | 5.00 | 27 |
| 28 | ** | ** | ** | ** | ** | ** | ** | 12.00 | 19.00 | 16.50 | 4.24 | 5.00 | 28 |
| 29 | ** | ** | ** | ** | | ** | ** | 13.00 | 21.00 | 16.50 | 4.24 | 5.00 | 29 |
| 30 | ** | ** | ** | ** | | ** | ** | 13.00 | 22.00 | 16.50 | 4.24 | 5.00 | 30 |
| 31 | ** | | ** | ** | | ** | | 14.00 | | 16.50 | 4.24 | | 31 |
| TOTAL | ** | ** | ** | ** | ** | ** | ** | 171.38* | 562.50 | 606.95 | 170.66 | 125.40 | |
| MEAN | ** | ** | ** | ** | ** | ** | ** | 9.02* | 18.75 | 19.58 | 5.51 | 4.18 | |
| AC-FT | ** | ** | ** | ** | ** | ** | ** | 339.93* | 1115.70 | 1203.87 | 338.50 | 248.73 | |

** INDICATES
MISSING DATA

* INDICATES
COMPUTED FROM
INCOMPLETE DATA

E INDICATES
ESTIMATED VALUE

Green River Basin, Wyoming; Key Structures and Diversions
Description and Operation Memorandum

Gilligan & Iven Ditch, East Fork New Fork River, Diversion Data

GILLIGAN IVAN DITCH
 LATITUDE 0-00-00 LONGITUDE 0-00-00
 SECTION 0 TOWNSHIP 0 ,RANGE 0 P.M.
 ELEVATION UNKNOWN DRAINAGE AREA UNKNOWN
 NONCONTRIBUTING AREA UNKNOWN BASIN UNKNOWN
 DATA FROM WATER COMMISSIONERS (P)

STATION NO. 006110.00

| MEAN DAILY FLOW IN CFS BY WATER YEAR | | | | | | | | | | | | | |
|--------------------------------------|-----|-----|-----|-----|-----|-----|-----|---------|---------|---------|---------|------|-----|
| 1976 | | | | | | | | | | | | | |
| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUNE | JULY | AUG | SEPT | DAY |
| 1 | ** | ** | ** | ** | ** | ** | ** | ** | 15.00 | 23.20 | 10.00 | ** | 1 |
| 2 | ** | ** | ** | ** | ** | ** | ** | ** | 16.00 | 23.00 | 9.00 | ** | 2 |
| 3 | ** | ** | ** | ** | ** | ** | ** | ** | 17.50 | 23.00 | 7.00 | ** | 3 |
| 4 | ** | ** | ** | ** | ** | ** | ** | ** | 18.00 | 23.00 | 5.00 | ** | 4 |
| 5 | ** | ** | ** | ** | ** | ** | ** | 1.50 | 18.00 | 23.00 | ** | ** | 5 |
| 6 | ** | ** | ** | ** | ** | ** | ** | 1.00 | 18.00 | 22.00 | ** | ** | 6 |
| 7 | ** | ** | ** | ** | ** | ** | ** | 1.00 | 19.00 | 21.70 | ** | ** | 7 |
| 8 | ** | ** | ** | ** | ** | ** | ** | 1.00 | 19.00 | 21.00 | ** | ** | 8 |
| 9 | ** | ** | ** | ** | ** | ** | ** | 1.00 | 19.00 | 21.00 | ** | ** | 9 |
| 10 | ** | ** | ** | ** | ** | ** | ** | 1.00 | 19.50 | 20.00 | ** | ** | 10 |
| 11 | ** | ** | ** | ** | ** | ** | ** | ** | 20.00 | 20.00 | ** | ** | 11 |
| 12 | ** | ** | ** | ** | ** | ** | ** | ** | 21.00 | 19.90 | ** | ** | 12 |
| 13 | ** | ** | ** | ** | ** | ** | ** | ** | 22.00 | 18.00 | ** | ** | 13 |
| 14 | ** | ** | ** | ** | ** | ** | ** | ** | 18.00 | 17.00 | ** | ** | 14 |
| 15 | ** | ** | ** | ** | ** | ** | ** | 6.00 | 18.00 | 15.50 | ** | ** | 15 |
| 16 | ** | ** | ** | ** | ** | ** | ** | 6.00 | 18.00 | 14.00 | ** | ** | 16 |
| 17 | ** | ** | ** | ** | ** | ** | ** | 6.00 | 18.70 | 12.00 | 4.00 | ** | 17 |
| 18 | ** | ** | ** | ** | ** | ** | ** | 6.00 | 19.00 | 10.00 | 4.00 | ** | 18 |
| 19 | ** | ** | ** | ** | ** | ** | ** | 6.00 | 19.00 | 9.60 | 4.00 | ** | 19 |
| 20 | ** | ** | ** | ** | ** | ** | ** | 6.50 | 19.00 | 8.00 | 4.00 | ** | 20 |
| 21 | ** | ** | ** | ** | ** | ** | ** | 7.00 | 19.00 | 8.00 | 5.00 | ** | 21 |
| 22 | ** | ** | ** | ** | ** | ** | ** | 7.00 | 20.00 | 8.00 | 5.00 | ** | 22 |
| 23 | ** | ** | ** | ** | ** | ** | ** | 8.00 | 20.00 | 15.00 | 5.20 | ** | 23 |
| 24 | ** | ** | ** | ** | ** | ** | ** | 8.00 | 20.40 | 15.00 | 5.00 | ** | 24 |
| 25 | ** | ** | ** | ** | ** | ** | ** | 9.00 | 21.00 | 15.00 | 5.00 | ** | 25 |
| 26 | ** | ** | ** | ** | ** | ** | ** | 9.00 | 21.00 | 15.00 | ** | ** | 26 |
| 27 | ** | ** | ** | ** | ** | ** | ** | 10.20 | 22.00 | 15.00 | ** | ** | 27 |
| 28 | ** | ** | ** | ** | ** | ** | ** | 10.00 | 22.00 | 15.50 | ** | ** | 28 |
| 29 | ** | ** | ** | ** | ** | ** | ** | 11.00 | 23.00 | 15.00 | ** | ** | 29 |
| 30 | ** | ** | ** | ** | ** | ** | ** | 12.00 | 23.00 | 14.00 | ** | ** | 30 |
| 31 | ** | ** | ** | ** | ** | ** | ** | 15.00 | 13.00 | ** | ** | ** | 31 |
| TOTAL | ** | ** | ** | ** | ** | ** | ** | 149.20* | 583.10 | 513.40 | 72.20* | ** | |
| MEAN | ** | ** | ** | ** | ** | ** | ** | 6.49* | 19.44 | 16.56 | 5.55* | ** | |
| AC-FT | ** | ** | ** | ** | ** | ** | ** | 295.93* | 1156.56 | 1018.31 | 143.21* | ** | |

** INDICATES MISSING DATA
 * INDICATES COMPUTED FROM INCOMPLETE DATA
 E INDICATES ESTIMATED VALUE

Green River Basin, Wyoming; Key Structures and Diversions
Description and Operation Memorandum

Gilligan & Iven Ditch, East Fork New Fork River, Diversion Data

GILLIGAN IVAN DITCH
 LATITUDE 0-00-00 LONGITUDE 0-00-00
 SECTION 0 TOWNSHIP 0 ,RANGE 0 P.M.
 ELEVATION UNKNOWN DRAINAGE AREA UNKNOWN
 NONCONTRIBUTING AREA UNKNOWN BASIN UNKNOWN
 DATA FROM WATER COMMISSIONERS (P)

STATION NO. 006110.00

| MEAN DAILY FLOW IN CFS BY WATER YEAR | | | | | | | | | | | | | |
|--------------------------------------|-----|-----|-----|-----|-----|-----|-----|---------|---------|--------|--------|-------|-----|
| 1978 | | | | | | | | | | | | | |
| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUNE | JULY | AUG | SEPT | DAY |
| 1 | ** | ** | ** | ** | ** | ** | ** | ** | 13.00 | 20.00 | 2.00 | ** | 1 |
| 2 | ** | ** | ** | ** | ** | ** | ** | ** | 12.00 | 20.00 | 1.00 | ** | 2 |
| 3 | ** | ** | ** | ** | ** | ** | ** | ** | 13.00 | 20.00 | 1.00 | ** | 3 |
| 4 | ** | ** | ** | ** | ** | ** | ** | ** | 14.00 | 20.00 | 1.00 | ** | 4 |
| 5 | ** | ** | ** | ** | ** | ** | ** | ** | 15.00 | 21.00 | 2.00 | ** | 5 |
| 6 | ** | ** | ** | ** | ** | ** | ** | ** | 18.00 | 21.00 | 2.00 | ** | 6 |
| 7 | ** | ** | ** | ** | ** | ** | ** | ** | 22.00 | 20.00 | 2.00 | ** | 7 |
| 8 | ** | ** | ** | ** | ** | ** | ** | ** | 22.00 | 20.00 | 2.00 | ** | 8 |
| 9 | ** | ** | ** | ** | ** | ** | ** | ** | 22.00 | 21.00 | 2.00 | ** | 9 |
| 10 | ** | ** | ** | ** | ** | ** | ** | 5.00 | 22.00 | 21.00 | 2.00 | ** | 10 |
| 11 | ** | ** | ** | ** | ** | ** | ** | 5.00 | 18.00 | 21.00 | 2.00 | 3.00 | 11 |
| 12 | ** | ** | ** | ** | ** | ** | ** | 5.00 | 14.00 | 21.00 | 2.00 | ** | 12 |
| 13 | ** | ** | ** | ** | ** | ** | ** | 5.00 | 12.00 | 21.00 | 2.00 | ** | 13 |
| 14 | ** | ** | ** | ** | ** | ** | ** | 5.00 | 12.00 | 20.00 | 2.00 | ** | 14 |
| 15 | ** | ** | ** | ** | ** | ** | ** | 6.00 | 20.00 | 19.00 | ** | ** | 15 |
| 16 | ** | ** | ** | ** | ** | ** | ** | 7.00 | 20.00 | 18.00 | ** | ** | 16 |
| 17 | ** | ** | ** | ** | ** | ** | ** | 8.00 | 20.00 | 17.00 | ** | ** | 17 |
| 18 | ** | ** | ** | ** | ** | ** | ** | 9.00 | 20.00 | 16.00 | ** | ** | 18 |
| 19 | ** | ** | ** | ** | ** | ** | ** | 10.00 | 20.00 | 13.00 | ** | ** | 19 |
| 20 | ** | ** | ** | ** | ** | ** | ** | 10.00 | 20.00 | 10.00 | ** | ** | 20 |
| 21 | ** | ** | ** | ** | ** | ** | ** | 10.00 | 22.00 | 10.00 | ** | ** | 21 |
| 22 | ** | ** | ** | ** | ** | ** | ** | 10.00 | 22.00 | 16.00 | ** | ** | 22 |
| 23 | ** | ** | ** | ** | ** | ** | ** | 12.00 | 22.00 | 16.00 | ** | ** | 23 |
| 24 | ** | ** | ** | ** | ** | ** | ** | 14.00 | 21.00 | 16.00 | ** | ** | 24 |
| 25 | ** | ** | ** | ** | ** | ** | ** | 14.00 | 21.00 | 16.00 | ** | ** | 25 |
| 26 | ** | ** | ** | ** | ** | ** | ** | 15.00 | 20.00 | 16.00 | ** | ** | 26 |
| 27 | ** | ** | ** | ** | ** | ** | ** | 16.00 | 20.00 | 4.00 | ** | ** | 27 |
| 28 | ** | ** | ** | ** | ** | ** | ** | 17.00 | 19.00 | 4.00 | ** | ** | 28 |
| 29 | ** | ** | ** | ** | | ** | ** | 16.00 | 19.00 | 4.00 | ** | ** | 29 |
| 30 | ** | ** | ** | ** | | ** | ** | 15.00 | 20.00 | 4.00 | ** | ** | 30 |
| 31 | ** | | ** | ** | | ** | | 14.00 | | 4.00 | ** | | 31 |
| TOTAL | ** | ** | ** | ** | ** | ** | ** | 228.00* | 555.00 | 490.00 | 25.00* | 3.00* | |
| MEAN | ** | ** | ** | ** | ** | ** | ** | 10.36* | 18.50 | 15.81 | 1.79* | 3.00* | |
| AC-FT | ** | ** | ** | ** | ** | ** | ** | 452.23* | 1100.83 | 971.90 | 49.59* | 5.95* | |

** INDICATES MISSING DATA
 * INDICATES COMPUTED FROM INCOMPLETE DATA
 E INDICATES ESTIMATED VALUE

Source: Wyoming Water Resources Data System, March 20, 2000

Green River Basin, Wyoming; Key Structures and Diversions
Description and Operation Memorandum

Harry Rahm Ditch, West Fork New Fork River

Diversion Description: Diversion consists of a single 5' wide wood slide gate. A wood plank diversion dam exists.¹

Diversion Location:

Source: West Fork New Fork River, Trib. New Fork River, Trib. Green River

Section, Township, Range: 3, 34, 110

Conveyance Description: Open Channel Canal, approximately ¾ mile long¹

Wyoming Water Rights Summary:

| Priority Date (M-D-Y) | Permit Number | Permitted Use | Acres | Flow (cfs) | Cumulative Flow (cfs) | Comments |
|--------------------------|------------------|------------------|--------|------------|--------------------------|--|
| 07-23-1896 | 1281 | Irrigation | 171.00 | 2.44 | 2.44 | POD/MOC change from a portion of W.F. Irrigation Ditch. |
| 07-13-1899 | 2175 | Irrigation | 240.00 | 3.42 | 5.86 | POD/MOC change from a portion of Ulrica Ditch. |
| 07-12-1902 | 4042 | Irrigation | 440.00 | 6.29 | 12.15 | POD/MOC change from McKinley Ditch. |
| 11-11-1903 | 5855 | Irrigation | | | 12.15 | POD/MOC change from a portion of Ulrica Ditch. 333.60 AF Secondary Supply from New Fork Lake Reservoir (480R) (240.00 acres served) |
| 11-11-1903 | 5855 | Irrigation | | | 12.15 | POD/MOC change from a portion of W.F. Irrigation Ditch. 208.50 AF Secondary Supply from New Fork Lake Reservoir (480R) (150.00 acres served) |
| 11-11-1903 | 5855 | Irrigation | | | 12.15 | POD/MOC change from McKinley Ditch. 601.10 AF Secondary Supply from New Fork Lake Reservoir (480R) (432.45 acres served) |

Green River Basin, Wyoming; Key Structures and Diversions
Description and Operation Memorandum

Harry Rahm Ditch, West Fork New Fork River

| Priority Date (M-D-Y) | Permit Number | Permitted Use | Acres | Flow (cfs) | Cumulative Flow (cfs) | Comments |
|--------------------------|------------------|------------------|-------|------------|--------------------------|---|
| 11-11-1903 | 4866E | Irrigation | | | 12.15 | POD/MOC change from a portion of Ulrica Ditch. 55.60 AF Secondary Supply from New Fork Lake Reservoir (480R) (40.00 acres served) |
| 11-28-1914 | 12843 | Irrigation | 40.00 | 0.57 | 12.72 | POD/MOC change from Channel Ditch. |

Storage Rights: New Fork Lake Reservoir.

Estimated Canal Losses: Typical losses (10%) are experienced.¹

Irrigation Practices: Lands are flood irrigated.¹

Crop Types / Consumptive Use: Lands are native grass hay and pasture.¹

Return Flows: Return flows are delivered to West Fork New Fork River at Willow Creek.²

Other Operational Information: The canal is typically turned on in late May and irrigation flows stop in late July. Stock flows continue until October.¹

Sources: 1) Floyd Briggs, New Fork River Irrigation District, Interview, May 5, 2000.
2) Williams, Linda I., "A Model of the Green River Using the Wyoming Integrated River System Operation Study (WIRSOS)," M.S. Thesis, University of Wyoming, Department of Civil Engineering, December 1995.

Green River Basin, Wyoming; Key Structures and Diversions
Description and Operation Memorandum

Harry Rahm Ditch, West Fork New Fork River, Diversion Data

| Wateryear | May | | June | | July | | August | | September | |
|-----------|---------------|--------------------|---------------|--------------------|---------------|--------------------|---------------|--------------------|---------------|--------------------|
| | Average (cfs) | Monthly Total (AF) | Average (cfs) | Monthly Total (AF) | Average (cfs) | Monthly Total (AF) | Average (cfs) | Monthly Total (AF) | Average (cfs) | Monthly Total (AF) |
| 1980 | | | | | | | | | | |
| 1981 | | | | | | | | | | |
| 1982 | | | | | | | | | | |
| 1983 | | | | | | | | | | |
| 1984 | | | <i>14.13</i> | <i>841.09</i> | <i>5.63</i> | <i>345.90</i> | <i>0.00</i> | <i>0.00</i> | <i>3.30</i> | <i>196.46</i> |
| 1985 | | | <i>8.16</i> | <i>485.81</i> | <i>3.29</i> | <i>202.04</i> | <i>1.28</i> | <i>78.82</i> | <i>3.11</i> | <i>185.22</i> |
| 1986 | | | <i>16.39</i> | <i>975.17</i> | <i>14.20</i> | <i>873.34</i> | <i>0.37</i> | <i>22.51</i> | <i>1.51</i> | <i>89.77</i> |
| 1987 | <i>4.97</i> | <i>305.34</i> | <i>5.87</i> | <i>349.39</i> | <i>3.01</i> | <i>185.04</i> | <i>1.18</i> | <i>72.69</i> | <i>2.80</i> | <i>166.61</i> |
| 1988 | | | | | | | | | | |
| 1989 | | | | | | | | | | |
| 1990 | | | | | | | | | | |
| 1991 | | | | | | | | | | |
| 1992 | | | | | | | | | | |
| 1993 | | | | | | | | | | |
| 1994 | | | | | 13.88 | 853.45 | | | | |
| 1995 | | | | | | | | | | |
| 1996 | | | | | | | | | | |
| 1997 | | | | | | | | | | |
| 1998 | | | | | | | | | | |

| | | | | | | | | | | |
|-----------|------|--------|-------|--------|------|--------|------|-------|------|--------|
| Averages: | 4.97 | 305.34 | 11.14 | 662.87 | 7.12 | 437.50 | 0.71 | 43.51 | 2.68 | 159.52 |
|-----------|------|--------|-------|--------|------|--------|------|-------|------|--------|

Data in italics from USGS gaging station 007113.00, see attached data sheets.

Blank cells are due to missing/insufficient data.

Average = Average Flow for ENTIRE month. Monthly Total = Total Volume used during month.

See Methodology section for explanations.

Spot data readings used in calculating averages in table on following pages.

Data for Ulrica Ditch Included in Total.

Green River Basin, Wyoming; Key Structures and Diversions
Description and Operation Memorandum

Harry Rahm Ditch, West Fork New Fork River, Diversion Data

Data:

1994: 7/2, 14.30 cfs; 7/22, 15.00 cfs; 9/7, 3.00 cfs.

Supply: 1980, below average; 1981, slightly below average; 1982, average (late peak); 1983, above average; 1984, above average; 1985, below average; 1986, average to slightly above average; 1988: very below average; 1989, below average; 1990, below average; 1991, slightly below average; 1992, below average; 1993, average; 1994, below average; 1995, average to above average; 1996, average; 1997, average; 1998, average to above average.

Source: State Engineer's Office, Annual Hydrographers' Reports.

Green River Basin, Wyoming; Key Structures and Diversions Description and Operation Memorandum

Harry Rahm Ditch, West Fork New Fork River, Diversion Data

HARRY RAHM DITCH

STATION NO. 007113.00

LATITUDE 42-59-51 LONGITUDE 109-58-39

NW1/4SW1/4 SECTION 25 TOWNSHIP 35 N,RANGE 110 W 6TH P.M.

ELEVATION 7360.00 FT DRAINAGE AREA UNKNOWN

NONCONTRIBUTING 0.00 SQ MI BASIN 15570800

SUBLETTE COUNTY

DATA FROM WWRC

(C)

****TO USE THIS DATA, SEE VIC HASFURTHER****

| MEAN DAILY FLOW IN CFS BY WATER YEAR | | | | | | | | | | | | | |
|--------------------------------------|-----|-----|-----|-----|-----|-----|-----|--------|--------|--------|------|--------|-----|
| 1984 | | | | | | | | | | | | | |
| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUNE | JULY | AUG | SEPT | DAY |
| 1 | ** | ** | ** | ** | ** | ** | ** | ** | 12.90 | 14.00 | 0.00 | 0.00 | 1 |
| 2 | ** | ** | ** | ** | ** | ** | ** | ** | 12.90 | 3.92 | 0.00 | 0.00 | 2 |
| 3 | ** | ** | ** | ** | ** | ** | ** | ** | 12.90 | 4.21 | 0.00 | 0.00 | 3 |
| 4 | ** | ** | ** | ** | ** | ** | ** | ** | 9.35 | 10.70 | 0.00 | 0.58 | 4 |
| 5 | ** | ** | ** | ** | ** | ** | ** | ** | 12.30 | 12.60 | 0.00 | 1.90 | 5 |
| 6 | ** | ** | ** | ** | ** | ** | ** | ** | 20.40 | 12.90 | 0.00 | 1.21 | 6 |
| 7 | ** | ** | ** | ** | ** | ** | ** | ** | 19.10 | 9.35 | 0.00 | 1.48 | 7 |
| 8 | ** | ** | ** | ** | ** | ** | ** | ** | 16.60 | 8.33 | 0.00 | 1.79 | 8 |
| 9 | ** | ** | ** | ** | ** | ** | ** | ** | 15.80 | 7.17 | 0.00 | 2.88 | 9 |
| 10 | ** | ** | ** | ** | ** | ** | ** | ** | 16.20 | 8.09 | 0.00 | 3.22 | 10 |
| 11 | ** | ** | ** | ** | ** | ** | ** | ** | 18.20 | 8.83 | 0.00 | 3.63 | 11 |
| 12 | ** | ** | ** | ** | ** | ** | ** | ** | 15.00 | 9.09 | 0.00 | 4.68 | 12 |
| 13 | ** | ** | ** | ** | ** | ** | ** | ** | 13.30 | 9.35 | 0.00 | 3.92 | 13 |
| 14 | ** | ** | ** | ** | ** | ** | ** | ** | 11.60 | 9.35 | 0.00 | 3.63 | 14 |
| 15 | ** | ** | ** | ** | ** | ** | ** | ** | 11.00 | 12.60 | 0.00 | 3.63 | 15 |
| 16 | ** | ** | ** | ** | ** | ** | ** | ** | 15.80 | 8.33 | 0.00 | 3.63 | 16 |
| 17 | ** | ** | ** | ** | ** | ** | ** | ** | 15.80 | 8.83 | 0.00 | 2.88 | 17 |
| 18 | ** | ** | ** | ** | ** | ** | ** | ** | 15.40 | 10.70 | 0.00 | 2.88 | 18 |
| 19 | ** | ** | ** | ** | ** | ** | ** | ** | 12.60 | 5.19 | 0.00 | 2.72 | 19 |
| 20 | ** | ** | ** | ** | ** | ** | ** | ** | 12.30 | 0.12 | 0.00 | 3.22 | 20 |
| 21 | ** | ** | ** | ** | ** | ** | ** | 0.54 | 12.30 | 0.07 | 0.00 | 4.21 | 21 |
| 22 | ** | ** | ** | ** | ** | ** | ** | 0.49 | 11.60 | 0.38 | 0.00 | 4.06 | 22 |
| 23 | ** | ** | ** | ** | ** | ** | ** | 0.45 | 11.60 | 0.24 | 0.00 | 6.95 | 23 |
| 24 | ** | ** | ** | ** | ** | ** | ** | 0.45 | 14.00 | 0.04 | 0.00 | 6.32 | 24 |
| 25 | ** | ** | ** | ** | ** | ** | ** | 0.45 | 15.80 | 0.00 | 0.00 | 5.37 | 25 |
| 26 | ** | ** | ** | ** | ** | ** | ** | 0.22 | 15.40 | 0.00 | 0.00 | 5.02 | 26 |
| 27 | ** | ** | ** | ** | ** | ** | ** | 1.68 | 14.30 | 0.00 | 0.00 | 5.02 | 27 |
| 28 | ** | ** | ** | ** | ** | ** | ** | 1.58 | 12.30 | 0.00 | 0.00 | 4.85 | 28 |
| 29 | ** | ** | ** | ** | ** | ** | ** | 1.58 | 12.60 | 0.00 | 0.00 | 4.85 | 29 |
| 30 | ** | ** | ** | ** | ** | ** | ** | 11.60 | 14.70 | 0.00 | 0.00 | 4.52 | 30 |
| 31 | ** | ** | ** | ** | ** | ** | ** | 13.30 | | 0.00 | 0.00 | | 31 |
| TOTAL | ** | ** | ** | ** | ** | ** | ** | 32.34* | 424.05 | 174.39 | 0.00 | 99.05 | |
| MEAN | ** | ** | ** | ** | ** | ** | ** | 2.94* | 14.14 | 5.63 | 0.00 | 3.30 | |
| AC-FT | ** | ** | ** | ** | ** | ** | ** | 64.15* | 841.09 | 345.90 | 0.00 | 196.46 | |

** INDICATES
MISSING DATA

* INDICATES
COMPUTED FROM
INCOMPLETE DATA

E INDICATES
ESTIMATED VALUE

Green River Basin, Wyoming; Key Structures and Diversions Description and Operation Memorandum

Harry Rahm Ditch, West Fork New Fork River, Diversion Data

HARRY RAHM DITCH

STATION NO. 007113.00

LATITUDE 42-59-51 LONGITUDE 109-58-39

NW1/4SW1/4 SECTION 25 TOWNSHIP 35 N,RANGE 110 W 6TH P.M.

ELEVATION 7360.00 FT DRAINAGE AREA UNKNOWN

NONCONTRIBUTING 0.00 SQ MI BASIN 15570800

SUBLETTE COUNTY

DATA FROM WWRC

(C)

****TO USE THIS DATA, SEE VIC HASFURTHER****

| MEAN DAILY FLOW IN CFS BY WATER YEAR | | | | | | | | | | | | | |
|--------------------------------------|---------|-----|-----|-----|-----|-----|-----|---------|--------|--------|-------|--------|-----|
| 1985 | | | | | | | | | | | | | |
| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUNE | JULY | AUG | SEPT | DAY |
| 1 | 4.36 | ** | ** | ** | ** | ** | ** | ** | 11.18 | 0.00 | 0.00 | 3.03 | 1 |
| 2 | 5.02 | ** | ** | ** | ** | ** | ** | ** | 10.01 | 0.00 | 0.00 | 0.77 | 2 |
| 3 | 5.19 | ** | ** | ** | ** | ** | ** | ** | 13.50 | 0.86 | 0.00 | 0.00 | 3 |
| 4 | 4.85 | ** | ** | ** | ** | ** | ** | ** | 12.96 | 7.72 | 0.00 | 0.00 | 4 |
| 5 | 3.77 | ** | ** | ** | ** | ** | ** | ** | 12.18 | 10.24 | 0.00 | 0.11 | 5 |
| 6 | 3.77 | ** | ** | ** | ** | ** | ** | ** | 10.45 | 10.47 | 0.00 | 0.33 | 6 |
| 7 | 3.77 | ** | ** | ** | ** | ** | ** | ** | 10.01 | 10.24 | 0.00 | 0.86 | 7 |
| 8 | 3.77 | ** | ** | ** | ** | ** | ** | ** | 9.57 | 9.35 | 0.00 | 1.99 | 8 |
| 9 | 3.77 | ** | ** | ** | ** | ** | ** | ** | 9.79 | 6.45 | 0.00 | 3.03 | 9 |
| 10 | 3.92 | ** | ** | ** | ** | ** | ** | ** | 9.79 | 5.03 | 0.00 | 3.03 | 10 |
| 11 | 3.92 | ** | ** | ** | ** | ** | ** | ** | 9.79 | 5.96 | 1.47 | 3.03 | 11 |
| 12 | 4.21 | ** | ** | ** | ** | ** | ** | ** | 9.79 | 5.33 | 1.33 | 3.71 | 12 |
| 13 | 4.21 | ** | ** | ** | ** | ** | ** | ** | 9.35 | 4.61 | 1.07 | 3.14 | 13 |
| 14 | 4.21 | ** | ** | ** | ** | ** | ** | ** | 9.57 | 4.08 | 0.86 | 3.03 | 14 |
| 15 | 7.85 | ** | ** | ** | ** | ** | ** | ** | 10.01 | 3.83 | 0.69 | 3.25 | 15 |
| 16 | 12.30 | ** | ** | ** | ** | ** | ** | ** | 9.35 | 8.31 | 0.77 | 3.71 | 16 |
| 17 | 1.90 | ** | ** | ** | ** | ** | ** | ** | 6.80 | 7.91 | 1.19 | 3.83 | 17 |
| 18 | 0.68 | ** | ** | ** | ** | ** | ** | ** | 6.28 | 0.54 | 1.33 | 3.83 | 18 |
| 19 | 0.18 | ** | ** | ** | ** | ** | ** | 5.64 | 5.03 | 0.20 | 2.63 | 4.61 | 19 |
| 20 | 0.15 | ** | ** | ** | ** | ** | ** | 8.31 | 4.47 | 0.20 | 1.63 | 4.08 | 20 |
| 21 | 0.11 | ** | ** | ** | ** | ** | ** | 7.91 | 5.79 | 0.33 | 1.99 | 4.21 | 21 |
| 22 | 0.07 | ** | ** | ** | ** | ** | ** | 6.98 | 7.34 | 0.20 | 1.80 | 4.89 | 22 |
| 23 | 0.03 | ** | ** | ** | ** | ** | ** | 6.98 | 7.72 | 0.00 | 1.80 | 4.61 | 23 |
| 24 | 0.00 | ** | ** | ** | ** | ** | ** | 7.16 | 7.34 | 0.00 | 1.99 | 4.47 | 24 |
| 25 | 0.00 | ** | ** | ** | ** | ** | ** | 11.18 | 8.11 | 0.00 | 2.20 | 4.47 | 25 |
| 26 | 0.00 | ** | ** | ** | ** | ** | ** | 13.23 | 7.72 | 0.00 | 2.42 | 4.47 | 26 |
| 27 | 0.00 | ** | ** | ** | ** | ** | ** | 15.81 | 6.28 | 0.00 | 2.63 | 4.61 | 27 |
| 28 | ** | ** | ** | ** | ** | ** | ** | 15.81 | 4.75 | 0.00 | 3.03 | 4.61 | 28 |
| 29 | ** | ** | ** | ** | ** | ** | ** | 14.63 | 0.00 | 0.00 | 2.54 | 4.08 | 29 |
| 30 | ** | ** | ** | ** | ** | ** | ** | 16.11 | 0.00 | 0.00 | 2.54 | 3.59 | 30 |
| 31 | ** | ** | ** | ** | ** | ** | ** | 13.51 | 0.00 | 0.00 | 3.83 | ** | 31 |
| TOTAL | 82.01* | ** | ** | ** | ** | ** | ** | 143.26* | 244.93 | 101.86 | 39.74 | 93.38 | |
| MEAN | 3.04* | ** | ** | ** | ** | ** | ** | 11.02* | 8.16 | 3.29 | 1.28 | 3.11 | |
| AC-FT | 162.66* | ** | ** | ** | ** | ** | ** | 284.15* | 485.81 | 202.04 | 78.82 | 185.22 | |

** INDICATES
MISSING DATA

* INDICATES
COMPUTED FROM
INCOMPLETE DATA

E INDICATES
ESTIMATED VALUE

Green River Basin, Wyoming; Key Structures and Diversions Description and Operation Memorandum

Harry Rahm Ditch, West Fork New Fork River, Diversion Data

HARRY RAHM DITCH

STATION NO. 007113.00

LATITUDE 42-59-51 LONGITUDE 109-58-39

NW1/4SW1/4 SECTION 25 TOWNSHIP 35 N,RANGE 110 W 6TH P.M.

ELEVATION 7360.00 FT DRAINAGE AREA UNKNOWN

NONCONTRIBUTING 0.00 SQ MI BASIN 15570800

SUBLETTE COUNTY

DATA FROM WWRC

(C)

****TO USE THIS DATA, SEE VIC HASFURTHER****

| MEAN DAILY FLOW IN CFS BY WATER YEAR | | | | | | | | | | | | | |
|--------------------------------------|--------|--------|-----|-----|-----|-----|-----|--------|--------|--------|-------|-------|-----|
| 1986 | | | | | | | | | | | | | |
| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUNE | JULY | AUG | SEPT | DAY |
| 1 | 3.47 | 3.36 | ** | ** | ** | ** | ** | ** | 8.37 | 29.47 | 0.00 | 0.19 | 1 |
| 2 | 3.59 | 3.36 | ** | ** | ** | ** | ** | ** | 9.43 | 31.82 | 0.00 | 0.17 | 2 |
| 3 | 3.59 | 3.36 | ** | ** | ** | ** | ** | ** | 7.38 | 31.34 | 0.00 | 0.17 | 3 |
| 4 | 3.59 | ** | ** | ** | ** | ** | ** | ** | 7.96 | 31.54 | 0.00 | 0.17 | 4 |
| 5 | 3.47 | ** | ** | ** | ** | ** | ** | ** | 17.99 | 30.87 | 0.00 | 0.19 | 5 |
| 6 | 3.25 | ** | ** | ** | ** | ** | ** | ** | 6.31 | 30.87 | 0.00 | 0.17 | 6 |
| 7 | 3.47 | ** | ** | ** | ** | ** | ** | ** | 19.71 | 29.47 | 0.00 | 0.22 | 7 |
| 8 | 3.59 | ** | ** | ** | ** | ** | ** | ** | 16.36 | 25.93 | 0.00 | 0.29 | 8 |
| 9 | 3.59 | ** | ** | ** | ** | ** | ** | ** | 12.86 | 26.79 | 0.00 | 0.69 | 9 |
| 10 | 3.71 | ** | ** | ** | ** | ** | ** | ** | 8.57 | 25.09 | 0.00 | 0.69 | 10 |
| 11 | 3.59 | ** | ** | ** | ** | ** | ** | ** | 10.11 | 24.27 | 0.00 | 0.69 | 11 |
| 12 | 3.59 | ** | ** | ** | ** | ** | ** | ** | 25.93 | 23.47 | 0.00 | 0.77 | 12 |
| 13 | 3.47 | ** | ** | ** | ** | ** | ** | ** | 25.09 | 22.68 | 0.00 | 0.86 | 13 |
| 14 | 3.47 | ** | ** | ** | ** | ** | ** | ** | 24.68 | 22.68 | 0.00 | 0.96 | 14 |
| 15 | 3.47 | ** | ** | ** | ** | ** | ** | ** | 20.79 | 22.68 | 0.00 | 0.96 | 15 |
| 16 | 3.47 | ** | ** | ** | ** | ** | ** | ** | 17.65 | 16.05 | 0.00 | 1.08 | 16 |
| 17 | 3.47 | ** | ** | ** | ** | ** | ** | ** | 14.84 | 11.06 | 0.00 | 1.08 | 17 |
| 18 | 3.47 | ** | ** | ** | ** | ** | ** | ** | 13.68 | 3.46 | 0.00 | 1.48 | 18 |
| 19 | 3.47 | ** | ** | ** | ** | ** | ** | ** | 10.82 | 0.77 | 0.00 | 2.24 | 19 |
| 20 | 3.47 | ** | ** | ** | ** | ** | ** | ** | 9.43 | 0.00 | 0.00 | 2.01 | 20 |
| 21 | 3.47 | ** | ** | ** | ** | ** | ** | ** | 28.55 | 0.00 | 0.00 | 2.24 | 21 |
| 22 | 3.59 | ** | ** | ** | ** | ** | ** | 0.12 | 29.01 | 0.00 | 0.00 | 2.33 | 22 |
| 23 | 3.71 | ** | ** | ** | ** | ** | ** | 0.01 | 27.22 | 0.00 | 0.10 | 2.61 | 23 |
| 24 | 3.71 | ** | ** | ** | ** | ** | ** | 0.01 | 25.09 | 0.00 | 2.33 | 3.12 | 24 |
| 25 | 3.59 | ** | ** | ** | ** | ** | ** | 0.01 | 21.91 | 0.00 | 1.80 | 3.02 | 25 |
| 26 | 3.59 | ** | ** | ** | ** | ** | ** | 0.01 | 17.32 | 0.00 | 1.63 | 3.12 | 26 |
| 27 | 3.47 | ** | ** | ** | ** | ** | ** | 0.01 | 15.13 | 0.00 | 1.47 | 3.35 | 27 |
| 28 | 3.47 | ** | ** | ** | ** | ** | ** | 0.01 | 13.97 | 0.00 | 1.33 | 3.58 | 28 |
| 29 | 2.93 | ** | ** | ** | ** | ** | ** | 0.77 | 13.68 | 0.00 | 1.47 | 3.35 | 29 |
| 30 | 2.63 | ** | ** | ** | ** | ** | ** | 0.01 | 11.81 | 0.00 | 0.96 | 3.46 | 30 |
| 31 | 3.14 | ** | ** | ** | ** | ** | ** | 5.04 | ** | 0.00 | 0.26 | ** | 31 |
| TOTAL | 107.56 | 10.08* | ** | ** | ** | ** | ** | 6.00* | 491.65 | 440.31 | 11.35 | 45.26 | |
| MEAN | 3.47 | 3.36* | ** | ** | ** | ** | ** | .60* | 16.39 | 14.20 | 0.37 | 1.51 | |
| AC-FT | 213.34 | 19.99* | ** | ** | ** | ** | ** | 11.90* | 975.17 | 873.34 | 22.51 | 89.77 | |

** INDICATES
MISSING DATA

* INDICATES
COMPUTED FROM
INCOMPLETE DATA

E INDICATES
ESTIMATED VALUE

Green River Basin, Wyoming; Key Structures and Diversions Description and Operation Memorandum

Harry Rahm Ditch, West Fork New Fork River, Diversion Data

HARRY RAHM DITCH

STATION NO. 007113.00

LATITUDE 42-59-51 LONGITUDE 109-58-39

NW1/4SW1/4 SECTION 25 TOWNSHIP 35 N,RANGE 110 W 6TH P.M.

ELEVATION 7360.00 FT DRAINAGE AREA UNKNOWN

NONCONTRIBUTING 0.00 SQ MI BASIN 15570800

SUBLETTE COUNTY

DATA FROM WWRC

(C)

*****TO USE THIS DATA, SEE VIC HASFURTHER*****

| MEAN DAILY FLOW IN CFS BY WATER YEAR | | | | | | | | | | | | | |
|--------------------------------------|--------|-------|-----|-----|-----|-----|-----|---------|--------|--------|-------|--------|-----|
| 1987 | | | | | | | | | | | | | |
| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUNE | JULY | AUG | SEPT | DAY |
| 1 | 3.82 | 0.54 | ** | ** | ** | ** | ** | ** | 4.90 | 4.47 | 0.00 | 2.53 | 1 |
| 2 | 4.33 | 0.61 | ** | ** | ** | ** | ** | ** | 5.35 | 5.99 | 0.00 | 2.62 | 2 |
| 3 | 4.07 | 0.42 | ** | ** | ** | ** | ** | ** | 5.82 | 2.06 | 0.00 | 3.88 | 3 |
| 4 | 3.82 | 0.42 | ** | ** | ** | ** | ** | ** | 4.61 | 0.77 | 0.00 | 4.12 | 4 |
| 5 | 3.58 | ** | ** | ** | ** | ** | ** | ** | 3.58 | 0.47 | 0.00 | 3.44 | 5 |
| 6 | 3.58 | ** | ** | ** | ** | ** | ** | ** | 3.23 | 0.28 | 0.00 | 2.81 | 6 |
| 7 | 3.58 | ** | ** | ** | ** | ** | ** | ** | 5.66 | 2.61 | 0.00 | 2.91 | 7 |
| 8 | 3.46 | ** | ** | ** | ** | ** | ** | ** | 5.99 | 2.71 | 0.00 | 2.91 | 8 |
| 9 | 3.46 | ** | ** | ** | ** | ** | ** | ** | 10.16 | 6.50 | 0.00 | 2.91 | 9 |
| 10 | 3.46 | ** | ** | ** | ** | ** | ** | ** | 12.15 | 10.16 | 0.00 | 2.91 | 10 |
| 11 | 3.82 | ** | ** | ** | ** | ** | ** | ** | 9.93 | 8.61 | 0.00 | 3.02 | 11 |
| 12 | 3.70 | ** | ** | ** | ** | ** | ** | 2.71 | 8.61 | 7.60 | 0.00 | 3.12 | 12 |
| 13 | 3.46 | ** | ** | ** | ** | ** | ** | 5.20 | 6.15 | 6.67 | 0.00 | 3.18 | 13 |
| 14 | 3.35 | ** | ** | ** | ** | ** | ** | 5.99 | 4.90 | 6.50 | 0.00 | 3.23 | 14 |
| 15 | 4.07 | ** | ** | ** | ** | ** | ** | 5.82 | 4.47 | 7.22 | 0.00 | 3.12 | 15 |
| 16 | 4.07 | ** | ** | ** | ** | ** | ** | 6.50 | 0.00 | 6.85 | 0.00 | 3.18 | 16 |
| 17 | 4.07 | ** | ** | ** | ** | ** | ** | 7.22 | 0.00 | 8.20 | 0.00 | 3.23 | 17 |
| 18 | 4.20 | ** | ** | ** | ** | ** | ** | 8.82 | 0.00 | 3.95 | 0.00 | 3.12 | 18 |
| 19 | 4.47 | ** | ** | ** | ** | ** | ** | 9.93 | 9.04 | 1.67 | 0.00 | 2.71 | 19 |
| 20 | 3.02 | ** | ** | ** | ** | ** | ** | 11.13 | 9.93 | 0.00 | 3.54 | 2.71 | 20 |
| 21 | 0.33 | ** | ** | ** | ** | ** | ** | 15.26 | 8.20 | 0.00 | 3.54 | 2.71 | 21 |
| 22 | 0.25 | ** | ** | ** | ** | ** | ** | 13.51 | 7.60 | 0.00 | 3.44 | 2.66 | 22 |
| 23 | 0.22 | ** | ** | ** | ** | ** | ** | 9.70 | 7.41 | 0.00 | 3.22 | 2.52 | 23 |
| 24 | 0.04 | ** | ** | ** | ** | ** | ** | 7.60 | 7.60 | 0.00 | 3.44 | 2.16 | 24 |
| 25 | 0.00 | ** | ** | ** | ** | ** | ** | 6.33 | 7.60 | 0.00 | 3.33 | 2.42 | 25 |
| 26 | 0.00 | ** | ** | ** | ** | ** | ** | 6.67 | 7.04 | 0.00 | 3.12 | 2.61 | 26 |
| 27 | 0.00 | ** | ** | ** | ** | ** | ** | 7.04 | 4.75 | 0.00 | 2.91 | 2.06 | 27 |
| 28 | 0.02 | ** | ** | ** | ** | ** | ** | 6.50 | 3.70 | 0.00 | 2.62 | 1.86 | 28 |
| 29 | 0.07 | ** | ** | ** | ** | ** | ** | 6.67 | 3.70 | 0.00 | 2.53 | 1.67 | 29 |
| 30 | 0.61 | ** | ** | ** | ** | ** | ** | 5.99 | 4.07 | 0.00 | 2.53 | 1.67 | 30 |
| 31 | 0.61 | ** | ** | ** | ** | ** | ** | 5.35 | ** | 0.00 | 2.43 | ** | 31 |
| TOTAL | 77.54 | 1.99* | ** | ** | ** | ** | ** | 153.94* | 176.15 | 93.29 | 36.65 | 84.00 | |
| MEAN | 2.50 | .50* | ** | ** | ** | ** | ** | 7.70* | 5.87 | 3.01 | 1.18 | 2.80 | |
| AC-FT | 153.80 | 3.95* | ** | ** | ** | ** | ** | 305.34* | 349.39 | 185.04 | 72.69 | 166.61 | |

** INDICATES
MISSING DATA

* INDICATES
COMPUTED FROM
INCOMPLETE DATA

E INDICATES
ESTIMATED VALUE

Green River Basin, Wyoming; Key Structures and Diversions Description and Operation Memorandum

Harry Rahm Ditch, West Fork New Fork River, Diversion Data

HARRY RAHM DITCH

STATION NO. 007113.00

LATITUDE 42-59-51 LONGITUDE 109-58-39

NW1/4SW1/4 SECTION 25 TOWNSHIP 35 N,RANGE 110 W 6TH P.M.

ELEVATION 7360.00 FT DRAINAGE AREA UNKNOWN

NONCONTRIBUTING 0.00 SQ MI BASIN 15570800

SUBLETTE COUNTY

DATA FROM WWRC

(C)

****TO USE THIS DATA, SEE VIC HASFURTHER****

| MEAN DAILY FLOW IN CFS BY WATER YEAR | | | | | | | | | | | | | |
|--------------------------------------|--------|-------|-----|-----|-----|-----|-----|-----|------|------|-----|------|-----|
| 1988 | | | | | | | | | | | | | |
| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUNE | JULY | AUG | SEPT | DAY |
| 1 | 1.59 | 3.35 | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | 1 |
| 2 | 1.51 | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | 2 |
| 3 | 1.21 | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | 3 |
| 4 | 2.16 | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | 4 |
| 5 | 3.02 | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | 5 |
| 6 | 2.81 | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | 6 |
| 7 | 2.91 | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | 7 |
| 8 | 3.70 | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | 8 |
| 9 | 4.75 | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | 9 |
| 10 | 5.20 | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | 10 |
| 11 | 5.35 | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | 11 |
| 12 | 4.61 | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | 12 |
| 13 | 4.61 | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | 13 |
| 14 | 4.75 | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | 14 |
| 15 | 4.75 | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | 15 |
| 16 | 4.75 | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | 16 |
| 17 | 4.75 | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | 17 |
| 18 | 4.75 | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | 18 |
| 19 | 4.75 | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | 19 |
| 20 | 4.75 | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | 20 |
| 21 | 5.05 | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | 21 |
| 22 | 5.12 | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | 22 |
| 23 | 4.47 | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | 23 |
| 24 | 4.47 | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | 24 |
| 25 | 4.47 | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | 25 |
| 26 | 4.41 | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | 26 |
| 27 | 4.34 | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | 27 |
| 28 | 4.41 | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | 28 |
| 29 | 4.41 | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | 29 |
| 30 | 4.07 | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | 30 |
| 31 | 3.35 | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | 31 |
| TOTAL | 125.25 | 3.35* | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | |
| MEAN | 4.04 | 3.35* | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | |
| AC-FT | 248.43 | 6.64* | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | |

** INDICATES
MISSING DATA

* INDICATES
COMPUTED FROM
INCOMPLETE DATA

E INDICATES
ESTIMATED VALUE

Source: Wyoming Water Resources Data System, March 20, 2000

Green River Basin, Wyoming; Key Structures and Diversions
Description and Operation Memorandum

Highland Canal, Pine Creek

Diversion Description: Diversion consists of three 6' by 6' slide gates. The headgate is attached to the Fremont Lake Dam.¹

Diversion Location:

Source: Pine Creek, Trib. West Fork New Fork River, Trib. New Fork River, Trib. Green River
Section, Township, Range: 23-34-109

Conveyance Description: Open Channel Canal, approximately 22 miles in length.¹

Wyoming Water Rights Summary:

| Priority Date (M-D-Y) | Permit Number | Permitted Use | Acres | Flow (cfs) | Cumulative Flow (cfs) | Comments |
|-----------------------|---------------|-----------------------------|----------|------------|-----------------------|--|
| 02-21-1908 | 8238 | Irrigation | 5,177.34 | 73.49 | 73.49 | |
| 08-10-1934 | 4944E | Domestic, Irrigation, Stock | | | 73.49 | 1,153.82 AF Secondary Supply from Fremont Lake Reservoir (4453R and 4465R) (335.00 acres served) |
| 01-12-1944 | 5361E | Irrigation, Stock | 232.22 | 3.32 | 76.81 | |
| 03-13-1950 | 5503E | Irrigation, Stock | 438.00 | 6.25 | 83.06 | |

Storage Rights: Fremont Lake Reservoir.

Estimated Canal Losses: Considerable higher than typical (40%) losses are experienced in the higher reaches of the canal due to the porous nature of the soil. However, a majority of these losses are re-captured by the lower reaches of the canal.¹

Irrigation Practices: Lands are flood irrigated.¹

Crop Types / Consumptive Use: Less than 600 acres are alfalfa hay; remaining lands are native grass hay and pasture.¹

Return Flows: Approximately 70% of the return flows are delivered to Pole Creek at Fall Creek, and 30% to West Fork New Fork River above Pole Creek.²

Other Operational Information: The canal is initially turned on in mid-April for stock water use. By approximately mid-May and lasting until mid-July, the canal experiences its highest flows. In mid-August (during haying), the canal is reduced again to stock-water flows. Typically, the canal is turned off by the first of November.¹

Sources: 1) Murl Morris, Highland Canal Company, Interview, May 5, 2000.
2) Williams, Linda I., "A Model of the Green River Using the Wyoming Integrated River System Operation Study (WIRSOS)," M.S. Thesis, University of Wyoming, Department of Civil Engineering, December 1995.

Green River Basin, Wyoming; Key Structures and Diversions
Description and Operation Memorandum

Highland Canal, Pine Creek, Diversion Data

| Wateryear | May | | June | | July | | August | | September | |
|-----------|---------------|--------------------|---------------|--------------------|---------------|--------------------|---------------|--------------------|---------------|--------------------|
| | Average (cfs) | Monthly Total (AF) | Average (cfs) | Monthly Total (AF) | Average (cfs) | Monthly Total (AF) | Average (cfs) | Monthly Total (AF) | Average (cfs) | Monthly Total (AF) |
| 1980 | 55.50 | 3,412.56 | 158.37 | 9,423.67 | 116.16 | 7,142.40 | 35.69 | 2,194.49 | 14.19 | 844.36 |
| 1981 | 40.29 | 2,477.34 | 163.81 | 9,747.37 | 103.93 | 6,390.41 | 38.85 | 2,388.79 | | |
| 1982 | | | 138.32 | 8,230.61 | 146.05 | 8,980.26 | 43.56 | 2,678.40 | 22.92 | 1,363.83 |
| 1983 | | | 175.85 | 10,463.80 | 131.47 | 8,083.78 | 50.97 | 3,134.02 | | |
| 1984 | | | 120.34 | 7,160.73 | 80.46 | 4,947.29 | 20.22 | 1,243.28 | | |
| 1985 | <i>67.66</i> | 4,160.25 | <i>167.55</i> | 9,969.92 | <i>110.06</i> | 6,767.33 | <i>23.03</i> | 1,416.06 | <i>30.83</i> | 1,834.51 |
| 1986 | <i>19.60</i> | 1,205.26 | <i>208.53</i> | 12,408.60 | <i>98.84</i> | 6,077.36 | <i>35.03</i> | 2,154.05 | <i>29.17</i> | 1,735.54 |
| 1987 | | | 169.53 | 10,087.74 | 63.54 | 3,906.92 | 29.72 | 1,827.41 | | |
| 1988 | <i>62.64</i> | 3,851.31 | <i>195.53</i> | 11,635.04 | <i>87.03</i> | 5,351.40 | <i>28.81</i> | 1,771.24 | <i>16.85</i> | 1,002.84 |
| 1989 | <i>48.82</i> | 3,001.59 | <i>215.00</i> | 12,793.39 | <i>163.74</i> | 10,068.10 | <i>37.66</i> | 2,315.70 | <i>21.41</i> | 1,273.79 |
| 1990 | <i>73.97</i> | 4,548.10 | <i>191.57</i> | 11,399.01 | <i>160.65</i> | 9,877.69 | <i>37.65</i> | 2,314.71 | <i>41.53</i> | 2,471.40 |
| 1991 | <i>36.75</i> | 2,259.57 | <i>161.87</i> | 9,631.74 | <i>116.68</i> | 7,174.21 | <i>36.45</i> | 2,241.32 | <i>48.37</i> | 2,878.02 |
| 1992 | <i>122.26</i> | 7,517.36 | <i>177.63</i> | 10,569.92 | <i>100.19</i> | 6,160.66 | <i>39.45</i> | 2,425.79 | <i>34.73</i> | 2,066.78 |
| 1993 | <i>37.84</i> | 2,326.61 | <i>184.13</i> | 10,956.69 | <i>145.39</i> | 8,939.50 | <i>40.13</i> | 2,467.44 | <i>57.77</i> | 3,437.36 |
| 1994 | <i>128.28</i> | 7,887.91 | <i>212.77</i> | 12,660.50 | <i>111.19</i> | 6,837.02 | <i>24.61</i> | 1,513.39 | <i>21.70</i> | 1,291.24 |
| 1995 | <i>53.29</i> | 3,276.69 | <i>167.70</i> | 9,978.84 | <i>133.81</i> | 8,227.44 | <i>70.26</i> | 4,320.00 | <i>74.03</i> | 4,405.29 |
| 1996 | <i>65.67</i> | 4,037.89 | <i>227.34</i> | 13,527.67 | <i>132.77</i> | 8,163.71 | <i>54.04</i> | 3,322.79 | <i>35.51</i> | 2,112.99 |
| 1997 | <i>65.28</i> | 4,013.91 | <i>30.79</i> | 1,832.13 | <i>94.33</i> | 5,800.13 | <i>46.42</i> | 2,854.25 | <i>63.09</i> | 3,754.12 |
| 1998 | <i>71.24</i> | 4,380.38 | <i>150.43</i> | 8,951.21 | <i>141.83</i> | 8,720.79 | <i>36.83</i> | 2,264.59 | <i>46.44</i> | 2,763.37 |

Averages:

| | | | | | | | | | |
|-------|----------|--------|-----------|--------|----------|-------|----------|-------|----------|
| 63.27 | 3,890.45 | 169.32 | 10,075.19 | 117.80 | 7,242.97 | 38.39 | 2,360.41 | 37.24 | 2,211.70 |
|-------|----------|--------|-----------|--------|----------|-------|----------|-------|----------|

Figures in italics are computed by USGS from USGS gaging station #09196960 (Highland Ditch near Pinedale, WY) records.

Blank cells are due to missing/insufficient data.

Average = Average Flow for ENTIRE month. Monthly Total = Total Volume used during month.

See Methodology section for explanations.

Spot data readings used in calculating averages in table on following pages.

Green River Basin, Wyoming; Key Structures and Diversions
Description and Operation Memorandum

Highland Canal, Pine Creek, Diversion Data

Data:

1980: 5/13, turned on; 5/14, 16 cfs; 5/16, 36 cfs; 5/20, 34 cfs; 5/21, 100 cfs; 5/24, 110 cfs; 5/27, 164 cfs; 6/4, 110 cfs; 6/9, 110 cfs; 6/10, 135 cfs; 6/11, 164 cfs; 6/13, 190 cfs; 6/17, 180 cfs; 6/24, 180 cfs; 6/26, 180 cfs; 6/30, 164 cfs; 7/3, 180 cfs; 7/7, 156 cfs; 7/14, 156 cfs; 7/21, 78 cfs; 7/25, 63 cfs; 7/29, 53 cfs; 8/1, 50 cfs; 8/4, 50 cfs; 8/7, 50 cfs; 8/11, 36 cfs; 8/13, 34 cfs; 8/20, 34 cfs; 9/4, 17 cfs; 9/17, 17 cfs; 9/26, 16 cfs.

1981: 5/14, 9 cfs; 5/18, 34 cfs; 5/28, 95 cfs; 6/1, 164 cfs; 6/9, 164 cfs; 6/15, 154 cfs; 6/18, 170 cfs; 6/26, 164 cfs; 7/8, 170 cfs; 7/15, 102 cfs; 7/21, 78 cfs; 7/23, 62 cfs; 7/24, 51 cfs; 7/30, 41 cfs; 8/6, 33 cfs; 8/11, 40 cfs; 8/26, 31 cfs.

1982: 5/24, 42 cfs; 5/25, 71 cfs; 5/28, 70 cfs; 6/2, 100 cfs; 6/7, 107 cfs; 6/9, 100 cfs; 6/14, 105 cfs; 6/17, 152 cfs; 6/22, 175 cfs; 6/24, 185 cfs; 6/28, 175 cfs; 6/30, 180 cfs; 7/6, 175 cfs; 7/14, 175 cfs; 7/19, 165 cfs; 8/2, 42 cfs; 8/29, 45 cfs; 9/6, 35 cfs; 9/20, 36 cfs.

1983: 5/24, 10 cfs (est); 5/31, 80 cfs; 6/6, 135 cfs; 6/13, 193 cfs; 6/22, 197 cfs; 6/30, 205 cfs; 7/5, 197 cfs; 7/11, 220 cfs; 7/19, 43 cfs; 7/27, 92 cfs; 8/19, 40 cfs; 9/6, 34 cfs.

1984: 5/21, off; 5/25, 18 cfs; 5/30, 81 cfs; 6/9, 105 cfs; 6/12, 95 cfs; 6/15, 99 cfs; 6/18, 115 cfs; 6/20, 142 cfs; 6/25, 162 cfs; 7/2, 141 cfs; 7/9, 130 cfs; 7/16, 95 cfs; 7/23, 23 cfs; 8/21, 20 cfs (est); 10/4, 10 cfs (est).

1985: 5/13, 42.4 cfs; 5/22, 37 cfs; 5/30, 169 cfs; 6/27, 135 cfs; 7/16, 90 cfs; 7/30, 45 cfs; 8/12, 20.5 cfs; 8/28, 10 cfs (est); 9/5, 17 cfs (est); 9/17, 16 cfs (est). (USGS figures used.)

1986: 6/28, 105 cfs. (USGS figures used.)

1987: 5/18, 153 cfs; 5/22, 174 cfs; 6/18, 181 cfs; 6/23, 164 cfs; 7/1, 132 cfs; 7/9, 79 cfs; 7/23, 36 cfs; 8/28, 33 cfs.

1993-1995: Data Recorder Installed. See attached sheets.

1996: 5/10, 10.0 cfs (est); 5/14, 25.0 cfs (est); 6/11, 287 cfs; 6/15, 216 cfs; 6/17, 220 cfs; 6/21, 204 cfs; 6/24, 220 cfs; 6/25, 220 cfs; 7/1, 204 cfs; 7/3, 235 cfs; 7/8, 185 cfs; 7/15, 167 cfs; 7/23, 61.8 cfs; 7/25, 60.6 cfs; 7/29, 49.1 cfs; 8/1, 42.8 cfs; 8/6, 42.8 cfs; 8/13, 42.8 cfs; 8/19, 78.6 cfs; 8/26, 60.6 cfs; 8/30, 45.8 cfs; 9/4, 60.6 cfs; 9/12, 42.8 cfs; 9/16, 42.8 cfs; 9/24, 35.2 cfs.

1997: 5/12, 45 cfs; 6/2, 163 cfs; 6/12, 270 cfs; 7/5, 122 cfs; 7/7, 126 cfs; 7/15, 118 cfs; 7/19, 97.2 cfs; 7/24, 44.5 cfs; 7/29, 46.4 cfs; 7/30, 51 cfs; 8/7, 44 cfs; 8/12, 44 cfs; 8/18, 45 cfs; 8/25, 44 cfs; 9/4, 65.6 cfs; 9/10, 65.6 cfs; 9/23, 65.6 cfs; 9/30, 65.6 cfs.

1998: Data Recorder Installed. (USGS figures used.)

Supply: 1980, below average; 1981, slightly below average; 1982, average (late peak); 1983, above average; 1984, above average; 1985, below average; 1986, average to slightly above average; 1988, very below average; 1989, below average; 1990, below average; 1991, slightly below average; 1992, below average; 1993, average; 1994, below average; 1995, average to above average; 1996, average; 1997, average; 1998, average to above average.

Source: State Engineer's Office, Annual Hydrographers' Reports.

Green River Basin, Wyoming; Key Structures and Diversions
Description and Operation Memorandum

Highland Canal, Pine Creek, Diversion Data

| | 1993 | | | | |
|---------------|---------|---------|---------|---------|---------|
| | May | June | July | Aug. | Sept. |
| 1 | | 163.0 | 174.0 | 78.0 | 63.0 |
| 2 | | 186.0 | 175.0 | 78.0 | 63.0 |
| 3 | | 192.0 | 154.0 | 78.0 | 63.0 |
| 4 | | 192.0 | 124.0 | 78.0 | 63.0 |
| 5 | | 161.0 | 125.0 | 45.0 | 64.0 |
| 6 | | 145.0 | 125.0 | 35.0 | 63.0 |
| 7 | | 140.0 | 127.0 | 40.0 | 64.0 |
| 8 | | 130.0 | 126.0 | 40.0 | 64.0 |
| 9 | | 161.0 | 141.0 | 40.0 | 64.0 |
| 10 | | 182.0 | 174.0 | 38.0 | 64.0 |
| 11 | | 187.0 | 173.0 | 33.0 | 64.0 |
| 12 | | 192.0 | 172.0 | 28.0 | 65.0 |
| 13 | | 199.0 | 173.0 | 28.0 | 64.0 |
| 14 | | 201.0 | 173.0 | 28.0 | 65.0 |
| 15 | 23.0 | 208.0 | 172.0 | 28.0 | 65.0 |
| 16 | 39.0 | 216.0 | 173.0 | 29.0 | 65.0 |
| 17 | 36.0 | 206.0 | 172.0 | 32.0 | 65.0 |
| 18 | 41.0 | 193.0 | 173.0 | 28.0 | 65.0 |
| 19 | 48.0 | 192.0 | 172.0 | 30.0 | 65.0 |
| 20 | 49.0 | 194.0 | 171.0 | 31.0 | 64.0 |
| 21 | 50.0 | 197.0 | 171.0 | 31.0 | 64.0 |
| 22 | 50.0 | 202.0 | 168.0 | 31.0 | 64.0 |
| 23 | 56.0 | 200.0 | 151.0 | 31.0 | 56.0 |
| 24 | 67.0 | 197.0 | 140.0 | 31.0 | 39.0 |
| 25 | 79.0 | 188.0 | 140.0 | 30.0 | 39.0 |
| 26 | 88.0 | 184.0 | 116.0 | 30.0 | 39.0 |
| 27 | 94.0 | 186.0 | 101.0 | 30.0 | 38.0 |
| 28 | 96.0 | 189.0 | 101.0 | 36.0 | 38.0 |
| 29 | 111.0 | 195.0 | 101.0 | 46.0 | 38.0 |
| 30 | 118.0 | 182.0 | 101.0 | 46.0 | 38.0 |
| 31 | 136.0 | | 89.0 | 57.0 | |
| CFS days | 1181.00 | 5560.00 | 4548.00 | 1244.00 | 1735.00 |
| Average (cfs) | 38.10 | 185.33 | 146.71 | 40.13 | 57.83 |
| | 1994 | | | | |

Green River Basin, Wyoming; Key Structures and Diversions
Description and Operation Memorandum

Highland Canal, Pine Creek, Diversion Data

| | May | June | July | Aug. | Sept. |
|---------------|---------|---------|---------|--------|--------|
| 1 | 0.4 | 247.0 | 186.0 | 29.0 | 24.0 |
| 2 | 0.4 | 245.0 | 183.0 | 27.0 | 24.0 |
| 3 | 23.0 | 240.0 | 181.0 | 23.0 | 23.0 |
| 4 | 48.0 | 237.0 | 178.0 | 23.0 | 23.0 |
| 5 | 49.0 | 242.0 | 175.0 | 23.0 | 23.0 |
| 6 | 52.0 | 245.0 | 172.0 | 23.0 | 23.0 |
| 7 | 48.0 | 248.0 | 169.0 | 23.0 | 22.0 |
| 8 | 66.0 | 248.0 | 166.0 | 23.0 | 22.0 |
| 9 | 80.0 | 242.0 | 163.0 | 23.0 | 22.0 |
| 10 | 81.0 | 236.0 | 160.0 | 22.0 | 22.0 |
| 11 | 83.0 | 231.0 | 161.0 | 22.0 | 22.0 |
| 12 | 86.0 | 227.0 | 178.0 | 22.0 | 21.0 |
| 13 | 89.0 | 227.0 | 169.0 | 22.0 | 21.0 |
| 14 | 94.0 | 229.0 | 141.0 | 22.0 | 22.0 |
| 15 | 96.0 | 226.0 | 138.0 | 22.0 | 22.0 |
| 16 | 117.0 | 202.0 | 136.0 | 22.0 | 21.0 |
| 17 | 129.0 | 201.0 | 77.0 | 20.0 | 21.0 |
| 18 | 138.0 | 199.0 | 55.0 | 35.0 | 21.0 |
| 19 | 155.0 | 198.0 | 70.0 | 35.0 | 21.0 |
| 20 | 154.0 | 199.0 | 69.0 | 35.0 | 21.0 |
| 21 | 167.0 | 201.0 | 68.0 | 35.0 | 21.0 |
| 22 | 180.0 | 203.0 | 68.0 | 24.0 | 21.0 |
| 23 | 194.0 | 209.0 | 67.0 | 15.0 | 21.0 |
| 24 | 204.0 | 193.0 | 67.0 | 21.0 | 21.0 |
| 25 | 206.0 | 164.0 | 66.0 | 25.0 | 21.0 |
| 26 | 212.0 | 163.0 | 38.0 | 25.0 | 21.0 |
| 27 | 237.0 | 162.0 | 30.0 | 25.0 | 21.0 |
| 28 | 248.0 | 161.0 | 29.0 | 25.0 | 21.0 |
| 29 | 244.0 | 170.0 | 29.0 | 24.0 | 21.0 |
| 30 | 242.0 | 188.0 | 29.0 | 24.0 | 21.0 |
| 31 | 244.0 | | 29.0 | 24.0 | |
| CFS days | 3966.80 | 6383.00 | 3447.00 | 763.00 | 651.00 |
| Average (cfs) | 127.96 | 212.77 | 111.19 | 24.61 | 21.70 |
| 1995 | | | | | |
| | May | June | July | Aug. | Sept. |

Green River Basin, Wyoming; Key Structures and Diversions
Description and Operation Memorandum

Highland Canal, Pine Creek, Diversion Data

| | | | | | |
|---------------|---------|---------|---------|---------|---------|
| 1 | 16 | 83 | 220 | 69 | 72 |
| 2 | 15 | 97 | 215 | 69 | 87 |
| 3 | 15 | 107 | 195 | 69 | 90 |
| 4 | 33 | 119 | 185 | 69 | 89 |
| 5 | 43 | 133 | 183 | 70 | 89 |
| 6 | 43 | 150 | 181 | 70 | 88 |
| 7 | 42 | 146 | 182 | 71 | 88 |
| 8 | 39 | 148 | 186 | 71 | 78 |
| 9 | 39 | 154 | 193 | 71 | 58 |
| 10 | 39 | 150 | 197 | 71 | 41 |
| 11 | 39 | 146 | 199 | 71 | 58 |
| 12 | 39 | 141 | 195 | 71 | 78 |
| 13 | 39 | 150 | 153 | 71 | 78 |
| 14 | 38 | 167 | 129 | 72 | 77 |
| 15 | 37 | 173 | 145 | 63 | 77 |
| 16 | 37 | 170 | 159 | 72 | 76 |
| 17 | 46 | 179 | 150 | 72 | 75 |
| 18 | 66 | 178 | 140 | 72 | 75 |
| 19 | 78 | 176 | 117 | 71 | 75 |
| 20 | 77 | 179 | 92 | 71 | 74 |
| 21 | 76 | 179 | 72 | 71 | 73 |
| 22 | 76 | 181 | 45 | 71 | 73 |
| 23 | 77 | 185 | 57 | 71 | 72 |
| 24 | 75 | 189 | 67 | 71 | 71 |
| 25 | 74 | 210 | 66 | 70 | 70 |
| 26 | 77 | 221 | 71 | 70 | 69 |
| 27 | 79 | 230 | 71 | 70 | 69 |
| 28 | 77 | 227 | 71 | 70 | 68 |
| 29 | 76 | 229 | 71 | 70 | 67 |
| 30 | 73 | 234 | 71 | 69 | 66 |
| 31 | 72 | | 70 | 69 | |
| CFS days | 1652.00 | 5031.00 | 4148.00 | 2178.00 | 2221.00 |
| Average (cfs) | 53.29 | 167.70 | 133.81 | 70.26 | 74.03 |
| | 1988 | | | | |
| | May | June | July | Aug. | Sept. |
| 1 | 45.8 | 145 | 200 | 39.8 | 49.6 |

Green River Basin, Wyoming; Key Structures and Diversions
Description and Operation Memorandum

Highland Canal, Pine Creek, Diversion Data

| | | | | | |
|---------------|---------|---------|---------|---------|---------|
| 2 | 46.3 | 151 | 209 | 39.3 | 49.6 |
| 3 | 46.8 | 157 | 209 | 38.7 | 49.6 |
| 4 | 47.4 | 149 | 209 | 38.2 | 49.0 |
| 5 | 47.9 | 153 | 209 | 37.7 | 48.5 |
| 6 | 48.5 | 153 | 209 | 37.3 | 47.9 |
| 7 | 49.6 | 148 | 209 | 36.3 | 47.4 |
| 8 | 55.7 | 146 | 181 | 36.3 | 46.8 |
| 9 | 59.5 | 142 | 167 | 35.9 | 46.3 |
| 10 | 65.5 | 139 | 149 | 36.3 | 45.8 |
| 11 | 71.6 | 140 | 124 | 35.9 | 45.8 |
| 12 | 72.8 | 145 | 110 | 35.9 | 45.2 |
| 13 | 71.6 | 151 | 110 | 35.9 | 44.7 |
| 14 | 71.6 | 157 | 153 | 35.9 | 47.9 |
| 15 | 72.2 | 160 | 173 | 35.9 | 55.1 |
| 16 | 71.6 | 164 | 172 | 35.9 | 54.6 |
| 17 | 70.4 | 155 | 162 | 35.4 | 52.4 |
| 18 | 71.0 | 146 | 157 | 35.4 | 52.4 |
| 19 | 70.4 | 142 | 156 | 35.4 | 54.6 |
| 20 | 69.2 | 145 | 156 | 34.4 | 54.0 |
| 21 | 67.9 | 146 | 154 | 34.0 | 53.5 |
| 22 | 68.5 | 147 | 152 | 34.4 | 48.5 |
| 23 | 68.5 | 157 | 152 | 34.0 | 43.6 |
| 24 | 67.9 | 165 | 73.4 | 33.5 | 43.1 |
| 25 | 67.9 | 158 | 49.0 | 25.3 | 43.1 |
| 26 | 67.3 | 148 | 65.5 | 24.6 | 39.3 |
| 27 | 74.1 | 148 | 71.6 | 24.2 | 34.4 |
| 28 | 106 | 152 | 71.0 | 50.1 | 34.0 |
| 29 | 120 | 152 | 69.8 | 50.1 | 33.5 |
| 30 | 135 | 152 | 63.1 | 50.1 | 33.0 |
| 31 | 140 | | 51.2 | 49.6 | |
| CFS days | 2208.50 | 4513.00 | 4396.60 | 1141.70 | 1393.20 |
| Average (cfs) | 71.24 | 150.43 | 141.83 | 36.83 | 46.44 |

Green River Basin, Wyoming; Key Structures and Diversions
Description and Operation Memorandum

High Line Ditch, Lake Creek

Diversion Description: Diversion consists of a single 24" slide gate.¹

Diversion Location:

Source: Lake Creek, Trib. Willow Creek, Trib. West Fork New Fork River, Trib. New Fork River, Trib. Green River

Section, Township, Range: 19, 35, 109

Conveyance Description: Open Channel Canal, approximately 8 miles in length.¹

Wyoming Water Rights Summary:

| Priority Date (M-D-Y) | Permit Number | Permitted Use | Acres | Flow (cfs) | Cumulative Flow (cfs) | Comments |
|-----------------------|---------------|-----------------------------|--------|------------|-----------------------|----------|
| 07-29-1910 | 10038 | Domestic, Irrigation, Stock | 332.00 | 4.75 | 4.75 | |
| 10-21-1912 | 2710E | Domestic, Irrigation | 785.00 | 11.20 | 15.95 | |
| 09-10-1930 | 4712E | Irrigation | 261.00 | 3.72 | 19.67 | |

Storage Rights: None.

Estimated Canal Losses: Information not available at time of report.

Irrigation Practices: Information not available at time of report.

Crop Types / Consumptive Use: Information not available at time of report.

Return Flows: Return flows are delivered to West Fork New Fork River at Willow Creek.²

Other Operational Information: Information not available at time of report.

Sources: 1) Loren Smith, Wyoming State Engineer's Office, Fax, June 6, 2000.
2) Williams, Linda I., "A Model of the Green River Using the Wyoming Integrated River System Operation Study (WIRSOS)," M.S. Thesis, University of Wyoming, Department of Civil Engineering, December 1995.

Green River Basin, Wyoming; Key Structures and Diversions
Description and Operation Memorandum

High Line Ditch, Lake Creek, Diversion Data

Data:

1993: 6/23, 58.00 cfs.

1994: 6/18, 44.00 cfs.

Supply: 1980, below average; 1981, slightly below average; 1982, average (late peak); 1983, above average; 1984, above average; 1985, below average; 1986, average to slightly above average; 1988: very below average; 1989, below average; 1990, below average; 1991, slightly below average; 1992, below average; 1993, average; 1994, below average; 1995, average to above average; 1996, average; 1997, average; 1998, average to above average.

Source: State Engineer's Office, Annual Hydrographers' Reports.

Green River Basin, Wyoming; Key Structures and Diversions
Description and Operation Memorandum

Jenkins Ditch, West Fork New Fork River

Diversion Description: Diversion consists of a wood stop log headgate.¹

Diversion Location:

Source: West Fork New Fork River, Trib. New Fork River, Trib. Green River
Section, Township, Range: 5, 35, 110

Conveyance Description: Open Channel Canal, approximately 3 miles in length.¹

Wyoming Water Rights Summary:

| Priority Date (M-D-Y) | Permit Number | Permitted Use | Acres | Flow (cfs) | Cumulative Flow (cfs) | Comments |
|--------------------------|------------------|-------------------------|---------|---------------|--------------------------|--|
| 11-11-1903 | 5855 | Irrigation | | | | 41.70 AF Secondary Supply stored in New Fork Lake Reservoir (480Res) (30.00 acres served) |
| 11-11-1903 | 4859E | Irrigation | | | | 313.03 AF Secondary Supply stored in New Fork Lake Reservoir (480Res) (225.20 acres served) |
| 11-11-1903 | 5515E | Irrigation | | | | 854.85 AF Secondary Supply stored in New Fork Lake Reservoir (480Res) (615.00 acres served) |
| 02-06-1911 | 12239 | Domestic, Irrigation | 1550.00 | 22.14 | 22.14 | |
| 06-11-1929 | 4829E | Irrigation | 188.50 | 2.68 | 24.82 | |
| 11-10-1953 | 5701E | Irrigation, Stock | 200.00 | 2.85 | 27.67 | |

Storage Rights: New Fork Lake Reservoir.

Estimated Canal Losses: Information not available at time of report.

Irrigation Practices: Information not available at time of report.

Crop Types / Consumptive Use: Information not available at time of report.

Return Flows: Return flows are delivered to Duck Creek at Kitchen and Sunset Reservoir.²

Other Operational Information: Information not available at time of report.

Green River Basin, Wyoming; Key Structures and Diversions
Description and Operation Memorandum

Jenkins Ditch, West Fork New Fork River

Green River Basin, Wyoming; Key Structures and Diversions
Description and Operation Memorandum

Jenkins Ditch, West Fork New Fork River, Diversion Data

| Wateryear | May | | June | | July | | August | | September | |
|-----------|---------------|--------------------|---------------|--------------------|---------------|--------------------|---------------|--------------------|---------------|--------------------|
| | Average (cfs) | Monthly Total (AF) | Average (cfs) | Monthly Total (AF) | Average (cfs) | Monthly Total (AF) | Average (cfs) | Monthly Total (AF) | Average (cfs) | Monthly Total (AF) |
| 1980 | | | | | | | | | | |
| 1981 | | | | | | | | | | |
| 1982 | | | | | | | | | | |
| 1983 | | | | | | | | | | |
| 1984 | <i>0.41</i> | <i>25.15</i> | <i>23.78</i> | <i>1,414.99</i> | <i>22.63</i> | <i>1,391.25</i> | <i>1.62</i> | <i>99.65</i> | <i>2.45</i> | <i>146.08</i> |
| 1985 | | | <i>22.13</i> | <i>1,317.02</i> | <i>12.08</i> | <i>742.87</i> | <i>1.36</i> | <i>83.83</i> | <i>5.50</i> | <i>326.98</i> |
| 1986 | | | <i>21.94</i> | <i>1,305.42</i> | <i>13.69</i> | <i>841.49</i> | <i>0.18</i> | <i>10.89</i> | | |
| 1987 | <i>8.00</i> | <i>491.98</i> | <i>18.10</i> | <i>1,077.30</i> | <i>9.69</i> | <i>595.68</i> | <i>0.59</i> | <i>36.44</i> | <i>1.34</i> | <i>79.60</i> |
| 1988 | <i>0.93</i> | <i>56.99</i> | | | | | | | | |
| 1989 | | | | | | | | | | |
| 1990 | <i>2.27</i> | <i>139.58</i> | <i>2.22</i> | <i>132.10</i> | <i>1.60</i> | <i>98.38</i> | | | | |
| 1991 | | | | | | | | | | |
| 1992 | | | | | | | | | | |
| 1993 | | | | | | | | | | |
| 1994 | | | | | | | | | | |
| 1995 | | | | | | | | | | |
| 1996 | | | | | | | | | | |
| 1997 | | | | | | | | | | |
| 1998 | | | | | | | | | | |

| | | | | | | | | | | |
|-----------|------|--------|-------|----------|-------|--------|------|-------|------|--------|
| Averages: | 2.90 | 178.42 | 17.64 | 1,049.37 | 11.94 | 733.93 | 0.94 | 57.70 | 3.10 | 184.22 |
|-----------|------|--------|-------|----------|-------|--------|------|-------|------|--------|

Data in italics from USGS gaging station 007105.00, see attached data sheets.
Blank cells are due to missing/insufficient data.
Average = Average Flow for ENTIRE month. Monthly Total = Total Volume used during month.
See Methodology section for explanations.
Spot data readings used in calculating averages in table on following pages.

Green River Basin, Wyoming; Key Structures and Diversions
Description and Operation Memorandum

Jenkins Ditch, West Fork New Fork River, Diversion Data

Data:

1990: 5/15, 5.5 cfs; 6/7, 1.8 cfs (est); 7/18, 3.2 cfs.

Supply: 1980, below average; 1981, slightly below average; 1982, average (late peak); 1983, above average; 1984, above average; 1985, below average; 1986, average to slightly above average; 1988: very below average; 1989, below average; 1990, below average; 1991, slightly below average; 1992, below average; 1993, average; 1994, below average; 1995, average to above average; 1996, average; 1997, average; 1998, average to above average.

Source: State Engineer's Office, Annual Hydrographers' Reports.

Green River Basin, Wyoming; Key Structures and Diversions
Description and Operation Memorandum

Jenkins Ditch, West Fork New Fork River, Diversion Data

JENKINS DITCH

STATION NO. 007105.00

LATITUDE 42-59-51 LONGITUDE 109-58-39

SE1/4NE1/4 SECTION 20 TOWNSHIP 35 N,RANGE 110 W 6TH P.M.

ELEVATION 7485.00 FT DRAINAGE AREA UNKNOWN

NONCONTRIBUTING 0.00 SQ MI BASIN 15570000

SUBLETTE COUNTY

DATA FROM WWRC

(C)

****TO USE THIS DATA, SEE VIC HASFURTHER****

| MEAN DAILY FLOW IN CFS BY WATER YEAR | | | | | | | | | | | | | |
|--------------------------------------|-----|-----|-----|-----|-----|-----|-----|--------|---------|---------|-------|--------|-----|
| 1984 | | | | | | | | | | | | | |
| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUNE | JULY | AUG | SEPT | DAY |
| 1 | ** | ** | ** | ** | ** | ** | ** | ** | 5.87 | 30.20 | 2.52 | 0.72 | 1 |
| 2 | ** | ** | ** | ** | ** | ** | ** | ** | 8.62 | 30.20 | 1.43 | 0.19 | 2 |
| 3 | ** | ** | ** | ** | ** | ** | ** | ** | 18.60 | 30.20 | 0.78 | 0.09 | 3 |
| 4 | ** | ** | ** | ** | ** | ** | ** | ** | 24.20 | 30.50 | 0.27 | 0.09 | 4 |
| 5 | ** | ** | ** | ** | ** | ** | ** | ** | 23.80 | 31.00 | 1.63 | 0.11 | 5 |
| 6 | ** | ** | ** | ** | ** | ** | ** | ** | 25.80 | 31.00 | 0.94 | 5.44 | 6 |
| 7 | ** | ** | ** | ** | ** | ** | ** | ** | 25.20 | 31.30 | 0.30 | 4.54 | 7 |
| 8 | ** | ** | ** | ** | ** | ** | ** | ** | 24.50 | 31.50 | 0.11 | 3.46 | 8 |
| 9 | ** | ** | ** | ** | ** | ** | ** | ** | 24.20 | 31.50 | 0.65 | 1.91 | 9 |
| 10 | ** | ** | ** | ** | ** | ** | ** | ** | 24.70 | 31.80 | 1.20 | 1.63 | 10 |
| 11 | ** | ** | ** | ** | ** | ** | ** | ** | 25.20 | 33.10 | 1.74 | 1.53 | 11 |
| 12 | ** | ** | ** | ** | ** | ** | ** | ** | 24.00 | 32.00 | 2.29 | 1.43 | 12 |
| 13 | ** | ** | ** | ** | ** | ** | ** | ** | 23.60 | 29.20 | 2.83 | 0.78 | 13 |
| 14 | ** | ** | ** | ** | ** | ** | ** | ** | 23.40 | 29.00 | 2.83 | 0.49 | 14 |
| 15 | ** | ** | ** | ** | ** | ** | ** | 0.00 | 23.80 | 29.20 | 1.68 | 0.20 | 15 |
| 16 | ** | ** | ** | ** | ** | ** | ** | 0.00 | 26.10 | 28.20 | 0.26 | 1.43 | 16 |
| 17 | ** | ** | ** | ** | ** | ** | ** | 0.00 | 25.60 | 28.20 | 0.12 | 5.04 | 17 |
| 18 | ** | ** | ** | ** | ** | ** | ** | 0.00 | 25.20 | 28.50 | 0.11 | 4.66 | 18 |
| 19 | ** | ** | ** | ** | ** | ** | ** | 0.00 | 23.80 | 27.00 | 0.98 | 4.54 | 19 |
| 20 | ** | ** | ** | ** | ** | ** | ** | 0.00 | 23.80 | 25.40 | 1.12 | 4.66 | 20 |
| 21 | ** | ** | ** | ** | ** | ** | ** | 0.00 | 24.00 | 25.60 | 0.36 | 4.66 | 21 |
| 22 | ** | ** | ** | ** | ** | ** | ** | 0.00 | 25.40 | 25.80 | 0.09 | 3.46 | 22 |
| 23 | ** | ** | ** | ** | ** | ** | ** | 0.00 | 25.40 | 24.50 | 0.09 | 3.86 | 23 |
| 24 | ** | ** | ** | ** | ** | ** | ** | 0.00 | 25.40 | 16.20 | 3.27 | 3.36 | 24 |
| 25 | ** | ** | ** | ** | ** | ** | ** | 0.00 | 25.40 | 2.67 | 3.00 | 3.00 | 25 |
| 26 | ** | ** | ** | ** | ** | ** | ** | 0.00 | 25.40 | 2.35 | 3.00 | 3.00 | 26 |
| 27 | ** | ** | ** | ** | ** | ** | ** | 0.00 | 25.80 | 1.43 | 5.04 | 2.60 | 27 |
| 28 | ** | ** | ** | ** | ** | ** | ** | 2.52 | 28.20 | 1.80 | 3.56 | 2.37 | 28 |
| 29 | ** | ** | ** | ** | ** | ** | ** | 2.52 | 28.70 | 1.09 | 3.27 | 2.23 | 29 |
| 30 | ** | ** | ** | ** | ** | ** | ** | 3.56 | 29.70 | 0.49 | 2.67 | 2.17 | 30 |
| 31 | ** | ** | ** | ** | ** | ** | ** | 4.08 | 0.49 | 2.10 | ** | ** | 31 |
| TOTAL | ** | ** | ** | ** | ** | ** | ** | 12.68* | 713.39 | 701.42 | 50.24 | 73.65 | |
| MEAN | ** | ** | ** | ** | ** | ** | ** | .75* | 23.78 | 22.63 | 1.62 | 2.46 | |
| AC-FT | ** | ** | ** | ** | ** | ** | ** | 25.15* | 1414.99 | 1391.25 | 99.65 | 146.08 | |

** INDICATES
MISSING DATA

* INDICATES
COMPUTED FROM
INCOMPLETE DATA

E INDICATES
ESTIMATED VALUE

Green River Basin, Wyoming; Key Structures and Diversions
Description and Operation Memorandum

Jenkins Ditch, West Fork New Fork River, Diversion Data

JENKINS DITCH

STATION NO. 007105.00

LATITUDE 42-59-51 LONGITUDE 109-58-39

SE1/4NE1/4 SECTION 20 TOWNSHIP 35 N,RANGE 110 W 6TH P.M.

ELEVATION 7485.00 FT DRAINAGE AREA UNKNOWN

NONCONTRIBUTING 0.00 SQ MI BASIN 15570000

SUBLETTE COUNTY

DATA FROM WWRC

(C)

****TO USE THIS DATA, SEE VIC HASFURTHER****

| MEAN DAILY FLOW IN CFS BY WATER YEAR | | | | | | | | | | | | | |
|--------------------------------------|---------|-----|-----|-----|-----|-----|-----|---------|---------|--------|-------|--------|-----|
| 1985 | | | | | | | | | | | | | |
| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUNE | JULY | AUG | SEPT | DAY |
| 1 | 1.91 | ** | ** | ** | ** | ** | ** | ** | 13.19 | 1.47 | 0.85 | 6.14 | 1 |
| 2 | 1.91 | ** | ** | ** | ** | ** | ** | ** | 18.18 | 4.58 | 1.13 | 3.88 | 2 |
| 3 | 1.63 | ** | ** | ** | ** | ** | ** | ** | 23.47 | 12.22 | 2.99 | 1.80 | 3 |
| 4 | 1.48 | ** | ** | ** | ** | ** | ** | ** | 21.61 | 25.68 | 4.86 | 1.92 | 4 |
| 5 | 1.38 | ** | ** | ** | ** | ** | ** | ** | 22.07 | 26.97 | 0.45 | 2.32 | 5 |
| 6 | 1.29 | ** | ** | ** | ** | ** | ** | ** | 24.44 | 25.68 | 0.31 | 0.45 | 6 |
| 7 | 1.21 | ** | ** | ** | ** | ** | ** | ** | 25.94 | 24.69 | 0.08 | 0.22 | 7 |
| 8 | 1.05 | ** | ** | ** | ** | ** | ** | ** | 25.94 | 25.94 | 0.14 | 0.26 | 8 |
| 9 | 0.98 | ** | ** | ** | ** | ** | ** | ** | 26.71 | 23.95 | 0.33 | 0.22 | 9 |
| 10 | 1.01 | ** | ** | ** | ** | ** | ** | ** | 25.68 | 23.24 | 1.13 | 0.13 | 10 |
| 11 | 1.01 | ** | ** | ** | ** | ** | ** | ** | 23.24 | 22.30 | 1.38 | 0.64 | 11 |
| 12 | 1.05 | ** | ** | ** | ** | ** | ** | ** | 23.24 | 22.53 | 0.64 | 6.51 | 12 |
| 13 | 1.01 | ** | ** | ** | ** | ** | ** | ** | 23.95 | 22.07 | 0.38 | 3.00 | 13 |
| 14 | 1.01 | ** | ** | ** | ** | ** | ** | ** | 24.20 | 22.30 | 0.38 | 2.48 | 14 |
| 15 | 1.01 | ** | ** | ** | ** | ** | ** | ** | 24.20 | 22.07 | 0.38 | 2.48 | 15 |
| 16 | 1.01 | ** | ** | ** | ** | ** | ** | ** | 24.20 | 22.07 | 0.12 | 3.82 | 16 |
| 17 | 2.83 | ** | ** | ** | ** | ** | ** | ** | 26.97 | 21.61 | 0.00 | 0.00 | 17 |
| 18 | 2.92 | ** | ** | ** | ** | ** | ** | ** | 24.44 | 4.86 | 0.00 | 0.00 | 18 |
| 19 | 3.09 | ** | ** | ** | ** | ** | ** | ** | 24.93 | 1.13 | 0.52 | 11.29 | 19 |
| 20 | 3.46 | ** | ** | ** | ** | ** | ** | ** | 25.43 | 0.56 | 0.00 | 16.61 | 20 |
| 21 | 3.76 | ** | ** | ** | ** | ** | ** | 2.48 | 25.68 | 0.26 | 0.00 | 14.16 | 21 |
| 22 | 3.76 | ** | ** | ** | ** | ** | ** | 2.48 | 26.19 | 9.67 | 0.00 | 11.14 | 22 |
| 23 | 3.86 | ** | ** | ** | ** | ** | ** | 2.48 | 26.45 | 0.33 | 0.00 | 11.29 | 23 |
| 24 | 3.86 | ** | ** | ** | ** | ** | ** | 3.82 | 26.97 | 1.47 | 0.00 | 11.29 | 24 |
| 25 | 3.76 | ** | ** | ** | ** | ** | ** | 11.75 | 21.84 | 0.56 | 0.00 | 11.29 | 25 |
| 26 | 3.76 | ** | ** | ** | ** | ** | ** | 11.60 | 23.47 | 0.92 | 0.00 | 10.80 | 26 |
| 27 | ** | ** | ** | ** | ** | ** | ** | 11.44 | 23.00 | 0.92 | 0.00 | 8.17 | 27 |
| 28 | ** | ** | ** | ** | ** | ** | ** | 11.29 | 15.65 | 0.92 | 0.08 | 8.17 | 28 |
| 29 | ** | ** | ** | ** | ** | ** | ** | 11.29 | 1.80 | 1.13 | 10.80 | 7.72 | 29 |
| 30 | ** | ** | ** | ** | ** | ** | ** | 13.36 | 0.92 | 1.38 | 8.17 | 6.65 | 30 |
| 31 | ** | ** | ** | ** | ** | ** | ** | 13.03 | 0.92 | 1.05 | 6.89 | 6.65 | 31 |
| TOTAL | 55.01* | ** | ** | ** | ** | ** | ** | 95.02* | 664.00 | 374.53 | 42.01 | 164.85 | |
| MEAN | 2.12* | ** | ** | ** | ** | ** | ** | 8.64* | 22.13 | 12.08 | 1.36 | 5.50 | |
| AC-FT | 109.11* | ** | ** | ** | ** | ** | ** | 188.47* | 1317.02 | 742.87 | 83.33 | 326.98 | |

** INDICATES
MISSING DATA

* INDICATES
COMPUTED FROM
INCOMPLETE DATA

E INDICATES
ESTIMATED VALUE

Green River Basin, Wyoming; Key Structures and Diversions
Description and Operation Memorandum

Jenkins Ditch, West Fork New Fork River, Diversion Data

JENKINS DITCH

STATION NO. 007105.00

LATITUDE 42-59-51 LONGITUDE 109-58-39

SE1/4NE1/4 SECTION 20 TOWNSHIP 35 N,RANGE 110 W 6TH P.M.

ELEVATION 7485.00 FT DRAINAGE AREA UNKNOWN

NONCONTRIBUTING 0.00 SQ MI BASIN 15570000

SUBLETTE COUNTY

DATA FROM WWRC

(C)

****TO USE THIS DATA, SEE VIC HASFURTHER****

| MEAN DAILY FLOW IN CFS BY WATER YEAR | | | | | | | | | | | | | |
|--------------------------------------|-------|-------|-----|-----|-----|-----|-----|--------|---------|--------|--------|------|-----|
| 1986 | | | | | | | | | | | | | |
| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUNE | JULY | AUG | SEPT | DAY |
| 1 | 7.72 | 0.22 | ** | ** | ** | ** | ** | ** | 13.29 | 31.37 | 0.95 | ** | 1 |
| 2 | 2.48 | 0.18 | ** | ** | ** | ** | ** | ** | 14.04 | 31.04 | 1.02 | ** | 2 |
| 3 | 0.48 | 0.13 | ** | ** | ** | ** | ** | ** | 14.04 | 31.37 | 1.16 | ** | 3 |
| 4 | 0.02 | ** | ** | ** | ** | ** | ** | ** | 13.66 | 32.69 | 0.32 | ** | 4 |
| 5 | 0.02 | ** | ** | ** | ** | ** | ** | ** | 14.04 | 29.45 | 0.19 | ** | 5 |
| 6 | 0.06 | ** | ** | ** | ** | ** | ** | ** | 14.62 | 19.35 | 0.08 | ** | 6 |
| 7 | 2.48 | ** | ** | ** | ** | ** | ** | ** | 17.97 | 19.59 | 0.08 | ** | 7 |
| 8 | 1.21 | ** | ** | ** | ** | ** | ** | ** | 17.31 | 19.83 | 0.07 | ** | 8 |
| 9 | 0.64 | ** | ** | ** | ** | ** | ** | ** | 16.87 | 19.59 | 0.60 | ** | 9 |
| 10 | 0.04 | ** | ** | ** | ** | ** | ** | ** | 19.83 | 19.35 | 0.15 | ** | 10 |
| 11 | 0.02 | ** | ** | ** | ** | ** | ** | ** | 18.20 | 18.65 | 0.10 | ** | 11 |
| 12 | 0.19 | ** | ** | ** | ** | ** | ** | ** | 24.46 | 18.43 | 0.05 | ** | 12 |
| 13 | 5.15 | ** | ** | ** | ** | ** | ** | ** | 24.74 | 18.43 | 0.05 | ** | 13 |
| 14 | 1.21 | ** | ** | ** | ** | ** | ** | ** | 25.86 | 18.43 | 0.05 | ** | 14 |
| 15 | 0.48 | ** | ** | ** | ** | ** | ** | ** | 24.46 | 18.43 | 0.37 | ** | 15 |
| 16 | 0.06 | ** | ** | ** | ** | ** | ** | ** | 24.19 | 17.31 | 0.14 | ** | 16 |
| 17 | 0.01 | ** | ** | ** | ** | ** | ** | ** | 23.64 | 17.31 | 0.06 | ** | 17 |
| 18 | 0.01 | ** | ** | ** | ** | ** | ** | ** | 23.64 | 17.09 | 0.05 | ** | 18 |
| 19 | 0.01 | ** | ** | ** | ** | ** | ** | ** | 23.11 | 13.11 | ** | ** | 19 |
| 20 | 0.11 | ** | ** | ** | ** | ** | ** | ** | 23.37 | 5.42 | ** | ** | 20 |
| 21 | 1.58 | ** | ** | ** | ** | ** | ** | ** | 25.58 | 3.08 | ** | ** | 21 |
| 22 | 0.60 | ** | ** | ** | ** | ** | ** | ** | 25.30 | 1.02 | ** | ** | 22 |
| 23 | 0.48 | ** | ** | ** | ** | ** | ** | ** | 26.15 | 1.09 | ** | ** | 23 |
| 24 | 0.18 | ** | ** | ** | ** | ** | ** | 0.56 | 27.03 | 0.64 | ** | ** | 24 |
| 25 | 0.02 | ** | ** | ** | ** | ** | ** | 0.36 | 27.32 | 0.45 | ** | ** | 25 |
| 26 | 0.01 | ** | ** | ** | ** | ** | ** | 0.27 | 26.73 | 0.42 | ** | ** | 26 |
| 27 | 0.01 | ** | ** | ** | ** | ** | ** | 0.68 | 27.03 | 0.39 | ** | ** | 27 |
| 28 | 0.45 | ** | ** | ** | ** | ** | ** | 1.32 | 27.32 | 0.25 | ** | ** | 28 |
| 29 | 2.32 | ** | ** | ** | ** | ** | ** | 3.46 | 27.03 | 0.22 | ** | ** | 29 |
| 30 | 0.85 | ** | ** | ** | ** | ** | ** | 3.66 | 27.32 | 0.16 | ** | ** | 30 |
| 31 | 0.48 | ** | ** | ** | ** | ** | ** | 12.93 | ** | 0.29 | ** | ** | 31 |
| TOTAL | 29.38 | .53* | ** | ** | ** | ** | ** | 23.24* | 658.15 | 424.25 | 5.49* | ** | |
| MEAN | 0.95 | .18* | ** | ** | ** | ** | ** | 2.91* | 21.94 | 13.69 | .31* | ** | |
| AC-FT | 58.27 | 1.05* | ** | ** | ** | ** | ** | 46.10* | 1305.42 | 841.49 | 10.89* | ** | |

** INDICATES
MISSING DATA

* INDICATES
COMPUTED FROM
INCOMPLETE DATA

E INDICATES
ESTIMATED VALUE

Green River Basin, Wyoming; Key Structures and Diversions
Description and Operation Memorandum

Jenkins Ditch, West Fork New Fork River, Diversion Data

JENKINS DITCH
 LATITUDE 42-59-51 LONGITUDE 109-58-39
 SE1/4NE1/4 SECTION 20 TOWNSHIP 35 N,RANGE 110 W 6TH P.M.
 ELEVATION 7485.00 FT DRAINAGE AREA UNKNOWN
 NONCONTRIBUTING 0.00 SQ MI BASIN 15570000
 SUBLETTE COUNTY DATA FROM WWRC
 *****TO USE THIS DATA, SEE VIC HASFURTHER*****

STATION NO. 007105.00

(C)

| MEAN DAILY FLOW IN CFS BY WATER YEAR | | | | | | | | | | | | | |
|--------------------------------------|-----|-----|-----|-----|-----|-----|-----|---------|---------|--------|-------|-------|-----|
| 1987 | | | | | | | | | | | | | |
| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUNE | JULY | AUG | SEPT | DAY |
| 1 | ** | ** | ** | ** | ** | ** | ** | ** | 18.05 | 19.42 | 2.96 | 0.01 | 1 |
| 2 | ** | ** | ** | ** | ** | ** | ** | ** | 17.38 | 19.42 | 2.60 | 0.29 | 2 |
| 3 | ** | ** | ** | ** | ** | ** | ** | ** | 17.16 | 3.52 | 0.46 | 1.98 | 3 |
| 4 | ** | ** | ** | ** | ** | ** | ** | ** | 17.16 | 1.13 | 0.38 | 1.98 | 4 |
| 5 | ** | ** | ** | ** | ** | ** | ** | ** | 17.16 | 0.63 | 0.42 | 1.98 | 5 |
| 6 | ** | ** | ** | ** | ** | ** | ** | ** | 17.16 | 0.42 | 0.52 | 1.87 | 6 |
| 7 | ** | ** | ** | ** | ** | ** | ** | ** | 17.38 | 19.19 | 0.50 | 1.77 | 7 |
| 8 | ** | ** | ** | ** | ** | ** | ** | ** | 17.82 | 21.08 | 0.52 | 1.66 | 8 |
| 9 | ** | ** | ** | ** | ** | ** | ** | ** | 19.42 | 19.42 | 0.46 | 1.66 | 9 |
| 10 | ** | ** | ** | ** | ** | ** | ** | ** | 19.42 | 20.84 | 0.42 | 1.66 | 10 |
| 11 | ** | ** | ** | ** | ** | ** | ** | ** | 18.50 | 20.12 | 0.52 | 1.51 | 11 |
| 12 | ** | ** | ** | ** | ** | ** | ** | ** | 18.50 | 19.89 | 0.32 | 1.29 | 12 |
| 13 | ** | ** | ** | ** | ** | ** | ** | 3.52 | 18.50 | 19.89 | 0.99 | 1.29 | 13 |
| 14 | ** | ** | ** | ** | ** | ** | ** | 9.02 | 18.50 | 19.19 | 0.50 | 1.29 | 14 |
| 15 | ** | ** | ** | ** | ** | ** | ** | 14.61 | 16.94 | 19.19 | 0.99 | 1.29 | 15 |
| 16 | ** | ** | ** | ** | ** | ** | ** | 4.66 | 3.36 | 18.96 | 0.00 | 1.29 | 16 |
| 17 | ** | ** | ** | ** | ** | ** | ** | 4.87 | 1.98 | 19.19 | 0.00 | 1.29 | 17 |
| 18 | ** | ** | ** | ** | ** | ** | ** | 5.31 | 25.60 | 17.82 | 0.20 | 1.29 | 18 |
| 19 | ** | ** | ** | ** | ** | ** | ** | 7.10 | 23.04 | 13.79 | 0.00 | 1.29 | 19 |
| 20 | ** | ** | ** | ** | ** | ** | ** | 14.00 | 20.60 | 0.80 | 0.00 | 1.29 | 20 |
| 21 | ** | ** | ** | ** | ** | ** | ** | 12.42 | 20.60 | 0.23 | 0.00 | 1.29 | 21 |
| 22 | ** | ** | ** | ** | ** | ** | ** | 12.62 | 20.12 | 0.23 | 0.74 | 1.21 | 22 |
| 23 | ** | ** | ** | ** | ** | ** | ** | 11.86 | 20.36 | 0.13 | 0.50 | 1.17 | 23 |
| 24 | ** | ** | ** | ** | ** | ** | ** | 13.20 | 20.60 | 0.32 | 0.74 | 1.13 | 24 |
| 25 | ** | ** | ** | ** | ** | ** | ** | 19.42 | 20.60 | 2.09 | 1.29 | 1.13 | 25 |
| 26 | ** | ** | ** | ** | ** | ** | ** | 20.12 | 20.36 | 1.87 | 0.74 | 1.13 | 26 |
| 27 | ** | ** | ** | ** | ** | ** | ** | 20.60 | 18.96 | 1.21 | 0.63 | 1.13 | 27 |
| 28 | ** | ** | ** | ** | ** | ** | ** | 19.65 | 19.19 | 0.03 | 0.42 | 1.38 | 28 |
| 29 | ** | ** | ** | ** | | ** | ** | 18.96 | 19.30 | 0.00 | 0.32 | 1.29 | 29 |
| 30 | ** | ** | ** | ** | | ** | ** | 18.05 | 19.42 | 0.15 | 0.23 | 1.29 | 30 |
| 31 | ** | | ** | ** | | ** | | 18.05 | | 0.15 | 0.00 | | 31 |
| TOTAL | ** | ** | ** | ** | ** | ** | ** | 248.04* | 543.14 | 300.32 | 18.37 | 40.13 | |
| MEAN | ** | ** | ** | ** | ** | ** | ** | 13.05* | 18.10 | 9.69 | 0.59 | 1.34 | |
| AC-FT | ** | ** | ** | ** | ** | ** | ** | 491.98* | 1077.30 | 595.68 | 36.44 | 79.60 | |

** INDICATES
MISSING DATA

* INDICATES
COMPUTED FROM
INCOMPLETE DATA

E INDICATES
ESTIMATED VALUE

Green River Basin, Wyoming; Key Structures and Diversions
Description and Operation Memorandum

Jenkins Ditch, West Fork New Fork River, Diversion Data

JENKINS DITCH

STATION NO. 007105.00

LATITUDE 42-59-51 LONGITUDE 109-58-39

SE1/4NE1/4 SECTION 20 TOWNSHIP 35 N,RANGE 110 W 6TH P.M.

ELEVATION 7485.00 FT DRAINAGE AREA UNKNOWN

NONCONTRIBUTING 0.00 SQ MI BASIN 15570000

SUBLETTE COUNTY

DATA FROM WWRC

(C)

****TO USE THIS DATA, SEE VIC HASFURTHER****

| MEAN DAILY FLOW IN CFS BY WATER YEAR | | | | | | | | | | | | | |
|--------------------------------------|--------|-------|-----|-----|-----|-----|-------|-------|------|------|-----|------|-----|
| 1988 | | | | | | | | | | | | | |
| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUNE | JULY | AUG | SEPT | DAY |
| 1 | 1.29 | 1.13 | ** | ** | ** | ** | ** | 0.00 | ** | ** | ** | ** | 1 |
| 2 | 1.29 | ** | ** | ** | ** | ** | ** | 0.00 | ** | ** | ** | ** | 2 |
| 3 | 1.21 | ** | ** | ** | ** | ** | ** | 0.00 | ** | ** | ** | ** | 3 |
| 4 | 0.86 | ** | ** | ** | ** | ** | ** | 0.00 | ** | ** | ** | ** | 4 |
| 5 | 0.01 | ** | ** | ** | ** | ** | ** | 0.00 | ** | ** | ** | ** | 5 |
| 6 | 4.35 | ** | ** | ** | ** | ** | ** | 0.00 | ** | ** | ** | ** | 6 |
| 7 | 2.34 | ** | ** | ** | ** | ** | ** | 0.00 | ** | ** | ** | ** | 7 |
| 8 | 2.34 | ** | ** | ** | ** | ** | ** | 0.00 | ** | ** | ** | ** | 8 |
| 9 | 2.34 | ** | ** | ** | ** | ** | ** | 0.00 | ** | ** | ** | ** | 9 |
| 10 | 2.34 | ** | ** | ** | ** | ** | ** | 0.00 | ** | ** | ** | ** | 10 |
| 11 | 2.34 | ** | ** | ** | ** | ** | ** | 0.00 | ** | ** | ** | ** | 11 |
| 12 | 2.09 | ** | ** | ** | ** | ** | ** | 0.00 | ** | ** | ** | ** | 12 |
| 13 | 2.21 | ** | ** | ** | ** | ** | ** | 0.00 | ** | ** | ** | ** | 13 |
| 14 | 2.13 | ** | ** | ** | ** | ** | ** | 0.00 | ** | ** | ** | ** | 14 |
| 15 | 1.98 | ** | ** | ** | ** | ** | ** | 0.00 | ** | ** | ** | ** | 15 |
| 16 | 1.98 | ** | ** | ** | ** | ** | ** | 0.00 | ** | ** | ** | ** | 16 |
| 17 | 1.98 | ** | ** | ** | ** | ** | ** | 0.00 | ** | ** | ** | ** | 17 |
| 18 | 1.87 | ** | ** | ** | ** | ** | ** | 0.00 | ** | ** | ** | ** | 18 |
| 19 | 1.87 | ** | ** | ** | ** | ** | ** | 0.00 | ** | ** | ** | ** | 19 |
| 20 | 2.09 | ** | ** | ** | ** | ** | ** | 0.00 | ** | ** | ** | ** | 20 |
| 21 | 1.06 | ** | ** | ** | ** | ** | ** | 0.00 | ** | ** | ** | ** | 21 |
| 22 | 1.13 | ** | ** | ** | ** | ** | ** | 0.00 | ** | ** | ** | ** | 22 |
| 23 | 0.92 | ** | ** | ** | ** | ** | ** | 0.00 | ** | ** | ** | ** | 23 |
| 24 | 0.80 | ** | ** | ** | ** | ** | ** | 0.00 | ** | ** | ** | ** | 24 |
| 25 | 1.47 | ** | ** | ** | ** | ** | ** | 0.00 | ** | ** | ** | ** | 25 |
| 26 | 1.56 | ** | ** | ** | ** | ** | ** | 1.37 | ** | ** | ** | ** | 26 |
| 27 | 1.56 | ** | ** | ** | ** | ** | ** | 2.74 | ** | ** | ** | ** | 27 |
| 28 | 1.56 | ** | ** | ** | ** | ** | ** | 4.10 | ** | ** | ** | ** | 28 |
| 29 | 1.56 | ** | ** | ** | ** | ** | ** | 5.47 | ** | ** | ** | ** | 29 |
| 30 | 1.47 | ** | ** | ** | ** | ** | 0.00 | 6.84 | ** | ** | ** | ** | 30 |
| 31 | 0.86 | ** | ** | ** | ** | ** | ** | 8.21 | ** | ** | ** | ** | 31 |
| TOTAL | 52.86 | 1.13* | ** | ** | ** | ** | 0.00* | 28.73 | ** | ** | ** | ** | |
| MEAN | 1.71 | 1.13* | ** | ** | ** | ** | 0.00* | 0.93 | ** | ** | ** | ** | |
| AC-FT | 104.85 | 2.24* | ** | ** | ** | ** | 0.00* | 56.99 | ** | ** | ** | ** | |

** INDICATES
MISSING DATA

* INDICATES
COMPUTED FROM
INCOMPLETE DATA

E INDICATES
ESTIMATED VALUE

Source: Wyoming Water Resources Data System, March 20, 2000.

Green River Basin, Wyoming; Key Structures and Diversions
Description and Operation Memorandum

Jorgensen Ditch, East Fork New Fork River

Diversion Description: Diversion consists of a single 18” slide gate. No diversion dam exists.¹

Diversion Location:

Source: East Fork New Fork River, Trib. New Fork River, Trib. Green River
Section, Township, Range: 9, 31, 106

Conveyance Description: Open Channel Canal, approximately 3 miles in length.

Wyoming Water Rights Summary:

| Priority Date (M–D–Y) | Permit Number | Permitted Use | Acres | Flow (cfs) | Cumulative Flow (cfs) | Comments |
|--------------------------|------------------|------------------|--------|---------------|--------------------------|----------|
| 12-11-1897 | 1687 | Irrigation | 789.00 | 11.27 | 11.27 | |
| 10-16-1901 | 730E | Irrigation | 220.00 | 3.14 | 14.41 | |
| 02-14-1902 | 786E | Irrigation | 155.00 | 2.21 | 16.62 | |
| 10-29-1921 | 4285E | Irrigation | 156.00 | 2.23 | 18.85 | |

Storage Rights: None.

Estimated Canal Losses: Information not available at time of report.

Irrigation Practices: Information not available at time of report.

Crop Types / Consumptive Use: Information not available at time of report.

Return Flows: Return flows are delivered to Cottonwood Creek above East Fork River.²

Other Operational Information: Information not available at time of report.

Sources: 1) Loren Smith, Wyoming State Engineer’s Office, Fax, June 6, 2000.
2) Williams, Linda I., “A Model of the Green River Using the Wyoming Integrated River System Operation Study (WIRSOS),” M.S. Thesis, University of Wyoming, Department of Civil Engineering, December 1995.

Green River Basin, Wyoming; Key Structures and Diversions
Description and Operation Memorandum

Jorgensen Ditch, East Fork New Fork River, Diversion Data

| Wateryear | May | | June | | July | | August | | September | |
|-----------|---------------|--------------------|---------------|--------------------|---------------|--------------------|---------------|--------------------|---------------|--------------------|
| | Average (cfs) | Monthly Total (AF) | Average (cfs) | Monthly Total (AF) | Average (cfs) | Monthly Total (AF) | Average (cfs) | Monthly Total (AF) | Average (cfs) | Monthly Total (AF) |
| 1980 | | | | | | | | | | |
| 1981 | | | | | | | | | | |
| 1982 | | | | | | | | | | |
| 1983 | | | | | | | | | | |
| 1984 | | | | | | | | | | |
| 1985 | | | | | | | | | | |
| 1986 | | | | | | | | | | |
| 1987 | | | | | | | | | | |
| 1988 | | | 7.84 | 466.51 | | | | | | |
| 1989 | | | | | | | | | | |
| 1990 | | | | | | | | | | |
| 1991 | | | | | | | | | | |
| 1992 | | | 17.61 | 1,047.87 | | | | | | |
| 1993 | | | | | | | 83.11 | 5,110.12 | | |
| 1994 | 27.53 | 1,692.75 | 21.51 | 1,279.93 | 12.67 | 779.05 | 1.40 | 86.08 | | |
| 1995 | 11.35 | 697.88 | 21.84 | 1,299.57 | 21.68 | 1,333.05 | 4.39 | 269.93 | 1.27 | 75.57 |
| 1996 | | | | | | | | | | |
| 1997 | | | | | | | | | | |
| 1998 | | | | | | | | | | |

| | | | | | | | | | | |
|-----------|-------|----------|-------|----------|-------|----------|-------|----------|------|-------|
| Averages: | 19.44 | 1,195.32 | 17.20 | 1,023.47 | 17.18 | 1,056.05 | 29.63 | 1,822.04 | 1.27 | 75.57 |
|-----------|-------|----------|-------|----------|-------|----------|-------|----------|------|-------|

Blank cells are due to missing/insufficient data.

Average = Average Flow for ENTIRE month. Monthly Total = Total Volume used during month.

See Methodology section for explanations.

Spot data readings used in calculating averages in table on following pages.

Green River Basin, Wyoming; Key Structures and Diversions
Description and Operation Memorandum

Jorgensen Ditch, East Fork New Fork River, Diversion Data

Data:

1981: 7/6, 15 cfs.

1987: 5/14, 23.5 cfs; 7/14, off.

1988: 4/12, 0 cfs; 5/25, 0 cfs; 6/18, 8 cfs; 6/26, 10.1 cfs; 6/27, 16.6 cfs; 7/1, 14.2 cfs.

1989: 4/14, 3 cfs; 4/20, 0 cfs; 5/3, 8 cfs; 6/26, 10 cfs.

1990: 6/18, 15.0 cfs (est); 7/11, 8.0 cfs (est).

1992: 5/29, 20.00 cfs; 6/8, 15.00 cfs; 6/10, 18.00 cfs; 6/11, 18.50 cfs; 7/10, 17.00 cfs.

1993: 4/29, 5/3, off; 6/14, 37.80 cfs; 7/27, off; 9/2, 150 cfs.

1994: 5/3, 15.00 cfs; 5/23, 38.60 cfs; 6/19, 18.60 cfs; 6/20, 15.80 cfs; 7/18, 15.50 cfs; 8/4, off; 9/3, 3.00 cfs.

1995: 4/10, off; 4/18, 1.5 cfs (est); 4/26, 2.0 cfs; 5/24, 15.0 cfs; 6/26, 25.0 cfs; 7/6, 24.8 cfs; 7/17, 24 cfs; 8/16, 2.5 cfs; 8/30, off; 9/21, 3.5 cfs (est).

1996: 5/4, 2.0 cfs; 6/26, 27 cfs (est).

1997: 7/15, 12.1 cfs.

Supply: 1980, below average; 1981, slightly below average; 1982, average (late peak); 1983, above average; 1984, above average; 1985, below average; 1986, average to slightly above average; 1988: very below average; 1989, below average; 1990, below average; 1991, slightly below average; 1992, below average; 1993, average; 1994, below average; 1995, average to above average; 1996, average; 1997, average; 1998, average to above average.

Source: State Engineer's Office, Annual Hydrographers' Reports.

Green River Basin, Wyoming; Key Structures and Diversions
Description and Operation Memorandum

King Number 2 Ditch, Silver Creek

Diversion Description: Diversion consists of two 36" slide gates.¹

Diversion Location:

Source: Silver Creek, Trib. East Fork New Fork River, Trib. New Fork River, Trib. Green River
Section, Township, Range: 24, 32, 107

Conveyance Description: Open Channel Canal, approximately 3 miles in length.¹

Wyoming Water Rights Summary:

| Priority Date (M-D-Y) | Permit Number | Permitted Use | Acres | Flow (cfs) | Cumulative Flow (cfs) | Comments |
|--------------------------|------------------|-----------------------------------|----------|---------------|--------------------------|----------|
| 12-12-1907 | 8111 | Domestic, Irrigation, Stock | 1,148.49 | 16.40 | 16.40 | |

Storage Rights: None.

Estimated Canal Losses: Information not available at time of report.

Irrigation Practices: Information not available at time of report.

Crop Types / Consumptive Use: Information not available at time of report.

Return Flows: Return flows are delivered to East Fork River at Cottonwood Creek.²

Other Operational Information: Information not available at time of report.

Sources: 1) Loren Smith, Wyoming State Engineer's Office, Fax, June 6, 2000.
2) Williams, Linda I., "A Model of the Green River Using the Wyoming Integrated River System Operation Study (WIRSOS)," M.S. Thesis, University of Wyoming, Department of Civil Engineering, December 1995.

Green River Basin, Wyoming; Key Structures and Diversions
Description and Operation Memorandum

King Number 2 Ditch, Silver Creek, Diversion Data

Data:

1992: 6/25, 36.00 cfs; 7/10 30.00 cfs.

1994: 6/28, 26.0 cfs, 8/4. off; 9/15, 3.50 cfs.

1995: 4/10, off; 4/26, 7.0 cfs; 5/24, 12.5 cfs; 7/6, 30.0 cfs (est); 9/21, 3.5 cfs.

1996: 5/4, 3.5 cfs (est).

1997: 6/16, 50.8 cfs.

Supply: 1980, below average; 1981, slightly below average; 1982, average (late peak); 1983, above average; 1984, above average; 1985, below average; 1986, average to slightly above average; 1988: very below average; 1989, below average; 1990, below average; 1991, slightly below average; 1992, below average; 1993, average; 1994, below average; 1995, average to above average; 1996, average; 1997, average; 1998, average to above average.

Source: State Engineer's Office, Annual Hydrographers' Reports.

Green River Basin, Wyoming; Key Structures and Diversions
Description and Operation Memorandum

Lee Ditch / Pine Creek Number 1 Canal, Pine Creek

Diversion Description: Diversion consists of three 6' by 5' slide gates mounted on a concrete structure. A rock diversion dam exists.¹

Diversion Location:

Source: Pine Creek, Trib. West Fork New Fork River, Trib. New Fork River, Trib. Green River
Section, Township, Range: 28-34-109

Conveyance Description: Open Channel Canal, approximately 7 miles in length.¹

Wyoming Water Rights Summary:

| Priority Date (M-D-Y) | Permit Number | Permitted Use | Acres | Flow (cfs) | Cumulative Flow (cfs) | Comments |
|-----------------------|---------------|-----------------------------|----------|------------|-----------------------|--|
| 01-04-1898 | 1696 | Irrigation | 76.00 | 1.07 | 1.07 | |
| 12-01-1898 | 392E | Irrigation | 245.00 | 3.50 | 4.57 | |
| 02-25-1901 | 626E | Irrigation | 2,780.81 | 39.66 | 44.23 | |
| 08-05-1901 | 692E | Irrigation | 58.00 | 0.82 | 45.05 | |
| 05-13-1909 | 2038E | Irrigation | 122.00 | 1.74 | 46.79 | |
| 08-10-1934 | 4951E | Domestic, Irrigation, Stock | | | 46.79 | 3,134.37 AF Secondary Supply from Fremont Lake Reservoir (4453R and 4465R) (910.00 acres served) |
| 07-15-1949 | 5484E | Domestic, Irrigation, Stock | 318.00 | 4.55 | 51.34 | |

Storage Rights: Fremont Lake Reservoir.

Estimated Canal Losses: No significant losses are experienced. In fact, minor gains are experienced from seepage of other ditches.¹

Irrigation Practices: Lands are flood irrigated.¹

Crop Types / Consumptive Use: Lands are native grass hay and pasture.¹

Return Flows: Return flows are delivered to West Fork New Fork River above Pole Creek.²

Other Operational Information: The canal is typically turned on the first of May and off the first of September.¹

Green River Basin, Wyoming; Key Structures and Diversions
Description and Operation Memorandum

Lee Ditch / Pine Creek Number 1 Canal, Pine Creek

Sources: 1) Paul Hagenstein, Pine Creek Ditch Association, Inc., Interview, May 4, 2000.
2) Williams, Linda I., "A Model of the Green River Using the Wyoming Integrated River System Operation Study (WIRSOS)," M.S. Thesis, University of Wyoming, Department of Civil Engineering, December 1995.

Green River Basin, Wyoming; Key Structures and Diversions
Description and Operation Memorandum

Lee Ditch / Pine Creek Number 1 Canal, Pine Creek, Diversion Data

| Wateryear | May | | June | | July | | August | | September | |
|-----------|---------------|--------------------|---------------|--------------------|---------------|--------------------|---------------|--------------------|---------------|--------------------|
| | Average (cfs) | Monthly Total (AF) | Average (cfs) | Monthly Total (AF) | Average (cfs) | Monthly Total (AF) | Average (cfs) | Monthly Total (AF) | Average (cfs) | Monthly Total (AF) |
| 1974 | <i>47.08</i> | <i>2,895.07</i> | <i>84.57</i> | <i>5,032.06</i> | <i>82.03</i> | <i>5,043.63</i> | <i>14.52</i> | <i>892.56</i> | <i>18.96</i> | <i>1,128.20</i> |
| 1975 | | | <i>52.94</i> | <i>3,149.91</i> | <i>73.28</i> | <i>4,505.81</i> | <i>34.78</i> | <i>2,138.80</i> | <i>22.30</i> | <i>1,327.00</i> |
| 1976 | | | <i>69.63</i> | <i>4,143.07</i> | <i>75.09</i> | <i>4,617.32</i> | <i>16.39</i> | <i>1,007.60</i> | <i>17.35</i> | <i>1,032.40</i> |
| 1978 | <i>25.48</i> | <i>1,566.94</i> | <i>75.44</i> | <i>4,489.19</i> | <i>81.42</i> | <i>5,006.28</i> | <i>18.55</i> | <i>1,140.50</i> | <i>12.83</i> | <i>763.64</i> |
| 1980 | | | 19.00 | 1,130.58 | 14.63 | 899.56 | 43.60 | 2,680.86 | 9.30 | 553.39 |
| 1981 | | | 45.55 | 2,710.41 | 53.47 | 3,287.74 | 35.15 | 2,161.29 | | |
| 1982 | | | 72.24 | 4,298.58 | 71.11 | 4,372.38 | 38.43 | 2,362.97 | | |
| 1983 | | | 49.08 | 2,920.46 | 61.69 | 3,793.17 | 49.72 | 3,057.16 | | |
| 1984 | | | 62.15 | 3,698.18 | 43.45 | 2,671.64 | | | | |
| 1985 | 22.51 | 1,384.09 | 51.87 | 3,086.48 | 48.93 | 3,008.59 | 22.10 | 1,358.88 | | |
| 1986 | | | | | | | | | | |
| 1987 | 37.40 | 2,299.64 | 52.04 | 3,096.60 | 20.73 | 1,274.64 | | | | |
| 1988 | | | | | 38.54 | 2,369.73 | | | | |
| 1989 | | | | | | | | | | |
| 1990 | | | 26.39 | 1,570.31 | | | | | | |
| 1991 | | | 45.10 | 2,683.64 | | | | | | |
| 1992 | 24.54 | 1,508.91 | 39.43 | 2,346.25 | 29.78 | 1,831.10 | 17.76 | 1,092.02 | 12.30 | 731.90 |
| 1993 | | | 50.90 | 3,028.76 | 52.86 | 3,250.23 | 15.44 | 949.37 | 9.44 | 561.72 |
| 1994 | 11.54 | 709.57 | 34.95 | 2,079.67 | 41.18 | 2,532.06 | 26.60 | 1,635.57 | 10.73 | 638.48 |
| 1995 | 24.86 | 1,528.58 | 35.52 | 2,113.59 | 28.84 | 1,773.30 | 14.16 | 870.66 | 9.16 | 545.06 |
| 1996 | 13.73 | 844.22 | 71.78 | 4,271.21 | 69.58 | 4,278.31 | | | | |
| 1997 | | | 46.19 | 2,748.50 | 52.47 | 3,226.25 | | | | |
| 1998 | | | | | | | 38.30 | 2,354.98 | | |

| | | | | | | | | | | |
|-----------|-------|----------|-------|----------|-------|----------|-------|----------|-------|--------|
| Averages: | 25.89 | 1,592.13 | 51.83 | 3,084.08 | 52.17 | 3,207.87 | 27.54 | 1,693.09 | 13.60 | 809.09 |
|-----------|-------|----------|-------|----------|-------|----------|-------|----------|-------|--------|

Data in italics from USGS gaging station 006050.00, see attached data sheets.

Blank cells are due to missing/insufficient data.

Average = Average Flow for ENTIRE month. Monthly Total = Total Volume used during month.

See Methodology section for explanations.

Spot data readings used in calculating averages in table on following pages.

Green River Basin, Wyoming; Key Structures and Diversions
Description and Operation Memorandum

Lee Ditch / Pine Creek Number 1 Canal, Pine Creek, Diversion Data

Data:

1980: 5/16, 52 cfs. 5/28, off; 6/4, 9 cfs; 6/9, 32 cfs; 6/13, 62 cfs; 6/15, 51 cfs; 6/21, washed out; 7/18, turned on; 7/21, 32 cfs; 7/25, 36 cfs; 8/1, 41 cfs; 8/4, 41 cfs; 8/11, 36 cfs; 8/20, 55 cfs; 9/4, 32 cfs; 9/15, off; 9/17, off.

1981: 6/9, 44 cfs; 6/15, 52 cfs; 6/17, 62 cfs; 6/26, 74 cfs; 7/6, 60 cfs; 7/15, 52 cfs; 7/24, 53 cfs; 7/30, 41 cfs; 8/6, 40 cfs; 8/11, 38 cfs; 8/29, 39 cfs.

1982: 5/24, 56 cfs; 6/2, 63 cfs; 6/9, 55 cfs; 6/17, 80 cfs; 6/18, 86 cfs; 6/24, 86 cfs; 6/29, 75 cfs; 7/9, 75 cfs; 7/14, 75 cfs; 7/19, 75 cfs; 8/2, 55 cfs; 9/6, 15 cfs.

1983: 5/24, off; 5/31, 15 cfs; 6/22, 65 cfs; 6/27, 68 cfs; 7/5, 72 cfs; 7/11, 67 cfs; 7/19, 56 cfs; 7/27, 55 cfs; 8/19, 56 cfs; 9/6, 16 cfs.

1984: 5/21, 29 cfs; 5/30, 58 cfs; 6/9, 58 cfs; 6/12, 43 cfs; 6/18, 80 cfs; 6/27, 80 cfs; 7/9, 76 cfs; 7/16, 71 cfs; 7/23, 80 cfs; 10/4, 6 cfs.

1985: 5/13, off; 5/22, 46.9 cfs; 6/6, 52.2 cfs; 7/16, 51.5 cfs; 7/30, 42.5 cfs; 8/7, 40 cfs; 8/28, 23 cfs; 9/5, 19 cfs.

1987: 5/13, 37.3 cfs; 5/19, 69.9 cfs; 6/3, 57.3 cfs; 7/16, 39.8 cfs.

1988: 6/28, 62 cfs; 7/5, 54 cfs; 7/14, 44 cfs; 7/18, 33 cfs; 7/27, 23 cfs; 8/1, 26 cfs; 8/4, 25 cfs; 8/8, 30 cfs.

1990: 5/17, 48.5 cfs; 5/24, 57.3 cfs; 6/13, 22.2 cfs; 7/12, 22.1 cfs.

1991: 6/13, 70.2 cfs; 7/3, 81.25 cfs.

1992: 5/6, 0.00 cfs; 5/27, 50.00 cfs; 6/3, 42.00 cfs; 6/16, 40.00 cfs; 7/17, 30.00 cfs; 8/21, 15.00 cfs; 9/4, 15.00 cfs; 9/28, 12.00 cfs.

1993: 5/17, off; 5/28, 35.80 cfs; 7/5, 66.00 cfs; 7/7, 68.00 cfs; 8/16, 10.00 cfs; 8/23, 10.50 cfs; 9/20, 10.00 cfs; 9/23, 10.00 cfs; 9/25, 10.00 cfs; 9/29, 10.00 cfs.

1994: 5/2, 5/4, 5/9, 5/12, off; 5/24, 25.00 cfs; 6/14, 30.00 cfs; 6/16, 35.00 cfs; 6/24, 42.60 cfs; 7/6, 45.00 cfs; 7/20, 43.00 cfs; 8/1, 30.00 cfs; 8/11, 25.00 cfs; 8/22, 30.00 cfs; 9/8, 12.00 cfs; 9/20, 20.00 cfs; 9/21, 20.00 cfs.

1995: 4/3, 4/30, off; 5/1, 20 cfs; 5/7, 23.0 cfs; 5/13, 24.5 cfs; 5/25, 25.0 cfs; 6/3, 35.0 cfs; 6/9, 35.0 cfs; 6/24, 38.2 cfs; 7/1, 30 cfs (est); 7/31, 28.0 cfs; 8/2, 12.5 cfs (est); 8/24, 15.0 cfs; 9/5, 15.0 cfs; 9/22, 10.28 cfs.

1996: 5/10, off; 5/14, 4.5 cfs (est); 6/25, 91.5 cfs; 7/8, 95 cfs; 7/25, 45 cfs (est); 8/13, 40.0 cfs (est).

1997: 6/12, 90 cfs (est); 7/7, 45.1 cfs; 7/30, 70 cfs (est).

1998: 5/25, 36.75 cfs; 7/29, 53.1 cfs; 9/3, 24.3 cfs.

Supply: 1980, below average; 1981, slightly below average; 1982, average (late peak); 1983, above average; 1984, above average; 1985, below average; 1986, average to slightly above average; 1988: very below average; 1989, below average; 1990, below average; 1991, slightly below average; 1992, below average; 1993, average; 1994, below average; 1995, average to above average; 1996, average; 1997, average; 1998, average to above average.

Source: State Engineer's Office, Annual Hydrographers' Reports.

Green River Basin, Wyoming; Key Structures and Diversions Description and Operation Memorandum

Lee Ditch / Pine Creek Number 1 Canal, Pine Creek, Diversion Data

LEE DITCH OR PINE CREEK NO 1 DITCH BY PINEDALE

STATION NO. 006050.00

LATITUDE 42-53-17 LONGITUDE 109-52-11

SW1/4SE1/4SE1/4 SECTION 28 TOWNSHIP 34 N,RANGE 109 W 6TH P.M.

ELEVATION 7210.00 FT DRAINAGE AREA UNKNOWN

NONCONTRIBUTING AREA UNKNOWN BASIN 15570500

SUBLETTE COUNTY

DATA FROM WATER COMMISSIONERS

(P)

| MEAN DAILY FLOW IN CFS BY WATER YEAR | | | | | | | | | | | | | |
|--------------------------------------|-----|-----|-----|-----|-----|-----|-----|----------|---------|---------|--------|---------|-----|
| 1974 | | | | | | | | | | | | | |
| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUNE | JULY | AUG | SEPT | DAY |
| 1 | ** | ** | ** | ** | ** | ** | ** | ** | 76.00 | 82.00 | 12.00 | 18.00 | 1 |
| 2 | ** | ** | ** | ** | ** | ** | ** | ** | 76.00 | 81.00 | 12.00 | 18.00 | 2 |
| 3 | ** | ** | ** | ** | ** | ** | ** | ** | 78.00 | 80.10 | 12.00 | 18.00 | 3 |
| 4 | ** | ** | ** | ** | ** | ** | ** | ** | 80.00 | 79.00 | 12.00 | 18.00 | 4 |
| 5 | ** | ** | ** | ** | ** | ** | ** | ** | 82.00 | 78.00 | 12.00 | 18.00 | 5 |
| 6 | ** | ** | ** | ** | ** | ** | ** | ** | 84.00 | 77.00 | 12.00 | 19.00 | 6 |
| 7 | ** | ** | ** | ** | ** | ** | ** | ** | 86.00 | 76.00 | 12.00 | 19.00 | 7 |
| 8 | ** | ** | ** | ** | ** | ** | ** | 30.00 | 86.00 | 75.00 | 12.00 | 19.00 | 8 |
| 9 | ** | ** | ** | ** | ** | ** | ** | 30.00 | 86.00 | 74.00 | 12.00 | 19.00 | 9 |
| 10 | ** | ** | ** | ** | ** | ** | ** | 36.70 | 86.00 | 73.00 | 12.00 | 19.00 | 10 |
| 11 | ** | ** | ** | ** | ** | ** | ** | 43.50 | 86.00 | 72.00 | 12.00 | 19.00 | 11 |
| 12 | ** | ** | ** | ** | ** | ** | ** | 48.70 | 86.00 | 71.00 | 12.00 | 19.00 | 12 |
| 13 | ** | ** | ** | ** | ** | ** | ** | 57.70 | 86.00 | 69.00 | 12.00 | 19.00 | 13 |
| 14 | ** | ** | ** | ** | ** | ** | ** | 58.00 | 86.00 | 67.00 | 12.00 | 19.00 | 14 |
| 15 | ** | ** | ** | ** | ** | ** | ** | 59.00 | 86.00 | 64.40 | 12.00 | 19.00 | 15 |
| 16 | ** | ** | ** | ** | ** | ** | ** | 60.00 | 86.00 | 62.00 | 12.00 | 19.00 | 16 |
| 17 | ** | ** | ** | ** | ** | ** | ** | 61.00 | 86.00 | 61.00 | 12.00 | 19.00 | 17 |
| 18 | ** | ** | ** | ** | ** | ** | ** | 62.00 | 86.00 | 49.00 | 12.00 | 19.00 | 18 |
| 19 | ** | ** | ** | ** | ** | ** | ** | 63.00 | 86.00 | 57.00 | 18.00 | 19.00 | 19 |
| 20 | ** | ** | ** | ** | ** | ** | ** | 66.00 | 86.00 | 55.00 | 18.00 | 19.00 | 20 |
| 21 | ** | ** | ** | ** | ** | ** | ** | 66.00 | 86.00 | 12.00 | 18.00 | 19.00 | 21 |
| 22 | ** | ** | ** | ** | ** | ** | ** | 66.00 | 86.00 | 12.00 | 18.00 | 19.00 | 22 |
| 23 | ** | ** | ** | ** | ** | ** | ** | 66.00 | 86.00 | 12.00 | 18.00 | 19.00 | 23 |
| 24 | ** | ** | ** | ** | ** | ** | ** | 66.00 | 86.00 | 12.00 | 18.00 | 19.00 | 24 |
| 25 | ** | ** | ** | ** | ** | ** | ** | 68.00 | 86.00 | 12.00 | 18.00 | 19.00 | 25 |
| 26 | ** | ** | ** | ** | ** | ** | ** | 72.00 | 86.00 | 12.00 | 18.00 | 19.00 | 26 |
| 27 | ** | ** | ** | ** | ** | ** | ** | 76.00 | 86.00 | 12.00 | 18.00 | 19.80 | 27 |
| 28 | ** | ** | ** | ** | ** | ** | ** | 76.00 | 86.00 | 12.00 | 18.00 | 20.00 | 28 |
| 29 | ** | ** | ** | ** | | ** | ** | 76.00 | 86.00 | 12.00 | 18.00 | 20.00 | 29 |
| 30 | ** | ** | ** | ** | | ** | ** | 76.00 | 83.00 | 12.00 | 18.00 | 20.00 | 30 |
| 31 | ** | | ** | ** | | ** | | 76.00 | | 12.00 | 18.00 | | 31 |
| TOTAL | ** | ** | ** | ** | ** | ** | ** | 1459.60* | 2537.00 | 1534.50 | 450.00 | 568.80 | |
| MEAN | ** | ** | ** | ** | ** | ** | ** | 60.82* | 84.57 | 49.50 | 14.52 | 18.96 | |
| AC-FT | ** | ** | ** | ** | ** | ** | ** | 2895.07* | 5032.06 | 3043.63 | 892.56 | 1128.20 | |

** INDICATES
MISSING DATA

* INDICATES
COMPUTED FROM
INCOMPLETE DATA

E INDICATES
ESTIMATED VALUE

Green River Basin, Wyoming; Key Structures and Diversions Description and Operation Memorandum

Lee Ditch / Pine Creek Number 1 Canal, Pine Creek, Diversion Data

LEE DITCH OR PINE CREEK NO 1 DITCH BY PINEDALE

STATION NO. 006050.00

LATITUDE 42-53-17 LONGITUDE 109-52-11

SW1/4SE1/4SE1/4 SECTION 28 TOWNSHIP 34 N,RANGE 109 W 6TH P.M.

ELEVATION 7210.00 FT DRAINAGE AREA UNKNOWN

NONCONTRIBUTING AREA UNKNOWN BASIN 15570500

SUBLETTE COUNTY

DATA FROM WATER COMMISSIONERS

(P)

| MEAN DAILY FLOW IN CFS BY WATER YEAR | | | | | | | | | | | | | |
|--------------------------------------|---------|-----|-----|-----|-----|-----|-----|---------|---------|---------|---------|---------|-----|
| 1975 | | | | | | | | | | | | | |
| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUNE | JULY | AUG | SEPT | DAY |
| 1 | 20.00 | ** | ** | ** | ** | ** | ** | ** | 40.00 | 80.50 | 57.00 | 22.80 | 1 |
| 2 | 20.00 | ** | ** | ** | ** | ** | ** | ** | 42.00 | 80.00 | 56.00 | 22.50 | 2 |
| 3 | 20.00 | ** | ** | ** | ** | ** | ** | ** | 44.00 | 81.00 | 56.00 | 21.00 | 3 |
| 4 | 20.10 | ** | ** | ** | ** | ** | ** | ** | 46.00 | 81.00 | 55.20 | 20.50 | 4 |
| 5 | 20.00 | ** | ** | ** | ** | ** | ** | ** | 44.00 | 81.00 | 55.00 | 20.10 | 5 |
| 6 | 20.00 | ** | ** | ** | ** | ** | ** | ** | 44.00 | 81.00 | 34.90 | 20.50 | 6 |
| 7 | 20.00 | ** | ** | ** | ** | ** | ** | ** | 46.00 | 81.00 | 32.00 | 20.50 | 7 |
| 8 | 20.00 | ** | ** | ** | ** | ** | ** | ** | 48.00 | 81.38 | 30.00 | 22.00 | 8 |
| 9 | 19.00 | ** | ** | ** | ** | ** | ** | ** | 51.00 | 81.00 | 29.00 | 22.00 | 9 |
| 10 | 19.00 | ** | ** | ** | ** | ** | ** | ** | 54.00 | 81.00 | 30.00 | 25.75 | 10 |
| 11 | 18.00 | ** | ** | ** | ** | ** | ** | ** | 58.00 | 81.00 | 31.00 | 25.00 | 11 |
| 12 | 18.00 | ** | ** | ** | ** | ** | ** | ** | 58.18 | 79.00 | 31.80 | 23.00 | 12 |
| 13 | 18.00 | ** | ** | ** | ** | ** | ** | ** | 53.00 | 79.00 | 32.00 | 23.00 | 13 |
| 14 | 18.00 | ** | ** | ** | ** | ** | ** | ** | 48.00 | 78.00 | 32.00 | 22.00 | 14 |
| 15 | 16.00 | ** | ** | ** | ** | ** | ** | ** | 43.00 | 77.00 | 32.50 | 22.50 | 15 |
| 16 | 16.00 | ** | ** | ** | ** | ** | ** | ** | 29.00 | 75.00 | 33.00 | 22.50 | 16 |
| 17 | 16.00 | ** | ** | ** | ** | ** | ** | ** | 32.00 | 74.50 | 34.00 | 22.50 | 17 |
| 18 | 15.00 | ** | ** | ** | ** | ** | ** | ** | 36.00 | 72.00 | 34.90 | 22.50 | 18 |
| 19 | 14.00 | ** | ** | ** | ** | ** | ** | ** | 40.00 | 71.00 | 34.00 | 22.50 | 19 |
| 20 | 14.00 | ** | ** | ** | ** | ** | ** | ** | 44.00 | 70.00 | 32.00 | 22.50 | 20 |
| 21 | ** | ** | ** | ** | ** | ** | ** | ** | 49.00 | 69.00 | 32.00 | 22.50 | 21 |
| 22 | ** | ** | ** | ** | ** | ** | ** | ** | 54.00 | 69.00 | 32.00 | 22.50 | 22 |
| 23 | ** | ** | ** | ** | ** | ** | ** | ** | 59.00 | 68.70 | 31.00 | 22.50 | 23 |
| 24 | ** | ** | ** | ** | ** | ** | ** | ** | 64.90 | 67.00 | 30.00 | 22.00 | 24 |
| 25 | ** | ** | ** | ** | ** | ** | ** | ** | 69.00 | 66.00 | 29.00 | 22.00 | 25 |
| 26 | ** | ** | ** | ** | ** | ** | ** | ** | 74.00 | 65.00 | 30.00 | 21.90 | 26 |
| 27 | ** | ** | ** | ** | ** | ** | ** | 29.70 | 78.00 | 64.00 | 32.00 | 22.00 | 27 |
| 28 | ** | ** | ** | ** | ** | ** | ** | 30.00 | 80.00 | 62.00 | 32.50 | 22.00 | 28 |
| 29 | ** | ** | ** | ** | | ** | ** | 30.00 | 80.00 | 60.60 | 22.50 | 23.00 | 29 |
| 30 | ** | ** | ** | ** | | ** | ** | 30.00 | 80.00 | 58.00 | 22.50 | 23.00 | 30 |
| 31 | ** | | ** | ** | | ** | | 37.30 | | 57.00 | 22.50 | | 31 |
| TOTAL | 361.10* | ** | ** | ** | ** | ** | ** | 157.00* | 1588.08 | 2271.68 | 1078.30 | 669.05 | |
| MEAN | 18.06* | ** | ** | ** | ** | ** | ** | 31.40* | 52.94 | 73.28 | 34.78 | 22.30 | |
| AC-FT | 716.23* | ** | ** | ** | ** | ** | ** | 311.40* | 3149.91 | 4505.81 | 2138.78 | 1327.04 | |

** INDICATES
MISSING DATA

* INDICATES
COMPUTED FROM
INCOMPLETE DATA

E INDICATES
ESTIMATED VALUE

Green River Basin, Wyoming; Key Structures and Diversions Description and Operation Memorandum

Lee Ditch / Pine Creek Number 1 Canal, Pine Creek, Diversion Data

LEE DITCH OR PINE CREEK NO 1 DITCH BY PINEDALE

STATION NO. 006050.00

LATITUDE 42-53-17 LONGITUDE 109-52-11

SW1/4SE1/4SE1/4 SECTION 28 TOWNSHIP 34 N,RANGE 109 W 6TH P.M.

ELEVATION 7210.00 FT DRAINAGE AREA UNKNOWN

NONCONTRIBUTING AREA UNKNOWN BASIN 15570500

SUBLETTE COUNTY

DATA FROM WATER COMMISSIONERS

(P)

| MEAN DAILY FLOW IN CFS BY WATER YEAR | | | | | | | | | | | | | |
|--------------------------------------|---------|-----|-----|-----|-----|-----|-----|----------|---------|---------|---------|---------|-----|
| 1976 | | | | | | | | | | | | | |
| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUNE | JULY | AUG | SEPT | DAY |
| 1 | 26.00 | ** | ** | ** | ** | ** | ** | ** | 70.00 | 73.00 | 20.00 | 16.00 | 1 |
| 2 | 25.70 | ** | ** | ** | ** | ** | ** | ** | 73.00 | 78.50 | 19.50 | 16.50 | 2 |
| 3 | 25.70 | ** | ** | ** | ** | ** | ** | ** | 76.00 | 80.00 | 19.00 | 16.00 | 3 |
| 4 | 25.00 | ** | ** | ** | ** | ** | ** | ** | 80.50 | 82.00 | 19.00 | 15.00 | 4 |
| 5 | 25.00 | ** | ** | ** | ** | ** | ** | ** | 80.00 | 84.00 | 19.00 | 16.00 | 5 |
| 6 | 24.00 | ** | ** | ** | ** | ** | ** | ** | 80.00 | 86.00 | 19.00 | 18.00 | 6 |
| 7 | 23.00 | ** | ** | ** | ** | ** | ** | ** | 80.00 | 88.00 | 19.00 | 19.50 | 7 |
| 8 | 22.00 | ** | ** | ** | ** | ** | ** | ** | 80.00 | 90.00 | 19.00 | 19.00 | 8 |
| 9 | 21.00 | ** | ** | ** | ** | ** | ** | ** | 79.50 | 92.00 | 19.00 | 18.00 | 9 |
| 10 | 20.20 | ** | ** | ** | ** | ** | ** | ** | 79.00 | 95.00 | 19.50 | 17.00 | 10 |
| 11 | 19.00 | ** | ** | ** | ** | ** | ** | ** | 78.00 | 90.00 | 19.00 | 16.00 | 11 |
| 12 | 18.00 | ** | ** | ** | ** | ** | ** | ** | 78.00 | 85.00 | 19.00 | 15.00 | 12 |
| 13 | 17.00 | ** | ** | ** | ** | ** | ** | ** | 70.00 | 78.00 | 18.00 | 14.10 | 13 |
| 14 | 16.50 | ** | ** | ** | ** | ** | ** | ** | 68.00 | 70.00 | 18.00 | 13.00 | 14 |
| 15 | 16.00 | ** | ** | ** | ** | ** | ** | ** | 66.00 | 70.00 | 17.00 | 12.00 | 15 |
| 16 | 15.00 | ** | ** | ** | ** | ** | ** | ** | 64.00 | 69.00 | 16.00 | 13.00 | 16 |
| 17 | 14.50 | ** | ** | ** | ** | ** | ** | ** | 62.00 | 69.00 | 15.00 | 14.00 | 17 |
| 18 | 14.00 | ** | ** | ** | ** | ** | ** | ** | 60.00 | 69.00 | 13.50 | 15.00 | 18 |
| 19 | 13.00 | ** | ** | ** | ** | ** | ** | ** | 59.70 | 68.70 | 13.00 | 16.00 | 19 |
| 20 | 12.00 | ** | ** | ** | ** | ** | ** | 39.70 | 58.00 | 68.00 | 13.00 | 17.10 | 20 |
| 21 | 11.00 | ** | ** | ** | ** | ** | ** | 44.00 | 62.00 | 68.00 | 12.00 | 18.00 | 21 |
| 22 | 10.00 | ** | ** | ** | ** | ** | ** | 48.00 | 66.00 | 67.00 | 12.00 | 19.00 | 22 |
| 23 | 9.00 | ** | ** | ** | ** | ** | ** | 52.00 | 70.50 | 67.00 | 12.00 | 20.00 | 23 |
| 24 | 8.00 | ** | ** | ** | ** | ** | ** | 57.00 | 67.00 | 66.00 | 11.00 | 21.00 | 24 |
| 25 | 7.00 | ** | ** | ** | ** | ** | ** | 58.00 | 63.00 | 66.00 | 11.00 | 21.00 | 25 |
| 26 | ** | ** | ** | ** | ** | ** | ** | 59.90 | 60.60 | 67.00 | 16.00 | 21.00 | 26 |
| 27 | ** | ** | ** | ** | ** | ** | ** | 61.00 | 62.00 | 68.00 | 16.50 | 21.00 | 27 |
| 28 | ** | ** | ** | ** | ** | ** | ** | 63.00 | 64.00 | 69.70 | 16.00 | 21.00 | 28 |
| 29 | ** | ** | ** | ** | ** | ** | ** | 65.00 | 66.00 | 69.00 | 16.00 | 21.30 | 29 |
| 30 | ** | ** | ** | ** | ** | ** | ** | 67.00 | 66.00 | 68.00 | 16.00 | 21.00 | 30 |
| 31 | ** | ** | ** | ** | ** | ** | ** | 69.00 | 67.00 | 67.00 | 16.00 | 21.00 | 31 |
| TOTAL | 437.60* | ** | ** | ** | ** | ** | ** | 683.60* | 2088.80 | 2327.90 | 508.00 | 520.50 | |
| MEAN | 17.50* | ** | ** | ** | ** | ** | ** | 56.97* | 69.63 | 75.09 | 16.39 | 17.35 | |
| AC-FT | 867.97* | ** | ** | ** | ** | ** | ** | 1355.90* | 4143.07 | 4617.32 | 1007.60 | 1032.40 | |

** INDICATES
MISSING DATA

* INDICATES
COMPUTED FROM
INCOMPLETE DATA

E INDICATES
ESTIMATED VALUE

Green River Basin, Wyoming; Key Structures and Diversions Description and Operation Memorandum

Lee Ditch / Pine Creek Number 1 Canal, Pine Creek, Diversion Data

LEE DITCH OR PINE CREEK NO 1 DITCH BY PINEDALE

STATION NO. 006050.00

LATITUDE 42-53-17 LONGITUDE 109-52-11

SW1/4SE1/4SE1/4 SECTION 28 TOWNSHIP 34 N,RANGE 109 W 6TH P.M.

ELEVATION 7210.00 FT DRAINAGE AREA UNKNOWN

NONCONTRIBUTING AREA UNKNOWN BASIN 15570500

SUBLETTE COUNTY

DATA FROM WATER COMMISSIONERS

(P)

| MEAN DAILY FLOW IN CFS BY WATER YEAR | | | | | | | | | | | | | |
|--------------------------------------|----------|-----|-----|-----|-----|-----|-----|----------|---------|---------|---------|--------|-----|
| 1978 | | | | | | | | | | | | | |
| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUNE | JULY | AUG | SEPT | DAY |
| 1 | 17.00 | ** | ** | ** | ** | ** | ** | ** | 51.00 | 79.00 | 40.00 | 6.00 | 1 |
| 2 | 17.00 | ** | ** | ** | ** | ** | ** | ** | 51.00 | 85.00 | 39.00 | 6.00 | 2 |
| 3 | 17.00 | ** | ** | ** | ** | ** | ** | ** | 51.00 | 86.00 | 38.00 | 6.00 | 3 |
| 4 | 17.00 | ** | ** | ** | ** | ** | ** | ** | 51.00 | 86.00 | 37.00 | 6.00 | 4 |
| 5 | 17.00 | ** | ** | ** | ** | ** | ** | ** | 51.30 | 86.00 | 35.00 | 6.00 | 5 |
| 6 | 17.00 | ** | ** | ** | ** | ** | ** | ** | 51.00 | 86.00 | 34.00 | 6.00 | 6 |
| 7 | 17.00 | ** | ** | ** | ** | ** | ** | ** | 56.00 | 86.00 | 33.00 | 6.00 | 7 |
| 8 | 17.00 | ** | ** | ** | ** | ** | ** | ** | 61.00 | 86.00 | 31.00 | 7.00 | 8 |
| 9 | 17.00 | ** | ** | ** | ** | ** | ** | 22.00 | 66.00 | 86.00 | 29.00 | 8.00 | 9 |
| 10 | 17.00 | ** | ** | ** | ** | ** | ** | 22.00 | 71.00 | 86.00 | 27.00 | 9.00 | 10 |
| 11 | 17.00 | ** | ** | ** | ** | ** | ** | 23.00 | 76.00 | 86.00 | 25.00 | 10.00 | 11 |
| 12 | 17.00 | ** | ** | ** | ** | ** | ** | 24.00 | 81.00 | 86.00 | 23.00 | 11.00 | 12 |
| 13 | 17.00 | ** | ** | ** | ** | ** | ** | 25.00 | 87.00 | 86.00 | 21.00 | 12.00 | 13 |
| 14 | 17.00 | ** | ** | ** | ** | ** | ** | 26.00 | 87.00 | 86.00 | 19.00 | 12.00 | 14 |
| 15 | 17.00 | ** | ** | ** | ** | ** | ** | 27.00 | 87.00 | 86.00 | 17.00 | 12.00 | 15 |
| 16 | 17.00 | ** | ** | ** | ** | ** | ** | 28.00 | 87.00 | 86.00 | 15.00 | 12.00 | 16 |
| 17 | 17.00 | ** | ** | ** | ** | ** | ** | 29.00 | 87.00 | 86.00 | 13.00 | 12.00 | 17 |
| 18 | 17.00 | ** | ** | ** | ** | ** | ** | 30.00 | 87.00 | 86.00 | 12.00 | 12.00 | 18 |
| 19 | 17.00 | ** | ** | ** | ** | ** | ** | 31.00 | 87.00 | 86.00 | 11.00 | 13.00 | 19 |
| 20 | 18.00 | ** | ** | ** | ** | ** | ** | 32.00 | 87.00 | 84.00 | 9.00 | 13.00 | 20 |
| 21 | 18.00 | ** | ** | ** | ** | ** | ** | 33.00 | 87.00 | 84.00 | 7.00 | 13.00 | 21 |
| 22 | 18.00 | ** | ** | ** | ** | ** | ** | 35.00 | 87.00 | 82.00 | 6.00 | 14.00 | 22 |
| 23 | 18.00 | ** | ** | ** | ** | ** | ** | 37.00 | 87.00 | 80.00 | 6.00 | 16.00 | 23 |
| 24 | 18.00 | ** | ** | ** | ** | ** | ** | 39.00 | 87.00 | 78.00 | 6.00 | 18.00 | 24 |
| 25 | 18.00 | ** | ** | ** | ** | ** | ** | 41.00 | 87.00 | 76.00 | 6.00 | 20.00 | 25 |
| 26 | 18.00 | ** | ** | ** | ** | ** | ** | 43.00 | 87.00 | 74.00 | 6.00 | 22.00 | 26 |
| 27 | 18.00 | ** | ** | ** | ** | ** | ** | 45.00 | 85.00 | 72.00 | 6.00 | 23.00 | 27 |
| 28 | 18.00 | ** | ** | ** | ** | ** | ** | 47.00 | 83.00 | 70.00 | 6.00 | 24.00 | 28 |
| 29 | 17.00 | ** | ** | ** | | ** | ** | 49.00 | 81.00 | 68.00 | 6.00 | 25.00 | 29 |
| 30 | 17.00 | ** | ** | ** | | ** | ** | 51.00 | 79.00 | 66.00 | 6.00 | 25.00 | 30 |
| 31 | ** | | ** | ** | | ** | | 51.00 | | 64.00 | 6.00 | | 31 |
| TOTAL | 519.00* | ** | ** | ** | ** | ** | ** | 790.00* | 2263.30 | 2524.00 | 575.00 | 385.00 | |
| MEAN | 17.30* | ** | ** | ** | ** | ** | ** | 34.35* | 75.44 | 81.42 | 18.55 | 12.83 | |
| AC-FT | 1029.42* | ** | ** | ** | ** | ** | ** | 1566.94* | 4489.19 | 5006.28 | 1140.50 | 763.64 | |

** INDICATES MISSING DATA

* INDICATES COMPUTED FROM INCOMPLETE DATA

E INDICATES ESTIMATED VALUE

Source: Wyoming Water Resources Data System, March 20, 2000

Green River Basin, Wyoming; Key Structures and Diversions
Description and Operation Memorandum

Overland Ditch, East Fork New Fork River

Diversion Description: Diversion consists of a single 40” by 40” slide gate mounted on a concrete structure.¹

Diversion Location:

Source: East Fork New Fork River, Trib. New Fork River, Trib. Green River
Section, Township, Range: 12, 31, 106

Conveyance Description: Open Channel Canal, approximately 6½ miles in length.¹

Wyoming Water Rights Summary:

| Priority Date (M-D-Y) | Permit Number | Permitted Use | Acres | Flow (cfs) | Cumulative Flow (cfs) | Comments |
|--------------------------|------------------|------------------|----------|------------|--------------------------|----------|
| 09-03-1906 | 1617E | Irrigation | 1,485.00 | 21.19 | 21.19 | |

Storage Rights: None.

Estimated Canal Losses: Typical losses (10%) are experienced.¹

Irrigation Practices: Lands are flood irrigated.¹

Crop Types / Consumptive Use: Lands are native grass hay and pasture.¹

Return Flows: Return flows are delivered to Muddy Creek above East Fork River.²

Other Operational Information: The canal is typically turned on the first of May and off in mid-July.¹

Sources: 1) Loren Smith, Wyoming State Engineer’s Office, Interview, May 5, 2000.
2) Williams, Linda I., “A Model of the Green River Using the Wyoming Integrated River System Operation Study (WIRSOS),” M.S. Thesis, University of Wyoming, Department of Civil Engineering, December 1995.

Green River Basin, Wyoming; Key Structures and Diversions
Description and Operation Memorandum

Overland Ditch, East Fork New Fork River, Diversion Data

| Wateryear | May | | June | | July | | August | | September | |
|-----------|---------------|--------------------|---------------|--------------------|---------------|--------------------|---------------|--------------------|---------------|--------------------|
| | Average (cfs) | Monthly Total (AF) | Average (cfs) | Monthly Total (AF) | Average (cfs) | Monthly Total (AF) | Average (cfs) | Monthly Total (AF) | Average (cfs) | Monthly Total (AF) |
| 1980 | 16.55 | 1,017.62 | 44.27 | 2,634.25 | 31.45 | 1,933.79 | | | | |
| 1981 | 21.22 | 1,304.77 | 48.93 | 2,911.54 | 8.60 | 528.79 | | | | |
| 1982 | 13.10 | 805.49 | 52.18 | 3,104.93 | 46.17 | 2,838.88 | 7.08 | 435.33 | 12.51 | 744.40 |
| 1983 | | | 47.70 | 2,838.35 | 51.34 | 3,156.77 | | | | |
| 1984 | | | 45.61 | 2,713.98 | 55.35 | 3,403.34 | | | | |
| 1985 | | | | | 10.32 | 634.55 | 0.00 | 0.00 | 0.00 | 0.00 |
| 1986 | | | | | | | | | 0.56 | 33.59 |
| 1987 | | | | | | | | | | |
| 1988 | | | 39.08 | 2,325.42 | | | | | | |
| 1989 | | | | | 4.10 | 252.02 | | | | |
| 1990 | | | | | | | | | | |
| 1991 | | | | | | | | | | |
| 1992 | 40.37 | 2,482.25 | | | | | | | | |
| 1993 | | | | | | | | | | |
| 0.72 | 42.84 | 2,215.40 | 45.04 | 2,680.07 | 29.38 | 1,806.51 | 6.35 | 390.45 | | |
| 1995 | 14.11 | 867.59 | 30.15 | 1,794.05 | 33.13 | 2,037.08 | 15.47 | 951.21 | 4.20 | 249.92 |
| 1996 | | | | | | | | | | |
| 1997 | | | | | | | | | | |
| 1998 | | | | | | | | | | |

| | | | | | | | | | | |
|-----------|-------|----------|-------|----------|-------|----------|------|--------|------|--------|
| Averages: | 23.56 | 1,448.85 | 44.12 | 2,625.32 | 32.66 | 2,007.87 | 7.23 | 444.25 | 5.76 | 342.64 |
|-----------|-------|----------|-------|----------|-------|----------|------|--------|------|--------|

Blank cells are due to missing/insufficient data.

Average = Average Flow for ENTIRE month. Monthly Total = Total Volume used during month.

See Methodology section for explanations.

Spot data readings used in calculating averages in table on following pages.

Green River Basin, Wyoming; Key Structures and Diversions Description and Operation Memorandum

Overland Ditch, East Fork New Fork River, Diversion Data

Data:

1980: 4/30, on - 6 cfs; 5/6, 12 cfs; 5/12, 11 cfs; 5/21, 12 cfs, 5/29, 40 cfs; 6/3, 30 cfs; 6/11, 51 cfs; 6/23, 45 cfs; 6/30, 59 cfs; 7/9, 51 cfs; 7/15, 44 cfs; 7/21, off.

1981: 4/24, 6 cfs; 5/8, 14 cfs; 5/14, 12 cfs; 5/27, 38 cfs; 6/10, 54 cfs; 6/17, 44 cfs; 7/6, 44 cfs; 7/7, 15 cfs; 7/11, off.

1982: 5/14, 9 cfs; 6/3, 44 cfs; 6/18, 51 cfs; 6/23, 65 cfs; 7/2, 59 cfs; 7/8, 60 cfs; 7/16, 57 cfs; 7/23, 25 cfs; 8/3, off; 9/22, 13 cfs; 10/5, 7 cfs.

1983: 5/17, off; 5/24, 11 cfs; 6/7, 34 cfs; 6/17, 42 cfs; 6/24, 55 cfs; 6/29, 51 cfs; 7/6, 52 cfs; 7/12, 51 cfs; 7/19, off; 7/27, off.

1984: 5/18, off; 5/22, 11 cfs; 6/1, 45 cfs; 6/9, 40 cfs; 6/12, 43 cfs; 6/29, 52 cfs; 7/6, 66 cfs; 7/16, 42 cfs; 9/25, off.

1985: 7/6, 40 cfs; 7/15, off; 7/31, off; 8/6, off; 8/14, off; 9/5, off.

1986: 6/26, 55.4; 9/9, off; 9/23, 2.5 cfs (est.).

1987: 5/14, 62.7 cfs; 7/14, off.

1988: 4/12, 0; 5/25, 55.5 cfs; 6/26, 32.3 cfs; 7/1, 6.8.

1989: 4/14, 0 cfs; 5/3, 20 cfs; 5/13, 30 cfs; 6/26, 30 cfs; 7/13, 0 cfs; 8/3, 0 cfs.

1990: 7/11, 25.0 cfs (est).

1991: 7/11, 42.0 cfs.

1992: 5/6, 60.00 cfs; 5/29, 45.00 cfs; 6/8, 35.00 cfs; 6/9, 34.5 cfs; 6/10, 25.00 cfs; 6/11, 25.8 cfs.

1993: 6/18, 53.8 cfs; 7/27, off; 9/2, 2.00 cfs.

1994: 5/3, off; 5/23, 63.00 cfs; 6/19, 48.60 cfs; 6/20, 28.10 cfs; 7/18, 35.00 cfs; 8/4, 8.00 cfs; 9/15, off.

1995: 4/10, off; 4/18, off; 4/26, off; 5/24, 20.6 cfs; 6/26, 35.0 cfs; 7/6, 36.6 cfs; 7/17, 35 cfs (est); 8/16, 12.5 cfs (est.); 8/30, 12 cfs (est); 9/21, off.

1996: 5/4, 12.0 cfs (est.); 6/26, 68.0 cfs (arrive), 1.48 cfs (depart).

1997: 5/27, 28 cfs (est); 9/4, 6.0 cfs (est).

Supply: 1980, below average; 1981, slightly below average; 1982, average (late peak); 1983, above average; 1984, above average; 1985, below average; 1986, average to slightly above average; 1988: very below average; 1989, below average; 1990, below average; 1991, slightly below average; 1992, below average; 1993, average; 1994, below average; 1995, average to above average; 1996, average; 1997, average; 1998, average to above average.

Source: State Engineer's Office, Annual Hydrographers' Reports.

Green River Basin, Wyoming; Key Structures and Diversions
Description and Operation Memorandum

Overland Ditch, Green River

Diversion Description: Information not available at time of report.

Diversion Location:

Source: Green River

Section, Township, Range: 8, 31, 110

Conveyance Description: Open Channel Canal, approximately 4 miles in length.¹

Wyoming Water Rights Summary:

| Priority Date (M-D-Y) | Permit Number | Permitted Use | Acres | Flow (cfs) | Cumulative Flow (cfs) | Comments |
|--------------------------|------------------|-------------------------|--------|---------------|--------------------------|---|
| 10-15-1897 | 1625 | Irrigation | 14.00 | 0.20 | 0.20 | POD/MOC change from a portion of Hill Ditch |
| 09-18-1899 | 2274 | Irrigation | 432.00 | 6.17 | 6.37 | POD/MOC change from Harman Ditch |
| 07-08-1911 | 10930 | Domestic, Irrigation | 498.33 | 7.12 | 13.49 | |
| 12-01-1911 | 2583E | Domestic, Irrigation | 521.78 | 7.44 | 20.93 | POD/MOC change from a portion of Hill Ditch |
| 05-07-1971 | 6424E | Irrigation | 211.63 | 3.03 | 23.96 | |

Storage Rights: None.

Estimated Canal Losses: Information not available at time of report.

Irrigation Practices: Information not available at time of report.

Crop Types / Consumptive Use: Information not available at time of report.

Return Flows: Return flows are delivered to Green River at New Fork River.²

Other Operational Information: Information not available at time of report.

| | |
|----------|--|
| Sources: | 1) Loren Smith, Wyoming State Engineer's Office, Fax, June 6, 2000. 2) Williams, Linda I., "A Model of the Green River Using the Wyoming Integrated River System Operation Study (WIRSOS)," M.S. Thesis, University of Wyoming, Department of Civil Engineering, December 1995. |
|----------|--|

Green River Basin, Wyoming; Key Structures and Diversions
Description and Operation Memorandum

Overland Ditch, Green River, Diversion Data

| Wateryear | May | | June | | July | | August | | September | |
|-----------|---------------|--------------------|---------------|--------------------|---------------|--------------------|---------------|--------------------|---------------|--------------------|
| | Average (cfs) | Monthly Total (AF) | Average (cfs) | Monthly Total (AF) | Average (cfs) | Monthly Total (AF) | Average (cfs) | Monthly Total (AF) | Average (cfs) | Monthly Total (AF) |
| 1975 | | | 38.82 | 2,310.15 | 55.55 | 3,415.59 | | | | |
| 1976 | <i>13.77</i> | <i>846.74</i> | 52.40 | 3,118.01 | 42.94 | 2,640.40 | | | | |
| 1978 | | | 56.77 | 3,377.85 | 44.48 | 2,735.21 | | | | |
| 1980 | | | | | | | | | | |
| 1981 | | | | | | | | | | |
| 1982 | | | | | | | | | | |
| 1983 | | | | | | | | | | |
| 1984 | | | | | | | | | | |
| 1985 | | | | | | | | | | |
| 1986 | | | | | | | | | | |
| 1987 | | | | | | | | | | |
| 1988 | | | | | | | | | | |
| 1989 | | | | | | | | | | |
| 1990 | | | | | | | | | | |
| 1991 | | | | | | | | | | |
| 1992 | | | | | | | | | | |
| 1993 | | | | | | | | | | |
| 1994 | | | | | | | | | | |
| 1995 | | | | | | | | | | |
| 1996 | | | | | | | | | | |
| 1997 | | | | | | | | | | |
| 1998 | | | | | | | | | | |

| | | | | | | | | | | |
|-----------|-------|--------|-------|----------|-------|----------|--|--|--|--|
| Averages: | 13.77 | 846.74 | 49.33 | 2,935.34 | 47.66 | 2,930.40 | | | | |
|-----------|-------|--------|-------|----------|-------|----------|--|--|--|--|

Data in italics from USGS gaging station 006120.00, see attached data sheets. Blank cells are due to missing/insufficient data.

Average = Average Flow for ENTIRE month. Monthly Total = Total Volume used during month. See Methodology section for explanations.

Green River Basin, Wyoming; Key Structures and Diversions
Description and Operation Memorandum

Overland Ditch, Green River, Diversion Data

OVERLAND DITCH

STATION NO. 006120.00

LATITUDE 0-00-00 LONGITUDE 0-00-00

SECTION 0 TOWNSHIP 0 ,RANGE 0 P.M.

ELEVATION UNKNOWN DRAINAGE AREA UNKNOWN

NONCONTRIBUTING AREA UNKNOWN BASIN UNKNOWN

DATA FROM WATER COMMISSIONERS (P)

| MEAN DAILY FLOW IN CFS BY WATER YEAR | | | | | | | | | | | | | |
|--------------------------------------|-----|-----|-----|-----|-----|-----|-----|-----|---------|---------|---------|------|-----|
| 1975 | | | | | | | | | | | | | |
| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUNE | JULY | AUG | SEPT | DAY |
| 1 | ** | ** | ** | ** | ** | ** | ** | ** | 40.00 | 40.00 | 32.00 | ** | 1 |
| 2 | ** | ** | ** | ** | ** | ** | ** | ** | 43.00 | 40.00 | 32.00 | ** | 2 |
| 3 | ** | ** | ** | ** | ** | ** | ** | ** | 43.00 | 68.00 | 30.00 | ** | 3 |
| 4 | ** | ** | ** | ** | ** | ** | ** | ** | 40.00 | 68.00 | 25.00 | ** | 4 |
| 5 | ** | ** | ** | ** | ** | ** | ** | ** | 35.00 | 68.00 | 20.00 | ** | 5 |
| 6 | ** | ** | ** | ** | ** | ** | ** | ** | 35.00 | 68.00 | 15.00 | ** | 6 |
| 7 | ** | ** | ** | ** | ** | ** | ** | ** | 30.00 | 68.00 | ** | ** | 7 |
| 8 | ** | ** | ** | ** | ** | ** | ** | ** | 30.00 | 68.60 | ** | ** | 8 |
| 9 | ** | ** | ** | ** | ** | ** | ** | ** | 25.00 | 68.00 | ** | ** | 9 |
| 10 | ** | ** | ** | ** | ** | ** | ** | ** | 25.00 | 69.00 | ** | ** | 10 |
| 11 | ** | ** | ** | ** | ** | ** | ** | ** | 20.00 | 69.00 | ** | ** | 11 |
| 12 | ** | ** | ** | ** | ** | ** | ** | ** | 20.00 | 69.00 | ** | ** | 12 |
| 13 | ** | ** | ** | ** | ** | ** | ** | ** | 20.70 | 69.00 | ** | ** | 13 |
| 14 | ** | ** | ** | ** | ** | ** | ** | ** | 20.00 | 69.00 | ** | ** | 14 |
| 15 | ** | ** | ** | ** | ** | ** | ** | ** | 25.00 | 69.00 | ** | ** | 15 |
| 16 | ** | ** | ** | ** | ** | ** | ** | ** | 35.00 | 69.00 | ** | ** | 16 |
| 17 | ** | ** | ** | ** | ** | ** | ** | ** | 44.50 | 69.00 | ** | ** | 17 |
| 18 | ** | ** | ** | ** | ** | ** | ** | ** | 45.00 | 69.00 | ** | ** | 18 |
| 19 | ** | ** | ** | ** | ** | ** | ** | ** | 46.00 | 65.00 | ** | ** | 19 |
| 20 | ** | ** | ** | ** | ** | ** | ** | ** | 47.00 | 60.00 | ** | ** | 20 |
| 21 | ** | ** | ** | ** | ** | ** | ** | ** | 48.00 | 55.00 | ** | ** | 21 |
| 22 | ** | ** | ** | ** | ** | ** | ** | ** | 49.00 | 50.00 | ** | ** | 22 |
| 23 | ** | ** | ** | ** | ** | ** | ** | ** | 50.00 | 45.00 | ** | ** | 23 |
| 24 | ** | ** | ** | ** | ** | ** | ** | ** | 51.00 | 35.50 | ** | ** | 24 |
| 25 | ** | ** | ** | ** | ** | ** | ** | ** | 52.50 | 35.00 | ** | ** | 25 |
| 26 | ** | ** | ** | ** | ** | ** | ** | ** | 53.00 | 34.00 | ** | ** | 26 |
| 27 | ** | ** | ** | ** | ** | ** | ** | ** | 54.00 | 33.00 | ** | ** | 27 |
| 28 | ** | ** | ** | ** | ** | ** | ** | ** | 50.00 | 33.00 | ** | ** | 28 |
| 29 | ** | ** | ** | ** | ** | ** | ** | ** | 46.00 | 33.00 | ** | ** | 29 |
| 30 | ** | ** | ** | ** | ** | ** | ** | ** | 42.00 | 33.00 | ** | ** | 30 |
| 31 | ** | ** | ** | ** | ** | ** | ** | ** | 32.93 | 32.93 | ** | ** | 31 |
| TOTAL | ** | ** | ** | ** | ** | ** | ** | ** | 1164.70 | 1722.03 | 154.00* | ** | |
| MEAN | ** | ** | ** | ** | ** | ** | ** | ** | 38.82 | 55.55 | 25.67* | ** | |
| AC-FT | ** | ** | ** | ** | ** | ** | ** | ** | 2310.15 | 3415.59 | 305.45* | ** | |

** INDICATES
MISSING DATA

* INDICATES
COMPUTED FROM
INCOMPLETE DATA

E INDICATES
ESTIMATED VALUE

Green River Basin, Wyoming; Key Structures and Diversions
Description and Operation Memorandum

Overland Ditch, Green River, Diversion Data

OVERLAND DITCH

STATION NO. 006120.00

LATITUDE 0-00-00 LONGITUDE 0-00-00

SECTION 0 TOWNSHIP 0 ,RANGE 0 P.M.

ELEVATION UNKNOWN DRAINAGE AREA UNKNOWN

NONCONTRIBUTING AREA UNKNOWN BASIN UNKNOWN

DATA FROM WATER COMMISSIONERS (P)

| MEAN DAILY FLOW IN CFS BY WATER YEAR | | | | | | | | | | | | | |
|--------------------------------------|-----|-----|-----|-----|-----|-----|-----|---------|---------|----------|-----|------|-----|
| 1976 | | | | | | | | | | | | | |
| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUNE | JULY | AUG | SEPT | DAY |
| 1 | ** | ** | ** | ** | ** | ** | ** | ** | 51.00 | 64.00 | ** | ** | 1 |
| 2 | ** | ** | ** | ** | ** | ** | ** | ** | 53.00 | 64.00 | ** | ** | 2 |
| 3 | ** | ** | ** | ** | ** | ** | ** | ** | 53.00 | 64.00 | ** | ** | 3 |
| 4 | ** | ** | ** | ** | ** | ** | ** | ** | 53.00 | 63.00 | ** | ** | 4 |
| 5 | ** | ** | ** | ** | ** | ** | ** | ** | 53.00 | 63.00 | ** | ** | 5 |
| 6 | ** | ** | ** | ** | ** | ** | ** | 13.00 | 55.00 | 61.00 | ** | ** | 6 |
| 7 | ** | ** | ** | ** | ** | ** | ** | 13.00 | 55.00 | 61.00 | ** | ** | 7 |
| 8 | ** | ** | ** | ** | ** | ** | ** | 13.00 | 55.00 | 59.00 | ** | ** | 8 |
| 9 | ** | ** | ** | ** | ** | ** | ** | 12.00 | 55.00 | 57.00 | ** | ** | 9 |
| 10 | ** | ** | ** | ** | ** | ** | ** | 12.00 | 55.00 | 55.00 | ** | ** | 10 |
| 11 | ** | ** | ** | ** | ** | ** | ** | 11.00 | 55.00 | 53.00 | ** | ** | 11 |
| 12 | ** | ** | ** | ** | ** | ** | ** | 10.00 | 55.00 | 51.00 | ** | ** | 12 |
| 13 | ** | ** | ** | ** | ** | ** | ** | 9.00 | 40.00 | 49.00 | ** | ** | 13 |
| 14 | ** | ** | ** | ** | ** | ** | ** | 9.00 | 40.00 | 47.00 | ** | ** | 14 |
| 15 | ** | ** | ** | ** | ** | ** | ** | 8.00 | 40.00 | 45.00 | ** | ** | 15 |
| 16 | ** | ** | ** | ** | ** | ** | ** | 7.00 | 40.00 | 42.70 | ** | ** | 16 |
| 17 | ** | ** | ** | ** | ** | ** | ** | 6.00 | 40.00 | 43.00 | ** | ** | 17 |
| 18 | ** | ** | ** | ** | ** | ** | ** | 4.00 | 40.00 | 43.00 | ** | ** | 18 |
| 19 | ** | ** | ** | ** | ** | ** | ** | 4.00 | 40.00 | 43.00 | ** | ** | 19 |
| 20 | ** | ** | ** | ** | ** | ** | ** | 3.00 | 45.00 | 44.50 | ** | ** | 20 |
| 21 | ** | ** | ** | ** | ** | ** | ** | 3.00 | 50.00 | 43.00 | ** | ** | 21 |
| 22 | ** | ** | ** | ** | ** | ** | ** | 4.00 | 55.00 | 41.00 | ** | ** | 22 |
| 23 | ** | ** | ** | ** | ** | ** | ** | 5.00 | 55.00 | 39.00 | ** | ** | 23 |
| 24 | ** | ** | ** | ** | ** | ** | ** | 6.00 | 58.00 | 37.00 | ** | ** | 24 |
| 25 | ** | ** | ** | ** | ** | ** | ** | 7.00 | 61.00 | 35.00 | ** | ** | 25 |
| 26 | ** | ** | ** | ** | ** | ** | ** | 42.00 | 64.00 | 33.00 | ** | ** | 26 |
| 27 | ** | ** | ** | ** | ** | ** | ** | 41.90 | 64.00 | 31.00 | ** | ** | 27 |
| 28 | ** | ** | ** | ** | ** | ** | ** | 43.00 | 64.00 | ** | ** | ** | 28 |
| 29 | ** | ** | ** | ** | ** | ** | ** | 45.00 | 64.00 | ** | ** | ** | 29 |
| 30 | ** | ** | ** | ** | ** | ** | ** | 47.00 | 64.00 | ** | ** | ** | 30 |
| 31 | ** | ** | ** | ** | ** | ** | ** | 49.00 | ** | ** | ** | ** | 31 |
| TOTAL | ** | ** | ** | ** | ** | ** | ** | 426.90* | 1572.00 | 1331.20* | ** | ** | |
| MEAN | ** | ** | ** | ** | ** | ** | ** | 16.42* | 52.40 | 49.30* | ** | ** | |
| AC-FT | ** | ** | ** | ** | ** | ** | ** | 846.74* | 3118.01 | 2640.40* | ** | ** | |

** INDICATES
MISSING DATA

* INDICATES
COMPUTED FROM
INCOMPLETE DATA

E INDICATES
ESTIMATED VALUE

Green River Basin, Wyoming; Key Structures and Diversions
Description and Operation Memorandum

Overland Ditch, Green River, Diversion Data

OVERLAND DITCH

STATION NO. 006120.00

LATITUDE 0-00-00 LONGITUDE 0-00-00

SECTION 0 TOWNSHIP 0 ,RANGE 0 P.M.

ELEVATION UNKNOWN DRAINAGE AREA UNKNOWN

NONCONTRIBUTING AREA UNKNOWN BASIN UNKNOWN

DATA FROM WATER COMMISSIONERS (P)

| MEAN DAILY FLOW IN CFS BY WATER YEAR | | | | | | | | | | | | | |
|--------------------------------------|-----|-----|-----|-----|-----|-----|-----|---------|---------|----------|-----|------|-----|
| 1978 | | | | | | | | | | | | | |
| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUNE | JULY | AUG | SEPT | DAY |
| 1 | ** | ** | ** | ** | ** | ** | ** | ** | 46.00 | 63.00 | ** | ** | 1 |
| 2 | ** | ** | ** | ** | ** | ** | ** | ** | 44.00 | 52.00 | ** | ** | 2 |
| 3 | ** | ** | ** | ** | ** | ** | ** | ** | 46.00 | 52.00 | ** | ** | 3 |
| 4 | ** | ** | ** | ** | ** | ** | ** | ** | 48.00 | 52.00 | ** | ** | 4 |
| 5 | ** | ** | ** | ** | ** | ** | ** | ** | 50.00 | 58.00 | ** | ** | 5 |
| 6 | ** | ** | ** | ** | ** | ** | ** | ** | 52.00 | 52.00 | ** | ** | 6 |
| 7 | ** | ** | ** | ** | ** | ** | ** | ** | 54.00 | 52.00 | ** | ** | 7 |
| 8 | ** | ** | ** | ** | ** | ** | ** | ** | 56.00 | 63.00 | ** | ** | 8 |
| 9 | ** | ** | ** | ** | ** | ** | ** | ** | 56.00 | 63.00 | ** | ** | 9 |
| 10 | ** | ** | ** | ** | ** | ** | ** | ** | 56.00 | 61.00 | ** | ** | 10 |
| 11 | ** | ** | ** | ** | ** | ** | ** | ** | 56.00 | 59.00 | ** | ** | 11 |
| 12 | ** | ** | ** | ** | ** | ** | ** | ** | 56.00 | 57.00 | ** | ** | 12 |
| 13 | ** | ** | ** | ** | ** | ** | ** | ** | 56.00 | 54.00 | ** | ** | 13 |
| 14 | ** | ** | ** | ** | ** | ** | ** | ** | 56.00 | 53.00 | ** | ** | 14 |
| 15 | ** | ** | ** | ** | ** | ** | ** | ** | 58.00 | 53.00 | ** | ** | 15 |
| 16 | ** | ** | ** | ** | ** | ** | ** | ** | 59.00 | 53.00 | ** | ** | 16 |
| 17 | ** | ** | ** | ** | ** | ** | ** | ** | 59.00 | 52.00 | ** | ** | 17 |
| 18 | ** | ** | ** | ** | ** | ** | ** | ** | 59.00 | 51.00 | ** | ** | 18 |
| 19 | ** | ** | ** | ** | ** | ** | ** | ** | 59.00 | 50.00 | ** | ** | 19 |
| 20 | ** | ** | ** | ** | ** | ** | ** | 25.00 | 59.00 | 49.00 | ** | ** | 20 |
| 21 | ** | ** | ** | ** | ** | ** | ** | 27.00 | 59.00 | 49.00 | ** | ** | 21 |
| 22 | ** | ** | ** | ** | ** | ** | ** | 30.00 | 59.00 | 48.00 | ** | ** | 22 |
| 23 | ** | ** | ** | ** | ** | ** | ** | 35.00 | 59.00 | 48.00 | ** | ** | 23 |
| 24 | ** | ** | ** | ** | ** | ** | ** | 40.00 | 63.00 | 47.00 | ** | ** | 24 |
| 25 | ** | ** | ** | ** | ** | ** | ** | 40.00 | 63.00 | 45.00 | ** | ** | 25 |
| 26 | ** | ** | ** | ** | ** | ** | ** | 42.00 | 63.00 | 43.00 | ** | ** | 26 |
| 27 | ** | ** | ** | ** | ** | ** | ** | 44.00 | 63.00 | ** | ** | ** | 27 |
| 28 | ** | ** | ** | ** | ** | ** | ** | 46.00 | 63.00 | ** | ** | ** | 28 |
| 29 | ** | ** | ** | ** | | ** | ** | 48.00 | 63.00 | ** | ** | ** | 29 |
| 30 | ** | ** | ** | ** | | ** | ** | 50.00 | 63.00 | ** | ** | ** | 30 |
| 31 | ** | | ** | ** | | ** | | 48.00 | | ** | ** | | 31 |
| TOTAL | ** | ** | ** | ** | ** | ** | ** | 475.00* | 1703.00 | 1379.00* | ** | ** | |
| MEAN | ** | ** | ** | ** | ** | ** | ** | 39.58* | 56.77 | 53.04* | ** | ** | |
| AC-FT | ** | ** | ** | ** | ** | ** | ** | 942.15* | 3377.85 | 2735.21* | ** | ** | |

** INDICATES
MISSING DATA

* INDICATES
COMPUTED FROM
INCOMPLETE DATA

E INDICATES
ESTIMATED VALUE

Green River Basin, Wyoming; Key Structures and Diversions
Description and Operation Memorandum

Paradise Canal, West Fork New Fork River

Diversion Description: Information not available at time of report.

Diversion Location:

Source: West Fork New Fork River, Trib. New Fork River, Trib. Green River

Section, Township, Range: 1, 32, 109

Conveyance Description: Open Channel Canal.

Wyoming Water Rights Summary:

| Priority Date (M-D-Y) | Permit Number | Permitted Use | Acres | Flow (cfs) | Cumulative Flow (cfs) | Comments |
|--------------------------|------------------|-----------------------------------|----------|---------------|--------------------------|----------|
| 09-30-1952 | 21100 | Domestic, Irrigation, Stock | 1,705.00 | 24.36 | 24.36 | |
| 06-22-1954 | 5801E | Irrigation | 72.00 | 1.04 | 25.40 | |
| 11-19-1974 | 6562E | Irrigation, Stock | 16.00 | 0.28 | 25.68 | |
| 11-19-1974 | 6564E | Irrigation | 145.00 | 2.07 | 27.75 | |
| 11-19-1974 | 6572E | Irrigation, Stock | 80.00 | 1.19 | 28.94 | |

Storage Rights: None.

Estimated Canal Losses: Information not available at time of report.

Irrigation Practices: Information not available at time of report.

Crop Types / Consumptive Use: Information not available at time of report.

Return Flows: Approximately 40% of the return flows are delivered to West Fork New Fork River near New Fork, approximately 40% to New Fork River near Bertram Ditch, and approximately 20% to New Fork River near Big Piney.¹

Other Operational Information: Information not available at time of report.

| |
|---|
| <p>Sources: 1) Williams, Linda I., "A Model of the Green River Using the Wyoming Integrated River System Operation Study (WIRSOS)," M.S. Thesis, University of Wyoming, Department of Civil Engineering, December 1995.</p> |
|---|

Green River Basin, Wyoming; Key Structures and Diversions
Description and Operation Memorandum

Paradise Canal, West Fork New Fork River, Diversion Data

| Wateryear | May | | June | | July | | August | | September | |
|-----------|---------------|--------------------|---------------|--------------------|---------------|--------------------|---------------|--------------------|---------------|--------------------|
| | Average (cfs) | Monthly Total (AF) | Average (cfs) | Monthly Total (AF) | Average (cfs) | Monthly Total (AF) | Average (cfs) | Monthly Total (AF) | Average (cfs) | Monthly Total (AF) |
| 1975 | <i>38.53</i> | <i>2,368.90</i> | <i>88.13</i> | <i>5,244.29</i> | <i>72.30</i> | <i>4,445.75</i> | <i>56.78</i> | <i>3,491.10</i> | <i>30.88</i> | <i>1,837.70</i> |
| 1976 | <i>13.96</i> | <i>858.21</i> | <i>85.60</i> | <i>5,093.47</i> | <i>73.95</i> | <i>4,546.91</i> | <i>49.95</i> | <i>3,071.40</i> | <i>34.17</i> | <i>2,033.10</i> |
| 1978 | | | <i>73.27</i> | <i>4,359.67</i> | <i>67.16</i> | <i>4,129.58</i> | <i>57.84</i> | <i>3,556.40</i> | <i>31.47</i> | <i>1,872.40</i> |
| 1980 | <i>15.07</i> | <i>926.62</i> | <i>75.01</i> | <i>4,463.40</i> | <i>99.23</i> | <i>6,101.41</i> | <i>75.50</i> | <i>4,642.31</i> | <i>39.57</i> | <i>2,354.58</i> |
| 1981 | <i>34.27</i> | <i>2,107.18</i> | <i>112.10</i> | <i>6,670.41</i> | <i>101.72</i> | <i>6,254.52</i> | <i>55.30</i> | <i>3,400.26</i> | <i>38.00</i> | <i>2,261.16</i> |
| 1982 | | | <i>100.78</i> | <i>5,996.83</i> | <i>88.06</i> | <i>5,414.60</i> | <i>34.47</i> | <i>2,119.48</i> | <i>34.28</i> | <i>2,039.80</i> |
| 1983 | | | <i>81.08</i> | <i>4,824.60</i> | <i>66.79</i> | <i>4,106.76</i> | <i>21.76</i> | <i>1,337.97</i> | | |
| 1984 | | | <i>55.95</i> | <i>3,329.26</i> | <i>60.06</i> | <i>3,692.95</i> | <i>33.34</i> | <i>2,050.00</i> | | |
| 1985 | <i>36.59</i> | <i>2,249.83</i> | <i>77.59</i> | <i>4,616.93</i> | <i>36.73</i> | <i>2,258.44</i> | <i>19.73</i> | <i>1,213.15</i> | | |
| 1986 | | | | | | | | | | |
| 1987 | <i>50.81</i> | <i>3,123.97</i> | <i>61.11</i> | <i>3,636.30</i> | | | | | | |
| 1988 | | | | | | | | | | |
| 1989 | | | | | <i>40.73</i> | <i>2,504.13</i> | <i>14.53</i> | <i>893.55</i> | | |
| 1990 | | | | | | | | | | |
| 1991 | | | | | | | | | | |
| 1992 | | | | | | | | | | |
| 1993 | | | | | | | | | | |
| 1994 | | | | | | | <i>22.23</i> | <i>1,366.87</i> | | |
| 1995 | | | | | | | | | | |
| 1996 | | | | | <i>67.69</i> | <i>4,162.10</i> | <i>59.66</i> | <i>3,668.35</i> | <i>26.62</i> | <i>1,584.00</i> |
| 1997 | <i>43.72</i> | <i>2,688.24</i> | <i>88.24</i> | <i>5,250.64</i> | <i>73.14</i> | <i>4,497.20</i> | <i>48.72</i> | <i>2,995.68</i> | <i>26.76</i> | <i>1,592.33</i> |
| 1998 | <i>31.22</i> | <i>1,919.64</i> | <i>79.78</i> | <i>4,747.24</i> | <i>68.35</i> | <i>4,202.68</i> | <i>39.27</i> | <i>2,414.62</i> | <i>27.02</i> | <i>1,607.80</i> |

| | | | | | | | | | | |
|-----------|-------|----------|-------|----------|-------|----------|-------|----------|-------|----------|
| Averages: | 33.02 | 2,030.32 | 81.55 | 4,852.75 | 70.45 | 4,332.08 | 42.08 | 2,587.22 | 32.09 | 1,909.21 |
|-----------|-------|----------|-------|----------|-------|----------|-------|----------|-------|----------|

Data in italics from USGS gaging station 006020.00, see attached data sheets.

Blank cells are due to missing/insufficient data.

Average = Average Flow for ENTIRE month. Monthly Total = Total Volume used during month.

See Methodology section for explanations.

Spot data readings used in calculating averages in table on following pages.

Green River Basin, Wyoming; Key Structures and Diversions
Description and Operation Memorandum

Paradise Canal, West Fork New Fork River, Diversion Data

Data:

1980: 5/15, 25 cfs; 5/27, 27 cfs; 6/4, 40 cfs; 6/10, 69 cfs; 6/18, 80 cfs; 6/27, 100 cfs; 7/9, 107 cfs; 7/15, 107 cfs; 7/29, 85 cfs; 8/21, 74 cfs; 9/22, 48 cfs.
1981: 5/15, 44 cfs; 6/1, 81 cfs; 6/9, 120 cfs; 6/25, 114 cfs; 7/7, 116 Cfs; 7/20, 101 cfs; 8/4, 64 cfs; 8/11, 58 cfs; 8/27, 48 cfs; 9/28, 38 cfs.
1982: 5/24, 20 cfs (est); 6/2, 40 cfs; 6/7, 81 cfs; 6/18, 125 cfs; 6/28, 115cfs; 7/9, 125 cfs; 7/16, 120 cfs; 7/23, 43 cfs; 8/5, 25 cfs; 8/27, 43 cfs; 10/5, 26 cfs.
1983: 5/24, off; 6/1, 10 cfs (est); 6/3, 50 cfs; 6/7, 50 cfs; 6/19, 95 cfs; 6/24, 125 cfs; 7/5, 70 cfs; 7/11, 88 cfs; 7;1 9, 65 cfs; 7/27, 50 cfs; 8/22, 20 cfs.
1984: 5/17, off; 6/1, 72; 6/9, 53 cfs; 6/12, 47 cfs; 6/27, 57 cfs; 7/6, 80 cfs; 7/20, 55 cfs; 7/30, 39 cfs; 8/24, 50 cfs.
1985: 5/13, 45.1 cfs; 6/7, 83.5 cfs; 6/27, 74.0 cfs; 7/18, 30.0 cfs; 7/30, 17.5 cfs; 8/6, 38.0 cfs; 8/13, 34.5 cfs; 8/21, 4.5 cfs; 8/27, 3 cfs; 9/5, 11 cfs; 10/25, off.
1986: 6/17, 128.8 cfs; 9/2, 17 cfs.
1987: 5/11, 79 cfs; 6/1, 71 cfs; 7/13, 43.3 cfs; 8/26, 39 cfs.
1989: 4/14, 12.5 cfs; 7/7, 70 cfs; 8/1, 31 cfs; 8/18, 22 cfs.
1990: 7/13, 42.8 cfs.
1994: 5/13, off; 7/29, 48.20 cfs; 8/15, 15.40 cfs; 9/7, 19.00 cfs.
1996: 5/2, 10.0 cfs (est); 7/1, 100 cfs (est); 7/15, 65 cfs (est); 8/1, 46 cfs (est); 8/15, 70.0 cfs (est); 9/20, 32 cfs (est).
1997-1998: Data Recorder Installed. See Attached Sheets.

Supply: 1980, below average; 1981, slightly below average; 1982, average (late peak); 1983, above average; 1984, above average; 1985, below average; 1986, average to slightly above average; 1988: very below average; 1989, below average; 1990, below average; 1991, slightly below average; 1992, below average; 1993, average; 1994, below average; 1995, average to above average; 1996, average; 1997, average; 1998, average to above average.

Source: State Engineer's Office, Annual Hydrographers' Reports.

Green River Basin, Wyoming; Key Structures and Diversions
Description and Operation Memorandum

Paradise Canal, West Fork New Fork River, Diversion Data

| | 1997 | | | | |
|---------------|----------|----------|----------|----------|--------|
| | May | June | July | Aug. | Sept. |
| 1 | | 76.0 | 97.9 | 65.7 | 30.0 |
| 2 | | 79.7 | 99.1 | 64.9 | 30.0 |
| 3 | | 71.5 | 96.7 | 64.9 | 30.0 |
| 4 | | 77.8 | 88.9 | 61.9 | 29.6 |
| 5 | | 82.7 | 89.9 | 66.5 | 29.3 |
| 6 | | 86.8 | 81.7 | 64.9 | 28.6 |
| 7 | 9.0 | 81.7 | 97.9 | 63.4 | 28.6 |
| 8 | 9.2 | 85.7 | 109 | 63.4 | 28.6 |
| 9 | 9.4 | 85.7 | 132 | 62.6 | 28.2 |
| 10 | 9.6 | 86.8 | 100 | 64.2 | 27.9 |
| 11 | 9.2 | 97.9 | 62.6 | 64.2 | 29.5 |
| 12 | 10.6 | 83.7 | 64.9 | 54.2 | 31.9 |
| 13 | 11.3 | 85.7 | 69.0 | 50.4 | 30.4 |
| 14 | 10.6 | 82.7 | 64.2 | 45.8 | 28.9 |
| 15 | 11.6 | 82.7 | 62.6 | 46.3 | 28.2 |
| 16 | 21.1 | 80.7 | 61.9 | 44.7 | 29.3 |
| 17 | 37.3 | 79.7 | 64.2 | 44.1 | 28.6 |
| 18 | 31.1 | 78.8 | 61.1 | 43.6 | 28.2 |
| 19 | 49.8 | 81.7 | 76.9 | 43.1 | 27.9 |
| 20 | 62.6 | 85.7 | 74.2 | 42.1 | 21.7 |
| 21 | 69.0 | 88.9 | 64.9 | 41.6 | 22.5 |
| 22 | 74.2 | 86.8 | 61.1 | 42.1 | 23.9 |
| 23 | 77.8 | 89.9 | 63.4 | 43.6 | 23.3 |
| 24 | 72.4 | 109 | 64.9 | 38.6 | 23.0 |
| 25 | 70.7 | 108 | 62.6 | 33.4 | 23.0 |
| 26 | 68.1 | 107 | 49.8 | 33.0 | 23.0 |
| 27 | 64.2 | 103 | 50.4 | 31.9 | 22.7 |
| 28 | 72.4 | 103 | 49.2 | 32.6 | 22.5 |
| 29 | 75.1 | 100 | 49.2 | 31.5 | 22.2 |
| 30 | 77.8 | 97.9 | 48.6 | 30.7 | 21.4 |
| 31 | 78.8 | | 48.6 | 30.4 | |
| CFS days | 1,092.90 | 2,647.20 | 2,267.40 | 1,510.30 | 802.90 |
| Average (cfs) | 35.25 | 88.24 | 73.14 | 48.72 | 26.76 |
| | 1998 | | | | |

Green River Basin, Wyoming; Key Structures and Diversions
Description and Operation Memorandum

Paradise Canal, West Fork New Fork River, Diversion Data

| | May | June | July | Aug. | Sept. |
|---------------|--------|----------|----------|----------|--------|
| 1 | 1.0 | 78.9 | 81.2 | 38.3 | 37.5 |
| 2 | 1.0 | 87.0 | 81.4 | 37.9 | 35.3 |
| 3 | 1.0 | 87.0 | 81.6 | 37.9 | 34.2 |
| 4 | 4.2 | 67.2 | 81.6 | 32.4 | 32.1 |
| 5 | 16.5 | 54.7 | 78.3 | 26.6 | 30.7 |
| 6 | 17.0 | 77.0 | 87.0 | 37.5 | 29.7 |
| 7 | 7.4 | 77.0 | 84.9 | 44.9 | 29.4 |
| 8 | 6.7 | 73.2 | 88.4 | 44.5 | 28.1 |
| 9 | 12.5 | 74.4 | 81.6 | 42.7 | 28.1 |
| 10 | 11.7 | 71.4 | 73.8 | 41.5 | 28.4 |
| 11 | 11.7 | 78.9 | 73.8 | 41.1 | 27.8 |
| 12 | 14.0 | 77.6 | 73.8 | 39.9 | 27.2 |
| 13 | 20.3 | 75.1 | 72.0 | 39.1 | 28.1 |
| 14 | 19.5 | 76.3 | 71.4 | 38.7 | 27.8 |
| 15 | 19.5 | 80.9 | 69.6 | 38.7 | 26.0 |
| 16 | 19.0 | 89.8 | 68.4 | 38.3 | 25.4 |
| 17 | 19.0 | 91.3 | 66.6 | 40.7 | 25.1 |
| 18 | 19.0 | 89.1 | 68.4 | 45.3 | 24.2 |
| 19 | 20.3 | 82.2 | 72.6 | 44.9 | 24.0 |
| 20 | 36.4 | 78.3 | 70.2 | 42.3 | 23.7 |
| 21 | 37.5 | 77.0 | 69.0 | 39.9 | 24.0 |
| 22 | 37.5 | 75.7 | 65.5 | 35.3 | 24.2 |
| 23 | 37.5 | 82.9 | 63.2 | 30.0 | 24.2 |
| 24 | 37.5 | 93.5 | 63.8 | 34.9 | 24.0 |
| 25 | 42.3 | 90.6 | 63.8 | 39.1 | 24.0 |
| 26 | 71.4 | 82.9 | 60.5 | 42.7 | 24.0 |
| 27 | 76.3 | 80.9 | 43.6 | 41.9 | 23.7 |
| 28 | 81.6 | 80.9 | 41.9 | 41.1 | 23.5 |
| 29 | 82.9 | 80.9 | 41.1 | 41.1 | 23.3 |
| 30 | 96.4 | 80.9 | 40.7 | 39.9 | 23.0 |
| 31 | 89.1 | | 39.1 | 39.3 | |
| CFS days | 967.70 | 2,393.50 | 2,118.80 | 1,218.40 | 810.70 |
| Average (cfs) | 31.22 | 79.78 | 68.35 | 39.30 | 27.02 |

Green River Basin, Wyoming; Key Structures and Diversions
Description and Operation Memorandum

Paradise Canal, West Fork New Fork River, Diversion Data

PARADISE CANAL 2.5 MILES BELOW HEADGATE

STATION NO. 006020.00

LATITUDE 42-44-35 LONGITUDE 109-44-32

SE1/4NE1/4NW1/4 SECTION 17 TOWNSHIP 32 N,RANGE 108 W 6TH P.M.

ELEVATION 7000.00 FT DRAINAGE AREA UNKNOWN

NONCONTRIBUTING AREA UNKNOWN BASIN 15570000

SUBLETTE COUNTY

DATA FROM WATER COMMISSIONERS

(P)

| MEAN DAILY FLOW IN CFS BY WATER YEAR | | | | | | | | | | | | | |
|--------------------------------------|-----|-----|-----|-----|-----|-----|-----|---------|---------|---------|---------|---------|-----|
| 1974 | | | | | | | | | | | | | |
| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUNE | JULY | AUG | SEPT | DAY |
| 1 | ** | ** | ** | ** | ** | ** | ** | 15.00 | 80.00 | 87.00 | 69.00 | 40.00 | 1 |
| 2 | ** | ** | ** | ** | ** | ** | ** | 15.00 | 81.00 | 86.00 | 69.00 | 40.00 | 2 |
| 3 | ** | ** | ** | ** | ** | ** | ** | 15.00 | 82.00 | 85.00 | 68.00 | 39.00 | 3 |
| 4 | ** | ** | ** | ** | ** | ** | ** | 15.00 | 84.00 | 84.00 | 68.00 | 39.00 | 4 |
| 5 | ** | ** | ** | ** | ** | ** | ** | 15.00 | 86.00 | 83.00 | 67.10 | 38.00 | 5 |
| 6 | ** | ** | ** | ** | ** | ** | ** | 15.20 | 87.00 | 82.00 | 67.00 | 38.00 | 6 |
| 7 | ** | ** | ** | ** | ** | ** | ** | 21.50 | 89.00 | 81.00 | 67.00 | 38.00 | 7 |
| 8 | ** | ** | ** | ** | ** | ** | ** | 27.50 | 90.00 | 80.00 | 66.00 | 38.00 | 8 |
| 9 | ** | ** | ** | ** | ** | ** | ** | 33.00 | 90.00 | 79.00 | 66.00 | 37.00 | 9 |
| 10 | ** | ** | ** | ** | ** | ** | ** | 39.00 | 90.00 | 78.00 | 65.00 | 37.00 | 10 |
| 11 | ** | ** | ** | ** | ** | ** | ** | 39.50 | 90.00 | 77.00 | 64.00 | 36.00 | 11 |
| 12 | ** | ** | ** | ** | ** | ** | ** | 39.50 | 90.00 | 76.00 | 63.00 | 35.00 | 12 |
| 13 | ** | ** | ** | ** | ** | ** | ** | 39.50 | 90.00 | 75.00 | 62.00 | 34.00 | 13 |
| 14 | ** | ** | ** | ** | ** | ** | ** | 39.50 | 90.00 | 74.00 | 61.00 | 33.00 | 14 |
| 15 | ** | ** | ** | ** | ** | ** | ** | 39.50 | 90.00 | 73.00 | 60.00 | 32.00 | 15 |
| 16 | ** | ** | ** | ** | ** | ** | ** | 39.50 | 90.00 | 72.00 | 59.00 | 31.00 | 16 |
| 17 | ** | ** | ** | ** | ** | ** | ** | 39.80 | 90.00 | 72.00 | 59.00 | 30.00 | 17 |
| 18 | ** | ** | ** | ** | ** | ** | ** | 40.00 | 90.00 | 71.00 | 58.00 | 29.00 | 18 |
| 19 | ** | ** | ** | ** | ** | ** | ** | 41.50 | 90.00 | 70.00 | 57.00 | 29.00 | 19 |
| 20 | ** | ** | ** | ** | ** | ** | ** | 41.70 | 90.00 | 69.00 | 55.00 | 28.00 | 20 |
| 21 | ** | ** | ** | ** | ** | ** | ** | 42.50 | 90.00 | 68.00 | 53.00 | 27.00 | 21 |
| 22 | ** | ** | ** | ** | ** | ** | ** | 43.00 | 89.00 | 66.00 | 51.00 | 26.00 | 22 |
| 23 | ** | ** | ** | ** | ** | ** | ** | 43.00 | 89.00 | 65.00 | 49.00 | 25.00 | 23 |
| 24 | ** | ** | ** | ** | ** | ** | ** | 43.00 | 89.00 | 64.00 | 47.00 | 24.00 | 24 |
| 25 | ** | ** | ** | ** | ** | ** | ** | 44.00 | 88.00 | 63.00 | 45.00 | 23.00 | 25 |
| 26 | ** | ** | ** | ** | ** | ** | ** | 45.50 | 88.00 | 62.00 | 43.00 | 22.00 | 26 |
| 27 | ** | ** | ** | ** | ** | ** | ** | 49.00 | 88.00 | 61.40 | 41.00 | 21.50 | 27 |
| 28 | ** | ** | ** | ** | ** | ** | ** | 49.00 | 88.00 | 61.00 | 41.00 | 20.00 | 28 |
| 29 | ** | ** | ** | ** | | ** | ** | 64.50 | 88.00 | 60.00 | 40.00 | 19.00 | 29 |
| 30 | ** | ** | ** | ** | | ** | ** | 79.60 | 88.00 | 59.00 | 40.00 | 18.00 | 30 |
| 31 | ** | | ** | ** | | ** | | 80.00 | | 58.00 | 40.00 | | 31 |
| TOTAL | ** | ** | ** | ** | ** | ** | ** | 1194.30 | 2644.00 | 2241.40 | 1760.10 | 926.50 | |
| MEAN | ** | ** | ** | ** | ** | ** | ** | 38.53 | 88.13 | 72.30 | 56.78 | 30.88 | |
| AC-FT | ** | ** | ** | ** | ** | ** | ** | 2368.86 | 5244.29 | 4445.75 | 3491.11 | 1837.68 | |

** INDICATES
MISSING DATA

* INDICATES
COMPUTED FROM
INCOMPLETE DATA

E INDICATES
ESTIMATED VALUE

Green River Basin, Wyoming; Key Structures and Diversions
Description and Operation Memorandum

Paradise Canal, West Fork New Fork River, Diversion Data

PARADISE CANAL 2.5 MILES BELOW HEADGATE

STATION NO. 006020.00

LATITUDE 42-44-35 LONGITUDE 109-44-32

SE1/4NE1/4NW1/4 SECTION 17 TOWNSHIP 32 N,RANGE 108 W 6TH P.M.

ELEVATION 7000.00 FT DRAINAGE AREA UNKNOWN

NONCONTRIBUTING AREA UNKNOWN BASIN 15570000

SUBLETTE COUNTY

DATA FROM WATER COMMISSIONERS

(P)

| MEAN DAILY FLOW IN CFS BY WATER YEAR | | | | | | | | | | | | | |
|--------------------------------------|-----|-----|-----|-----|-----|-----|-----|---------|----------|---------|---------|---------|-----|
| 1976 | | | | | | | | | | | | | |
| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUNE | JULY | AUG | SEPT | DAY |
| 1 | ** | ** | ** | ** | ** | ** | ** | ** | 68.00 | 92.00 | 56.00 | 40.00 | 1 |
| 2 | ** | ** | ** | ** | ** | ** | ** | ** | 74.00 | 95.00 | 52.00 | 39.00 | 2 |
| 3 | ** | ** | ** | ** | ** | ** | ** | ** | 78.00 | 95.00 | 48.00 | 38.50 | 3 |
| 4 | ** | ** | ** | ** | ** | ** | ** | ** | ** | 91.00 | 44.00 | 38.00 | 4 |
| 5 | ** | ** | ** | ** | ** | ** | ** | ** | 83.96 | 88.00 | 40.00 | 37.00 | 5 |
| 6 | ** | ** | ** | ** | ** | ** | ** | ** | 85.00 | 85.00 | 36.00 | 37.00 | 6 |
| 7 | ** | ** | ** | ** | ** | ** | ** | ** | 87.00 | 82.00 | 36.00 | 36.00 | 7 |
| 8 | ** | ** | ** | ** | ** | ** | ** | ** | 90.00 | 80.00 | 36.00 | 35.50 | 8 |
| 9 | ** | ** | ** | ** | ** | ** | ** | ** | 90.00 | 80.00 | 36.00 | 35.00 | 9 |
| 10 | ** | ** | ** | ** | ** | ** | ** | ** | 90.00 | 79.00 | 36.00 | 35.00 | 10 |
| 11 | ** | ** | ** | ** | ** | ** | ** | ** | 90.00 | 78.00 | 61.50 | 34.00 | 11 |
| 12 | ** | ** | ** | ** | ** | ** | ** | ** | 90.00 | 77.00 | 61.00 | 33.00 | 12 |
| 13 | ** | ** | ** | ** | ** | ** | ** | ** | 85.00 | 76.00 | 61.00 | 33.00 | 13 |
| 14 | ** | ** | ** | ** | ** | ** | ** | ** | 80.00 | 75.00 | 61.00 | 32.00 | 14 |
| 15 | ** | ** | ** | ** | ** | ** | ** | ** | 75.00 | 74.00 | 61.00 | 31.00 | 15 |
| 16 | ** | ** | ** | ** | ** | ** | ** | 8.00 | 80.00 | 73.00 | 60.00 | 30.00 | 16 |
| 17 | ** | ** | ** | ** | ** | ** | ** | 8.25 | 85.00 | 72.00 | 60.00 | 30.00 | 17 |
| 18 | ** | ** | ** | ** | ** | ** | ** | 9.00 | 90.00 | 69.00 | 59.00 | 31.00 | 18 |
| 19 | ** | ** | ** | ** | ** | ** | ** | 9.00 | 95.00 | 67.00 | 58.00 | 31.00 | 19 |
| 20 | ** | ** | ** | ** | ** | ** | ** | 10.00 | 96.00 | 64.40 | 57.00 | 32.00 | 20 |
| 21 | ** | ** | ** | ** | ** | ** | ** | 12.00 | 97.00 | 64.00 | 56.00 | 32.00 | 21 |
| 22 | ** | ** | ** | ** | ** | ** | ** | 14.00 | 98.00 | 64.00 | 55.00 | 33.00 | 22 |
| 23 | ** | ** | ** | ** | ** | ** | ** | 18.00 | 99.00 | 64.00 | 54.00 | 34.00 | 23 |
| 24 | ** | ** | ** | ** | ** | ** | ** | 22.00 | 100.00 | 64.00 | 52.00 | 35.00 | 24 |
| 25 | ** | ** | ** | ** | ** | ** | ** | 28.00 | 100.00 | 64.00 | 50.00 | 35.00 | 25 |
| 26 | ** | ** | ** | ** | ** | ** | ** | 34.43 | 98.00 | 64.00 | 48.00 | 35.00 | 26 |
| 27 | ** | ** | ** | ** | ** | ** | ** | 40.00 | 95.00 | 64.00 | 46.00 | 34.00 | 27 |
| 28 | ** | ** | ** | ** | ** | ** | ** | 46.00 | 91.00 | 64.00 | 44.00 | 34.00 | 28 |
| 29 | ** | ** | ** | ** | ** | ** | ** | 52.00 | 88.00 | 64.00 | 42.00 | 33.00 | 29 |
| 30 | ** | ** | ** | ** | | ** | ** | 58.00 | 90.00 | 64.00 | 42.00 | 32.00 | 30 |
| 31 | ** | | ** | ** | | ** | | 64.00 | | 60.00 | 40.00 | | 31 |
| TOTAL | ** | ** | ** | ** | ** | ** | ** | 432.68* | 2567.96* | 2292.40 | 1548.50 | 1025.00 | |
| MEAN | ** | ** | ** | ** | ** | ** | ** | 27.04* | 88.55* | 73.95 | 49.95 | 34.17 | |
| AC-FT | ** | ** | ** | ** | ** | ** | ** | 858.21* | 5093.47* | 4546.91 | 3071.40 | 2033.06 | |

** INDICATES
MISSING DATA

* INDICATES
COMPUTED FROM
INCOMPLETE DATA

E INDICATES
ESTIMATED VALUE

Green River Basin, Wyoming; Key Structures and Diversions
Description and Operation Memorandum

Paradise Canal, West Fork New Fork River, Diversion Data

PARADISE CANAL 2.5 MILES BELOW HEADGATE

STATION NO. 006020.00

LATITUDE 42-44-35 LONGITUDE 109-44-32

SE1/4NE1/4NW1/4 SECTION 17 TOWNSHIP 32 N,RANGE 108 W 6TH P.M.

ELEVATION 7000.00 FT DRAINAGE AREA UNKNOWN

NONCONTRIBUTING AREA UNKNOWN BASIN 15570000

SUBLETTE COUNTY

DATA FROM WATER COMMISSIONERS

(P)

| MEAN DAILY FLOW IN CFS BY WATER YEAR | | | | | | | | | | | | | |
|--------------------------------------|-----|-----|-----|-----|-----|-----|-----|----------|---------|---------|---------|---------|-----|
| 1978 | | | | | | | | | | | | | |
| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUNE | JULY | AUG | SEPT | DAY |
| 1 | ** | ** | ** | ** | ** | ** | ** | ** | 72.00 | 76.00 | 72.00 | 38.00 | 1 |
| 2 | ** | ** | ** | ** | ** | ** | ** | ** | 72.00 | 76.00 | 72.00 | 38.00 | 2 |
| 3 | ** | ** | ** | ** | ** | ** | ** | ** | 72.00 | 76.00 | 71.00 | 38.00 | 3 |
| 4 | ** | ** | ** | ** | ** | ** | ** | ** | 72.00 | 75.00 | 70.00 | 37.00 | 4 |
| 5 | ** | ** | ** | ** | ** | ** | ** | ** | 72.00 | 75.00 | 69.00 | 37.00 | 5 |
| 6 | ** | ** | ** | ** | ** | ** | ** | ** | 72.00 | 74.00 | 67.00 | 37.00 | 6 |
| 7 | ** | ** | ** | ** | ** | ** | ** | ** | 72.00 | 74.00 | 65.00 | 36.00 | 7 |
| 8 | ** | ** | ** | ** | ** | ** | ** | ** | 72.00 | 73.00 | 63.00 | 36.00 | 8 |
| 9 | ** | ** | ** | ** | ** | ** | ** | ** | 72.00 | 73.00 | 61.00 | 36.00 | 9 |
| 10 | ** | ** | ** | ** | ** | ** | ** | ** | 72.00 | 72.00 | 59.00 | 36.00 | 10 |
| 11 | ** | ** | ** | ** | ** | ** | ** | ** | 72.00 | 72.00 | 57.00 | 36.00 | 11 |
| 12 | ** | ** | ** | ** | ** | ** | ** | ** | 72.00 | 71.00 | 55.00 | 36.00 | 12 |
| 13 | ** | ** | ** | ** | ** | ** | ** | ** | 72.00 | 71.00 | 53.00 | 36.00 | 13 |
| 14 | ** | ** | ** | ** | ** | ** | ** | ** | 72.00 | 70.00 | 51.00 | 36.00 | 14 |
| 15 | ** | ** | ** | ** | ** | ** | ** | ** | 72.00 | 69.00 | 68.00 | 35.00 | 15 |
| 16 | ** | ** | ** | ** | ** | ** | ** | ** | 72.00 | 68.00 | 66.00 | 35.00 | 16 |
| 17 | ** | ** | ** | ** | ** | ** | ** | ** | 72.00 | 67.00 | 64.00 | 35.00 | 17 |
| 18 | ** | ** | ** | ** | ** | ** | ** | 25.00 | 72.00 | 66.00 | 62.00 | 34.00 | 18 |
| 19 | ** | ** | ** | ** | ** | ** | ** | 25.00 | 72.00 | 65.00 | 60.00 | 34.00 | 19 |
| 20 | ** | ** | ** | ** | ** | ** | ** | 35.00 | 73.00 | 64.00 | 58.00 | 34.00 | 20 |
| 21 | ** | ** | ** | ** | ** | ** | ** | 35.00 | 74.00 | 63.00 | 56.00 | 34.00 | 21 |
| 22 | ** | ** | ** | ** | ** | ** | ** | 50.00 | 75.00 | 62.00 | 54.00 | 34.00 | 22 |
| 23 | ** | ** | ** | ** | ** | ** | ** | 50.00 | 76.00 | 62.00 | 53.00 | 34.00 | 23 |
| 24 | ** | ** | ** | ** | ** | ** | ** | 70.00 | 76.00 | 61.00 | 52.00 | 32.00 | 24 |
| 25 | ** | ** | ** | ** | ** | ** | ** | 72.00 | 76.00 | 61.00 | 51.00 | 30.00 | 25 |
| 26 | ** | ** | ** | ** | ** | ** | ** | 72.00 | 76.00 | 60.00 | 49.00 | 28.00 | 26 |
| 27 | ** | ** | ** | ** | ** | ** | ** | 72.00 | 76.00 | 59.00 | 47.00 | 8.00 | 27 |
| 28 | ** | ** | ** | ** | ** | ** | ** | 72.00 | 76.00 | 58.00 | 45.00 | 8.00 | 28 |
| 29 | ** | ** | ** | ** | | ** | ** | 72.00 | 76.00 | 57.00 | 43.00 | 8.00 | 29 |
| 30 | ** | ** | ** | ** | | ** | ** | 72.00 | 76.00 | 56.00 | 41.00 | 8.00 | 30 |
| 31 | ** | | ** | ** | | ** | | 72.00 | | 56.00 | 39.00 | | 31 |
| TOTAL | ** | ** | ** | ** | ** | ** | ** | 794.00* | 2198.00 | 2082.00 | 1793.00 | 944.00 | |
| MEAN | ** | ** | ** | ** | ** | ** | ** | 56.71* | 73.27 | 67.16 | 57.84 | 31.47 | |
| AC-FT | ** | ** | ** | ** | ** | ** | ** | 1574.88* | 4359.67 | 4129.58 | 3556.36 | 1872.40 | |

** INDICATES
MISSING DATA

* INDICATES
COMPUTED FROM
INCOMPLETE DATA

E INDICATES
ESTIMATED VALUE

Source: Wyoming Water Resources Data System, March 20, 2000.

Green River Basin, Wyoming; Key Structures and Diversions
Description and Operation Memorandum

Pole Creek Number 2 Ditch, East Fork New Fork River

Diversion Description: Diversion consists of three 36” slide gates mounted on sections of CMP culvert.¹

Diversion Location:

Source: East Fork New Fork River, Trib. New Fork River, Trib. Green River
Section, Township, Range: 4, 33,108

Conveyance Description: Open Channel Canal, approximately 3 miles in length.¹

Wyoming Water Rights Summary:

| Priority Date (M-D-Y) | Permit Number | Permitted Use | Acres | Flow (cfs) | Cumulative Flow (cfs) | Comments |
|-----------------------|---------------|-----------------------------|----------|------------|-----------------------|----------|
| 06-10-1899 | 2161 | Irrigation | 1,586.00 | 22.65 | 22.65 | |
| 05-21-1908 | 1875E | Domestic, Irrigation, Stock | 234.00 | 3.33 | 25.98 | |

Storage Rights: None.

Estimated Canal Losses: Greater than typical losses (25%) are experienced due to the presence of cobbles in the soil.¹

Irrigation Practices: Lands are flood irrigated.¹

Crop Types / Consumptive Use: Lands are native grass hay and pasture.¹

Return Flows: Return flows are delivered to East Fork River at Muddy Creek.²

Other Operational Information: The canal is typically turned on the first of May and off in mid-July.¹

Sources: 1) Loren Smith, Wyoming State Engineer’s Office, Interview, May 5, 2000.
2) Williams, Linda I., “A Model of the Green River Using the Wyoming Integrated River System Operation Study (WIRSOS),” M.S. Thesis, University of Wyoming, Department of Civil Engineering, December 1995.

Green River Basin, Wyoming; Key Structures and Diversions
Description and Operation Memorandum

Pole Creek Number 2 Ditch, East Fork New Fork River, Diversion Data

| Wateryear | May | | June | | July | | August | | September | |
|-----------|---------------|--------------------|---------------|--------------------|---------------|--------------------|---------------|--------------------|---------------|--------------------|
| | Average (cfs) | Monthly Total (AF) | Average (cfs) | Monthly Total (AF) | Average (cfs) | Monthly Total (AF) | Average (cfs) | Monthly Total (AF) | Average (cfs) | Monthly Total (AF) |
| 1976 | | | <i>0.96</i> | <i>57.09</i> | <i>1.02</i> | <i>62.61</i> | | | | |
| 1978 | | | <i>81.90</i> | <i>4,873.39</i> | <i>83.71</i> | <i>5,147.10</i> | <i>21.52</i> | <i>1,323.00</i> | <i>19.40</i> | <i>1,154.40</i> |
| 1980 | | | 53.62 | 3,296.97 | 45.90 | 2,731.24 | | | | |
| 1981 | | | | | | | | | | |
| 1982 | | | 65.33 | 3,887.40 | 35.47 | 2,180.97 | 9.09 | 558.92 | | |
| 1983 | | | 51.10 | 3,040.66 | 41.46 | 2,549.28 | | | | |
| 1984 | | | 46.43 | 2,762.78 | 24.72 | 1,519.97 | 0.00 | 0.00 | | |
| 1985 | 13.40 | 823.93 | 61.28 | 3,646.41 | 40.63 | 2,498.24 | 1.94 | 119.29 | | |
| 1986 | | | | | | | | | | |
| 1987 | 16.31 | 1,002.86 | 2.67 | 158.88 | | | 16.20 | 996.10 | | |
| 1988 | 19.79 | 1,216.84 | 55.17 | 3,282.84 | 32.68 | 2,009.41 | | | | |
| 1989 | | | | | | | | | | |
| 1990 | | | 5.11 | 304.07 | | | | | | |
| 1991 | 20.14 | 1,238.36 | 35.75 | 2,127.27 | | | | | | |
| 1992 | | | 20.79 | 1,237.09 | | | | | | |
| 1993 | | | 22.93 | 1,364.43 | 39.98 | 2,458.27 | 19.84 | 1,219.91 | 0.95 | 56.53 |
| 1994 | 10.09 | 620.41 | 30.59 | 1,820.23 | 22.54 | 1,385.93 | 1.14 | 70.10 | 2.17 | 129.12 |
| 1995 | 9.97 | 613.03 | 26.09 | 1,552.46 | 17.83 | 1,096.32 | 2.42 | 148.80 | | |
| 1996 | | | | | 22.00 | 1,352.73 | | | | |
| 1997 | | | | | | | | | | |
| 1998 | | | 36.43 | 2,167.44 | 46.50 | 2,859.09 | 0.77 | 47.36 | | |

| | | | | | | | | | | |
|-----------|-------|--------|-------|----------|-------|----------|--------|--------|------|--------|
| Averages: | 14.95 | 919.24 | 37.26 | 2,223.71 | 34.81 | 2,140.26 | 186.30 | 498.16 | 7.51 | 446.68 |
|-----------|-------|--------|-------|----------|-------|----------|--------|--------|------|--------|

Data in italics from USGS gaging station 006090.00, see attached data sheets.

Blank cells are due to missing/insufficient data.

Average = Average Flow for ENTIRE month. Monthly Total = Total Volume used during month.

See Methodology section for explanations.

Spot data readings used in calculating averages in table on following pages.

Green River Basin, Wyoming; Key Structures and Diversions
Description and Operation Memorandum

Pole Creek Number 2 Ditch, East Fork New Fork River, Diversion Data

Data:

1980: 6/9, 85 cfs; 6/17, 67 cfs; 6/28, 74 cfs; 7/7, 80 cfs; 7/17, 45 cfs; 7/29, off.
1981: 5/27, 30 cfs; 7/20, 40 cfs; 8/4, off.
1982: 5/24, 42 cfs; 6/18, 75 cfs; 6/30, 61 cfs; 7/9, 37 cfs; 7/16, 37 cfs; 7/22, 30 cfs; 8/27, off.
1983: 5/25, 3 cfs (est); 6/7, 37 cfs; 6/17, 43 cfs; 6/24, 77 cfs; 6/28, 78 cfs; 7/12, 60 cfs; 7/19, 45 cfs; 7/27, off.
1984: 5/17, 1 cfs (est); 5/30, 2 cfs (est); 6/12, 55 cfs; 6/18, 80 cfs; 6/25, 78 cfs; 7/2, 85 cfs; 7/13, 67 cfs; 7/23, 8/20, off.
1985: 5/15, 2 cfs (est); 6/2, 49.5 cfs; 6/27, 71.5 cfs; 7/16, 52.0 cfs; 7/30, 8/22, off; 8/28, 20.0 cfs.
1986: 6/17, 85.6 cfs; 9/12, off.
1987: 5/13, 47.6 cfs; 6/2, 3.4 cfs; 6/18, 57 cfs; 8/3, off; 9/8, 43 cf
1988: 5/13, 23 cfs; 6/26, 66 cfs; 7/5, 52 cfs; 8/5, 0 cfs.
1990: 6/6, 8.6 cfs; 7/12, 1.5 cfs.
1991: 5/9, 8.95 cfs; 6/19, 73.83 cfs.
1992: 4/8, 2.00 cfs; 5/27, 18.00 cfs; 6/3, 25.00 cfs; 7/14, 12.00 cfs; 9/2, 2.00 cfs.
1993: 5/19, 15.80 cfs; 6/21, 21.90 cfs; 7/8, 45.00 cfs; 7/30, 35.50 cfs; 8/6, 40.00 cfs; 8/25, 2.50 cfs; 9/1, 3.00 cfs; 9/20, off.
1994: 5/12, 10.00 cfs; 5/26, 18.80 cfs; 6/1, 18.30 cfs; 6/7, 33.90 cfs; 6/14, 35.00 cfs; 6/22, 30.00 cfs; 7/25, 21.80 cfs; 8/5,
8/23, off; 8/30, 3.50 cfs; 9/8, 4.00 cfs; 9/19, 3.00 cfs.
1995: 4/16, 4/17, off; 5/4, 4.0 cfs; 5/10, 5.0 cfs; 5/31, 19.0 cfs (est); 6/5, 18.8 cfs; 6/27, 33.8 cfs; 8/3, 3.5 cfs (est); 9/14, off.
1996: 5/1, 9.0 cfs (est); 5/13, 12.0 cfs (est); 7/1, 44 cfs (est); 8/1, off.
1997: 8/15, off.
1998: 6/16, 72.6 cfs; 7/10, 73.4 cfs; 7/31, 1 cfs (est); 8/21, 1.37 cfs.

Supply: 1980, below average; 1981, slightly below average; 1982, average (late peak); 1983, above average; 1984, above average; 1985, below average; 1986, average to slightly above average; 1988: very below average; 1989, below average; 1990, below average; 1991, slightly below average; 1992, below average; 1993, average; 1994, below average; 1995, average to above average; 1996, average; 1997, average; 1998, average to above average.

Source: State Engineer's Office, Annual Hydrographers' Reports.

Green River Basin, Wyoming; Key Structures and Diversions Description and Operation Memorandum

Pole Creek Number 2 Ditch, East Fork New Fork River, Diversion Data

POLE CREEK NO. 2 DITCH

STATION NO. 006090.00

LATITUDE 42-51-31 LONGITUDE 109-45-06

SECTION 4 TOWNSHIP 33 N, RANGE 108 W 6TH P.M.

ELEVATION UNKNOWN DRAINAGE AREA UNKNOWN

NONCONTRIBUTING AREA UNKNOWN BASIN 15570410

SUBLETTE COUNTY

DATA FROM WATER COMMISSIONERS

(P)

| MEAN DAILY FLOW IN CFS BY WATER YEAR | | | | | | | | | | | | | |
|--------------------------------------|-----|-----|-----|-----|-----|-----|-----|---------|---------|---------|---------|--------|-----|
| 1976 | | | | | | | | | | | | | |
| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUNE | JULY | AUG | SEPT | DAY |
| 1 | ** | ** | ** | ** | ** | ** | ** | ** | 14.00 | 66.00 | 49.00 | ** | 1 |
| 2 | ** | ** | ** | ** | ** | ** | ** | ** | 16.00 | 66.00 | 47.00 | 4.00 | 2 |
| 3 | ** | ** | ** | ** | ** | ** | ** | ** | 45.00 | 67.00 | 45.00 | ** | 3 |
| 4 | ** | ** | ** | ** | ** | ** | ** | ** | 46.00 | 67.00 | 43.00 | ** | 4 |
| 5 | ** | ** | ** | ** | ** | ** | ** | ** | 47.50 | 68.00 | 41.00 | ** | 5 |
| 6 | ** | ** | ** | ** | ** | ** | ** | ** | 49.00 | 68.00 | 39.00 | ** | 6 |
| 7 | ** | ** | ** | ** | ** | ** | ** | ** | 53.00 | 68.00 | 37.00 | ** | 7 |
| 8 | ** | ** | ** | ** | ** | ** | ** | ** | 55.00 | 68.00 | 35.00 | ** | 8 |
| 9 | ** | ** | ** | ** | ** | ** | ** | ** | 57.00 | 68.00 | 33.00 | ** | 9 |
| 10 | ** | ** | ** | ** | ** | ** | ** | ** | 57.00 | 68.00 | 31.00 | ** | 10 |
| 11 | ** | ** | ** | ** | ** | ** | ** | ** | 57.00 | 67.00 | ** | ** | 11 |
| 12 | ** | ** | ** | ** | ** | ** | ** | ** | 58.00 | 66.00 | ** | ** | 12 |
| 13 | ** | ** | ** | ** | ** | ** | ** | ** | 58.00 | 65.00 | ** | ** | 13 |
| 14 | ** | ** | ** | ** | ** | ** | ** | ** | 58.00 | 64.00 | ** | ** | 14 |
| 15 | ** | ** | ** | ** | ** | ** | ** | ** | 58.00 | 64.00 | ** | 2.00 | 15 |
| 16 | ** | ** | ** | ** | ** | ** | ** | ** | 58.00 | 64.00 | ** | ** | 16 |
| 17 | ** | ** | ** | ** | ** | ** | ** | ** | 59.00 | 63.00 | ** | ** | 17 |
| 18 | ** | ** | ** | ** | ** | ** | ** | ** | 60.00 | 63.00 | ** | ** | 18 |
| 19 | ** | ** | ** | ** | ** | ** | ** | ** | 62.00 | 62.00 | ** | ** | 19 |
| 20 | ** | ** | ** | ** | ** | ** | ** | ** | 64.00 | 62.00 | ** | ** | 20 |
| 21 | ** | ** | ** | ** | ** | ** | ** | ** | 66.00 | 61.00 | ** | ** | 21 |
| 22 | ** | ** | ** | ** | ** | ** | ** | ** | 68.00 | 61.00 | ** | ** | 22 |
| 23 | ** | ** | ** | ** | ** | ** | ** | ** | 70.00 | 60.00 | ** | ** | 23 |
| 24 | ** | ** | ** | ** | ** | ** | ** | ** | 70.00 | 60.00 | ** | ** | 24 |
| 25 | ** | ** | ** | ** | ** | ** | ** | ** | 70.00 | 59.00 | 2.00 | ** | 25 |
| 26 | ** | ** | ** | ** | ** | ** | ** | 4.00 | 69.00 | 58.00 | ** | ** | 26 |
| 27 | ** | ** | ** | ** | ** | ** | ** | 6.00 | 68.00 | 57.00 | ** | ** | 27 |
| 28 | ** | ** | ** | ** | ** | ** | ** | 8.00 | 67.00 | 56.00 | ** | ** | 28 |
| 29 | ** | ** | ** | ** | ** | ** | ** | 10.00 | 67.00 | 54.00 | ** | ** | 29 |
| 30 | ** | ** | ** | ** | ** | ** | ** | 12.00 | 66.10 | 51.00 | ** | ** | 30 |
| 31 | ** | ** | ** | ** | ** | ** | ** | 14.00 | ** | 50.00 | ** | ** | 31 |
| TOTAL | ** | ** | ** | ** | ** | ** | ** | 54.00* | 1712.60 | 1941.00 | 402.00* | 6.00* | |
| MEAN | ** | ** | ** | ** | ** | ** | ** | 9.00* | 57.09 | 62.61 | 36.55* | 3.00* | |
| AC-FT | ** | ** | ** | ** | ** | ** | ** | 107.11* | 3396.89 | 3849.92 | 797.35* | 11.90* | |

** INDICATES
MISSING DATA

* INDICATES
COMPUTED FROM
INCOMPLETE DATA

E INDICATES
ESTIMATED VALUE

Green River Basin, Wyoming; Key Structures and Diversions
Description and Operation Memorandum

Pole Creek Number 2 Ditch, East Fork New Fork River, Diversion Data

| MEAN DAILY FLOW IN CFS BY WATER YEAR | | | | | | | | | | | | | |
|--------------------------------------|-----|-----|-----|-----|-----|-----|-----|----------|---------|---------|---------|---------|-----|
| 1978 | | | | | | | | | | | | | |
| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUNE | JULY | AUG | SEPT | DAY |
| 1 | ** | ** | ** | ** | ** | ** | ** | ** | 72.00 | 80.00 | 26.00 | 21.00 | 1 |
| 2 | ** | ** | ** | ** | ** | ** | ** | ** | 74.00 | 81.00 | 26.00 | 21.00 | 2 |
| 3 | ** | ** | ** | ** | ** | ** | ** | ** | 76.00 | 82.00 | 26.00 | 20.00 | 3 |
| 4 | ** | ** | ** | ** | ** | ** | ** | ** | 78.00 | 83.00 | 26.00 | 20.00 | 4 |
| 5 | ** | ** | ** | ** | ** | ** | ** | ** | 80.00 | 84.00 | 26.00 | 20.00 | 5 |
| 6 | ** | ** | ** | ** | ** | ** | ** | ** | 82.00 | 85.00 | 26.00 | 20.00 | 6 |
| 7 | ** | ** | ** | ** | ** | ** | ** | ** | 84.00 | 85.00 | 25.00 | 20.00 | 7 |
| 8 | ** | ** | ** | ** | ** | ** | ** | ** | 86.00 | 86.00 | 25.00 | 20.00 | 8 |
| 9 | ** | ** | ** | ** | ** | ** | ** | ** | 86.00 | 87.00 | 24.00 | 20.00 | 9 |
| 10 | ** | ** | ** | ** | ** | ** | ** | ** | 86.00 | 88.00 | 24.00 | 20.00 | 10 |
| 11 | ** | ** | ** | ** | ** | ** | ** | ** | 86.00 | 89.00 | 23.00 | 20.00 | 11 |
| 12 | ** | ** | ** | ** | ** | ** | ** | ** | 86.00 | 90.00 | 23.00 | 20.00 | 12 |
| 13 | ** | ** | ** | ** | ** | ** | ** | ** | 87.00 | 90.00 | 22.00 | 20.00 | 13 |
| 14 | ** | ** | ** | ** | ** | ** | ** | ** | 87.00 | 90.00 | 22.00 | 20.00 | 14 |
| 15 | ** | ** | ** | ** | ** | ** | ** | ** | 86.00 | 90.00 | 21.00 | 20.00 | 15 |
| 16 | ** | ** | ** | ** | ** | ** | ** | ** | 85.00 | 90.00 | 20.00 | 20.00 | 16 |
| 17 | ** | ** | ** | ** | ** | ** | ** | ** | 85.00 | 90.00 | 20.00 | 20.00 | 17 |
| 18 | ** | ** | ** | ** | ** | ** | ** | ** | 84.00 | 90.00 | 19.00 | 20.00 | 18 |
| 19 | ** | ** | ** | ** | ** | ** | ** | ** | 84.00 | 90.00 | 18.00 | 19.00 | 19 |
| 20 | ** | ** | ** | ** | ** | ** | ** | ** | 83.00 | 90.00 | 18.00 | 19.00 | 20 |
| 21 | ** | ** | ** | ** | ** | ** | ** | 50.00 | 83.00 | 90.00 | 18.00 | 19.00 | 21 |
| 22 | ** | ** | ** | ** | ** | ** | ** | 52.00 | 82.00 | 88.00 | 18.00 | 19.00 | 22 |
| 23 | ** | ** | ** | ** | ** | ** | ** | 54.00 | 82.00 | 86.00 | 18.00 | 19.00 | 23 |
| 24 | ** | ** | ** | ** | ** | ** | ** | 56.00 | 81.00 | 82.00 | 18.00 | 18.00 | 24 |
| 25 | ** | ** | ** | ** | ** | ** | ** | 58.00 | 80.00 | 80.00 | 18.00 | 18.00 | 25 |
| 26 | ** | ** | ** | ** | ** | ** | ** | 60.00 | 79.00 | 78.00 | 18.00 | 18.00 | 26 |
| 27 | ** | ** | ** | ** | ** | ** | ** | 62.00 | 78.00 | 76.00 | 19.00 | 18.00 | 27 |
| 28 | ** | ** | ** | ** | ** | ** | ** | 64.00 | 78.00 | 73.00 | 19.00 | 18.00 | 28 |
| 29 | ** | ** | ** | ** | | ** | ** | 66.00 | 78.00 | 70.00 | 20.00 | 18.00 | 29 |
| 30 | ** | ** | ** | ** | | ** | ** | 68.00 | 79.00 | 67.00 | 20.00 | 17.00 | 30 |
| 31 | ** | | ** | ** | | ** | | 70.00 | | 65.00 | 21.00 | | 31 |
| TOTAL | ** | ** | ** | ** | ** | ** | ** | 660.00* | 2457.00 | 2595.00 | 667.00 | 582.00 | |
| MEAN | ** | ** | ** | ** | ** | ** | ** | 60.00* | 81.90 | 83.71 | 21.52 | 19.40 | |
| AC-FT | ** | ** | ** | ** | ** | ** | ** | 1309.09* | 4873.39 | 5147.10 | 1322.97 | 1154.38 | |

** INDICATES MISSING DATA
* INDICATES COMPUTED FROM INCOMPLETE DATA
E INDICATES ESTIMATED VALUE

Source: Wyoming Water Resources Data System, March 20, 2000.

Green River Basin, Wyoming; Key Structures and Diversions
Description and Operation Memorandum

Rocky Mountain Ditch, East Fork New Fork River

Diversion Description: Diversion consists of a single 18” slide gate. No diversion dam exists.¹

Diversion Location:

Source: East Fork New Fork River, Trib. New Fork River, Trib. Green River

Section, Township, Range: 10, 31, 106

Conveyance Description: Open Channel Canal, approximately 3 miles in length.¹

Wyoming Water Rights Summary:

| Priority Date (M–D–Y) | Permit Number | Permitted Use | Acres | Flow (cfs) | Cumulative Flow (cfs) | Comments |
|--------------------------|------------------|------------------|--------|---------------|--------------------------|--|
| 06-06-1898 | 1851 | Irrigation | 299.00 | 4.25 | 4.25 | |
| 05-31-1899 | 434E | Irrigation | 289.00 | 4.12 | 8.37 | |
| 05-23-1900 | 539E | Irrigation | 415.00 | 5.89 | 14.26 | |
| 11-14-1901 | 740E | Irrigation | 78.00 | 1.11 | 15.37 | |
| 08-20-1909 | 2173E | Irrigation | 192.00 | 2.74 | 18.11 | Permitted Source "East Fork New Fork River and Cottonwood Creek" |

Storage Rights: None.

Estimated Canal Losses: Information not available at time of report.

Irrigation Practices: Information not available at time of report.

Crop Types / Consumptive Use: Information not available at time of report.

Return Flows: Return flows are delivered to Cottonwood Creek above East Fork River.²

Other Operational Information: Information not available at time of report.

| | |
|----------|---|
| Sources: | <p>1) Loren Smith, Wyoming State Engineer’s Office, Fax, June 6, 2000.</p> <p>2) Williams, Linda I., “A Model of the Green River Using the Wyoming Integrated River System Operation Study (WIRSOS),” M.S. Thesis, University of Wyoming, Department of Civil Engineering, December 1995.</p> |
|----------|---|

Green River Basin, Wyoming; Key Structures and Diversions
Description and Operation Memorandum

Rocky Mountain Ditch, East Fork New Fork River, Diversion Data

| Wateryear | May | | June | | July | | August | | September | |
|-----------|---------------|--------------------|---------------|--------------------|---------------|--------------------|---------------|--------------------|---------------|--------------------|
| | Average (cfs) | Monthly Total (AF) | Average (cfs) | Monthly Total (AF) | Average (cfs) | Monthly Total (AF) | Average (cfs) | Monthly Total (AF) | Average (cfs) | Monthly Total (AF) |
| 1980 | | | | | | | | | | |
| 1981 | | | | | | | | | | |
| 1982 | | | | | | | | | | |
| 1983 | | | | | | | | | | |
| 1984 | | | | | | | | | | |
| 1985 | | | | | 7.50 | 460.96 | | | | |
| 1986 | | | | | | | | | | |
| 1987 | | | | | | | | | | |
| 1988 | | | | | | | | | | |
| 1989 | | | | | | | | | | |
| 1990 | | | | | | | | | | |
| 1991 | | | | | | | | | | |
| 1992 | | | 17.79 | 1,058.58 | | | | | | |
| 1993 | | | | | | | | | | |
| 1994 | 22.72 | 1,397.00 | 20.84 | 1240.07 | 12.40 | 762.45 | 0.70 | 43.04 | | |
| 1995 | 13.65 | 839.31 | 26.21 | 1,559.60 | 30.04 | 1,847.09 | 13.90 | 854.68 | | |
| 1996 | | | | | | | | | | |
| 1997 | | | | | | | | | | |
| 1998 | | | | | | | | | | |

| | | | | | | | | | | |
|-----------|-------|----------|-------|----------|-------|----------|------|--------|--|--|
| Averages: | 18.19 | 1,118.15 | 22.00 | 1,309.09 | 16.65 | 1,023.43 | 7.30 | 448.86 | | |
|-----------|-------|----------|-------|----------|-------|----------|------|--------|--|--|

Blank cells are due to missing/insufficient data.

Average = Average Flow for ENTIRE month. Monthly Total = Total Volume used during month.

See Methodology section for explanations.

Spot data readings used in calculating averages in table on following pages.

Green River Basin, Wyoming; Key Structures and Diversions
Description and Operation Memorandum

Rocky Mountain Ditch, East Fork New Fork River, Diversion Data

Data:

1981: 7/6, 15 cfs; 10/2, 7 cfs.

1985: 7/7, 20.8 cfs; 7/8, 18.5 cfs; 7/31, off; 8/6, off; 8/14, 1.0 cfs (est); 9/25, 0.5 cfs (est).

1988: 4/12, 0 cfs; 6/18, 15 cfs; 6/26, 20.6 cfs; 6/27, 15.4 cfs.

1989: 4/21, 15 cfs; 5/3, 13 cfs; 6/26, 28 cfs; 8/3, 1 cfs.

1990: 7/11, 15.0 cfs (est).

1992: 5/29, 18.00 cfs; 6/8, 30.00 cfs; 6/10, 15.00 cfs; 6/11, 15.00 cfs; 7/10, 14.00 cfs.

1993: 4/29, 5/3, off; 6/14, 36.30 cfs; 7/27, off, 9/2, 2.00 cfs.

1994: 5/3, 15.00 cfs; 5/23, 29.80 cfs; 6/19, 21.90 cfs; 6/20, 15.00 cfs; 7/18, 15.00 cfs; 8/4, 1.00 cfs; 9/3, off.

1995: 4/10, off; 4/26, 2.5 cfs; 5/24, 18.0 cfs; 6/26, 30.0 cfs (est); 7/6, 30 cfs; 7/17, 34.1 cfs; 8/16, 12 cfs; 8/30, 12 cfs.

1996: 5/4, off; 6/26, 39 cfs (est).

Supply: 1980, below average; 1981, slightly below average; 1982, average (late peak); 1983, above average; 1984, above average; 1985, below average; 1986, average to slightly above average; 1988: very below average; 1989, below average; 1990, below average; 1991, slightly below average; 1992, below average; 1993, average; 1994, below average; 1995, average to above average; 1996, average; 1997, average; 1998, average to above average.

Source: State Engineer's Office, Annual Hydrographers' Reports.

Green River Basin, Wyoming; Key Structures and Diversions
Description and Operation Memorandum

Sill Ditch, West Fork New Fork River

Diversion Description: Diversion consists of a wood stop log headgate. No diversion dam exists.¹

Diversion Location:

Source: West Fork New Fork River, Trib. New Fork River, Trib. Green River
Section, Township, Range: 9, 33, 109

Conveyance Description: Open Channel Canal, approximately 2 miles in length.¹

Wyoming Water Rights Summary:

| Priority Date (M-D-Y) | Permit Number | Permitted Use | Acres | Flow (cfs) | Cumulative Flow (cfs) | Comments |
|--------------------------|------------------|------------------|--------|---------------|--------------------------|----------|
| 06-02-1898 | 1849 | Irrigation | 560.00 | 7.95 | 7.95 | |
| 11-01-1901 | 729E | Irrigation | 190.00 | 2.71 | 10.66 | |
| 06-04-1903 | 1140E | Irrigation | 329.00 | 4.67 | 15.33 | |
| 06-28-1906 | 1571E | Irrigation | 271.00 | 3.87 | 19.20 | |
| 07-05-1907 | 1762E | Irrigation | 49.00 | 0.70 | 19.90 | |

Storage Rights: None.

Estimated Canal Losses: Information not available at time of report.

Irrigation Practices: Information not available at time of report.

Crop Types / Consumptive Use: Information not available at time of report.

Return Flows: Return flows are delivered to West Fork New Fork River above Pole Creek.²

Other Operational Information: Information not available at time of report.

Sources: 1) Loren Smith, Wyoming State Engineer's Office, Fax, June 6, 2000.
2) Williams, Linda I., "A Model of the Green River Using the Wyoming Integrated River System Operation Study (WIRSOS)," M.S. Thesis, University of Wyoming, Department of Civil Engineering, December 1995.

Green River Basin, Wyoming; Key Structures and Diversions
Description and Operation Memorandum

Sill Ditch, West Fork New Fork River, Diversion Data

| Wateryear | May | | June | | July | | August | | September | |
|-----------|---------------|--------------------|---------------|--------------------|---------------|--------------------|---------------|--------------------|---------------|--------------------|
| | Average (cfs) | Monthly Total (AF) | Average (cfs) | Monthly Total (AF) | Average (cfs) | Monthly Total (AF) | Average (cfs) | Monthly Total (AF) | Average (cfs) | Monthly Total (AF) |
| 1976 | | | <i>31.33</i> | <i>1,864.26</i> | <i>33.52</i> | <i>2,060.83</i> | <i>13.65</i> | <i>839.01</i> | <i>2.27</i> | <i>134.88</i> |
| 1980 | | | 39.77 | 2,366.48 | 35.71 | 2,195.72 | | | | |
| 1981 | | | 25.75 | 1,532.23 | 25.71 | 1,580.85 | | | | |
| 1982 | | | 36.88 | 2,194.51 | 45.37 | 2,789.69 | 11.01 | 676.98 | 0.00 | 0.00 |
| 1983 | | | 45.39 | 2,700.89 | 37.16 | 2,284.88 | | | | |
| 1984 | | | 42.06 | 2,502.74 | 17.96 | 1,104.32 | | | | |
| 1985 | | | 48.75 | 2,900.83 | 33.84 | 2,080.74 | | | | |
| 1986 | | | 23.87 | 1,470.27 | | | | | | |
| 1987 | | | 32.63 | 1,941.62 | | | | | | |
| 1988 | | | | | | | | | | |
| 1989 | | | 22.76 | 1,354.31 | 16.55 | 1,017.62 | | | | |
| 1990 | | | 34.62 | 2,060.03 | | | | | | |
| 1991 | | | | | | | | | | |
| 1992 | | | | | | | | | | |
| 1993 | | | | | | | | | | |
| 1994 | 10.58 | 650.54 | 21.72 | 1,292.43 | 23.55 | 1,448.03 | 7.73 | 475.30 | | |
| 1995 | 13.72 | 843.61 | 31.13 | 1,852.36 | 36.11 | 2,220.32 | | | | |
| 1996 | | | | | 21.79 | 1,339.81 | | | | |
| 1997 | | | | | | | | | | |
| 1998 | | | | | | | | | | |

| | | | | | | | | | | |
|-----------|-------|--------|-------|----------|-------|----------|-------|--------|------|-------|
| Averages: | 12.15 | 747.07 | 33.59 | 1,998.69 | 29.75 | 1,829.35 | 10.80 | 663.76 | 1.13 | 67.44 |
|-----------|-------|--------|-------|----------|-------|----------|-------|--------|------|-------|

Data in italics from USGS gaging station 006065.00, see attached data sheets.

Blank cells are due to missing/insufficient data.

Average = Average Flow for ENTIRE month. Monthly Total = Total Volume used during month.

See Methodology section for explanations.

Spot data readings used in calculating averages in table on following pages.

Green River Basin, Wyoming; Key Structures and Diversions
Description and Operation Memorandum

Sill Ditch, West Fork New Fork River, Diversion Data

Data:

1980: 5/28, 21 cfs; 6/4, 34 cfs; 6/17, 42 cfs; 6/27, 44 cfs; 7/17, 43 cfs; 7/25, 37 cfs; 7/30, off.
1981: 6/9, 30 cfs; 7/7, 43 cfs; 7/24, 15 cfs; 7/30, 2 cfs; 8/7, off.
1982: 5/24, 28 cfs; 6/9, 34 cfs; 6/18, 28 cfs; 6/24, 49 cfs; 6/29, 47 cfs; 7/7, 56 cfs; 7/19, 46 cfs; 8/5, 22 cfs; 8/27, 9/24, off.
1983: 5/31, 29 cfs; 6/3, 30 cfs; 6/22, 55 cfs; 6/27, 55 cfs; 7/7, 55 cfs; 7/11, 48 cfs; 7/19, 39 cfs; 7/27, 28 cfs.
1984: 5/22, 10 cfs; 5/30, 8 cfs; 6/11, 49 cfs; 6/27, 47 cfs; 7/3, 37 cfs; 7/10, 38 cfs; 7/11, 36 cfs; 7/21, off.
1985: 5/23, 14.2 cfs; 6/6, 42.7 cfs; 6/27, 57.5 cfs; 7/22, 33.5 cfs; 7/30, off.
1986: 5/22, 31.5 cfs; 6/18, 47 cfs.
1987: 5/13, 2 cfs; 6/1, 38 cfs; 6/23, 51 cfs.
1989: 6/15, 52 cfs; 7/3, 31 cfs; 8/1, 0 cfs.
1990: 5/21, 6.2 cfs; 6/13, 38.0 cfs (est); 6/29, 38.0 cfs (est); 7/7, 31.0 cfs (est).
1993: 6/3, 43.30 cfs; 8/4, off.
1994: 5/13, 15.60 cfs; 6/13, 21.00 cfs; 7/2, 25.00 cfs; 7/22, 25.00 cfs; 8/15, 3.50 cfs; 9/7, 9.50 cfs.
1995: 4/12, 6.0 cfs; 5/25, 15.5 cfs; 6/7, 20.0 cfs; 6/21, 40 cfs (est); 7/18, 40 cfs (est); 8/9, 15 cfs (est).
1996: 6/25, 44.1 cfs; 7/25, 16.0 cfs (est).

Supply: 1980, below average; 1981, slightly below average; 1982, average (late peak); 1983, above average; 1984, above average; 1985, below average; 1986, average to slightly above average; 1988: very below average; 1989, below average; 1990, below average; 1991, slightly below average; 1992, below average; 1993, average; 1994, below average; 1995, average to above average; 1996, average; 1997, average; 1998, average to above average.

Source: State Engineer's Office, Annual Hydrographers' Reports.

Green River Basin, Wyoming; Key Structures and Diversions
Description and Operation Memorandum

Sill Ditch, West Fork New Fork River, Diversion Data

SILL DITCH

STATION NO. 006065.00

LATITUDE 42-50-39 LONGITUDE 109-52-13

NE1/4SW1/4NW1/4 SECTION 9 TOWNSHIP 33 N,RANGE 109 W 6TH P.M.

ELEVATION 7150.00 FT DRAINAGE AREA UNKNOWN

NONCONTRIBUTING AREA UNKNOWN BASIN 15570000

SUBLETTE COUNTY

DATA FROM WATER COMMISSIONERS

(P)

| MEAN DAILY FLOW IN CFS BY WATER YEAR | | | | | | | | | | | | | |
|--------------------------------------|-----|-----|-----|-----|-----|-----|-----|---------|---------|---------|--------|--------|-----|
| 1976 | | | | | | | | | | | | | |
| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUNE | JULY | AUG | SEPT | DAY |
| 1 | ** | ** | ** | ** | ** | ** | ** | ** | 25.00 | 36.00 | 21.00 | 6.00 | 1 |
| 2 | ** | ** | ** | ** | ** | ** | ** | ** | 25.00 | 37.00 | 20.00 | 5.00 | 2 |
| 3 | ** | ** | ** | ** | ** | ** | ** | ** | 25.00 | 37.00 | 19.00 | 3.00 | 3 |
| 4 | ** | ** | ** | ** | ** | ** | ** | ** | 25.00 | 38.00 | 18.00 | 2.00 | 4 |
| 5 | ** | ** | ** | ** | ** | ** | ** | ** | 25.00 | 38.00 | 17.00 | 2.00 | 5 |
| 6 | ** | ** | ** | ** | ** | ** | ** | ** | 26.00 | 38.00 | 16.00 | 2.00 | 6 |
| 7 | ** | ** | ** | ** | ** | ** | ** | ** | 27.00 | 38.00 | 15.00 | 2.00 | 7 |
| 8 | ** | ** | ** | ** | ** | ** | ** | ** | 29.00 | 38.00 | 15.00 | 2.00 | 8 |
| 9 | ** | ** | ** | ** | ** | ** | ** | ** | 31.50 | 38.00 | 15.00 | 2.00 | 9 |
| 10 | ** | ** | ** | ** | ** | ** | ** | ** | 33.00 | 38.00 | 15.00 | 2.00 | 10 |
| 11 | ** | ** | ** | ** | ** | ** | ** | ** | 35.00 | 38.00 | 15.00 | 2.00 | 11 |
| 12 | ** | ** | ** | ** | ** | ** | ** | ** | 35.00 | 37.00 | 15.00 | 2.00 | 12 |
| 13 | ** | ** | ** | ** | ** | ** | ** | ** | 33.00 | 37.00 | 14.00 | 2.00 | 13 |
| 14 | ** | ** | ** | ** | ** | ** | ** | ** | 31.00 | 36.00 | 14.00 | 2.00 | 14 |
| 15 | ** | ** | ** | ** | ** | ** | ** | ** | 31.00 | 36.00 | 14.00 | 2.00 | 15 |
| 16 | ** | ** | ** | ** | ** | ** | ** | ** | 32.00 | 35.00 | 13.00 | 2.00 | 16 |
| 17 | ** | ** | ** | ** | ** | ** | ** | ** | 33.00 | 35.00 | 13.00 | 2.00 | 17 |
| 18 | ** | ** | ** | ** | ** | ** | ** | ** | 34.00 | 34.00 | 13.00 | 2.00 | 18 |
| 19 | ** | ** | ** | ** | ** | ** | ** | ** | 35.00 | 34.00 | 12.00 | 2.00 | 19 |
| 20 | ** | ** | ** | ** | ** | ** | ** | 20.00 | 35.00 | 33.00 | 12.00 | 2.00 | 20 |
| 21 | ** | ** | ** | ** | ** | ** | ** | 20.00 | 34.00 | 33.00 | 12.00 | 2.00 | 21 |
| 22 | ** | ** | ** | ** | ** | ** | ** | 21.00 | 33.00 | 32.00 | 12.00 | 2.00 | 22 |
| 23 | ** | ** | ** | ** | ** | ** | ** | 21.00 | 33.00 | 32.00 | 12.00 | 2.00 | 23 |
| 24 | ** | ** | ** | ** | ** | ** | ** | 22.00 | 32.40 | 31.00 | 12.00 | 2.00 | 24 |
| 25 | ** | ** | ** | ** | ** | ** | ** | 22.00 | 32.00 | 31.00 | 12.00 | 2.00 | 25 |
| 26 | ** | ** | ** | ** | ** | ** | ** | 23.40 | 33.00 | 29.00 | 12.00 | 2.00 | 26 |
| 27 | ** | ** | ** | ** | ** | ** | ** | 24.00 | 33.00 | 27.00 | 11.00 | 2.00 | 27 |
| 28 | ** | ** | ** | ** | ** | ** | ** | 24.00 | 34.00 | 25.00 | 10.00 | 2.00 | 28 |
| 29 | ** | ** | ** | ** | ** | ** | ** | 24.00 | 35.00 | 23.00 | 9.00 | 2.00 | 29 |
| 30 | ** | ** | ** | ** | | ** | ** | 24.00 | 35.00 | 23.00 | 8.00 | 2.00 | 30 |
| 31 | ** | | ** | ** | | ** | | 25.00 | | 22.00 | 7.00 | | 31 |
| TOTAL | ** | ** | ** | ** | ** | ** | ** | 270.40* | 939.90 | 1039.00 | 423.00 | 68.00 | |
| MEAN | ** | ** | ** | ** | ** | ** | ** | 22.53* | 31.33 | 33.52 | 13.65 | 2.27 | |
| AC-FT | ** | ** | ** | ** | ** | ** | ** | 536.33* | 1864.26 | 2060.83 | 839.01 | 134.88 | |

** INDICATES
MISSING DATA

* INDICATES
COMPUTED FROM
INCOMPLETE DATA

E INDICATES
ESTIMATED VALUE

Source: Wyoming Water Resources Data System, March 20, 2000.

Green River Basin, Wyoming; Key Structures and Diversions
Description and Operation Memorandum

Tibbals Ditch, East Fork New Fork River

Diversion Description: Diversion consists of a single 40” wide wood plank stop log structure.¹

Diversion Location:

Source: East Fork New Fork River, Trib. New Fork River, Trib. Green River
Section, Township, Range: 4, 31, 106

Conveyance Description: Open Channel Canal, approximately 2½ miles in length.¹

Wyoming Water Rights Summary:

| Priority Date (M-D-Y) | Permit Number | Permitted Use | Acres | Flow (cfs) | Cumulative Flow (cfs) | Comments |
|-----------------------|---------------|---------------|----------|------------|-----------------------|----------|
| 11-25-1901 | 3559 | Irrigation | 1,417.66 | 20.25 | 20.25 | |
| 06-18-1908 | 1916E | Irrigation | 28.00 | 0.40 | 20.65 | |

Storage Rights: None.

Estimated Canal Losses: Typical losses (10%) are experienced.¹

Irrigation Practices: Lands are flood irrigated.¹

Crop Types / Consumptive Use: Lands are native grass hay and pasture.¹

Return Flows: Return flows are delivered to East Fork River at Muddy Creek.²

Other Operational Information: The canal is typically turned on the first of May and off in mid-July.¹

Sources: 1) Loren Smith, Wyoming State Engineer’s Office, Interview, May 5, 2000.
2) Williams, Linda I., “A Model of the Green River Using the Wyoming Integrated River System Operation Study (WIRSOS),” M.S. Thesis, University of Wyoming, Department of Civil Engineering, December 1995.

Green River Basin, Wyoming; Key Structures and Diversions
Description and Operation Memorandum

Tibbals Ditch, East Fork New Fork River, Diversion Data

| Wateryear | May | | June | | July | | August | | September | |
|-----------|---------------|--------------------|---------------|--------------------|---------------|--------------------|---------------|--------------------|---------------|--------------------|
| | Average (cfs) | Monthly Total (AF) | Average (cfs) | Monthly Total (AF) | Average (cfs) | Monthly Total (AF) | Average (cfs) | Monthly Total (AF) | Average (cfs) | Monthly Total (AF) |
| 1975 | <i>4.19</i> | <i>257.65</i> | <i>35.37</i> | <i>2,104.76</i> | <i>41.96</i> | <i>2,580.30</i> | <i>10.61</i> | <i>652.34</i> | <i>3.62</i> | <i>215.42</i> |
| 1976 | <i>8.74</i> | <i>537.12</i> | <i>35.92</i> | <i>2,137.19</i> | <i>32.99</i> | <i>2,028.69</i> | <i>8.84</i> | <i>543.27</i> | <i>4.22</i> | <i>251.19</i> |
| 1978 | <i>10.81</i> | <i>664.46</i> | <i>37.97</i> | <i>2,259.17</i> | <i>26.84</i> | <i>1,650.25</i> | <i>7.35</i> | <i>452.23</i> | <i>4.47</i> | <i>265.78</i> |
| 1980 | <i>17.47</i> | <i>1,074.19</i> | <i>41.25</i> | <i>2,454.55</i> | <i>19.54</i> | <i>1,201.47</i> | <i>5.10</i> | <i>313.59</i> | <i>6.20</i> | <i>368.93</i> |
| 1981 | <i>17.67</i> | <i>1,086.49</i> | <i>30.92</i> | <i>1,839.87</i> | <i>14.49</i> | <i>890.96</i> | <i>8.21</i> | <i>504.81</i> | <i>5.78</i> | <i>343.93</i> |
| 1982 | | | <i>33.26</i> | <i>1,979.11</i> | <i>19.20</i> | <i>1,180.56</i> | <i>11.15</i> | <i>685.59</i> | <i>9.09</i> | <i>540.89</i> |
| 1983 | | | <i>18.23</i> | <i>1,084.76</i> | <i>13.20</i> | <i>811.64</i> | <i>17.26</i> | <i>1,061.28</i> | | |
| 1984 | | | <i>18.06</i> | <i>1,074.64</i> | <i>27.05</i> | <i>1,663.24</i> | <i>20.80</i> | <i>1,278.94</i> | <i>36.20</i> | <i>2,154.05</i> |
| 1985 | | | <i>11.84</i> | <i>704.53</i> | <i>16.76</i> | <i>1,030.53</i> | <i>6.77</i> | <i>416.27</i> | <i>11.83</i> | <i>703.93</i> |
| 1986 | | | | | | | | | | |
| 1987 | | | <i>8.82</i> | <i>524.83</i> | | | | | | |
| 1988 | | | | | | | | | | |
| 1989 | <i>47.07</i> | <i>2,894.22</i> | <i>44.73</i> | <i>2,661.62</i> | <i>17.30</i> | <i>1,063.74</i> | | | | |
| 1990 | | | | | | | | | | |
| 1991 | | | | | | | | | | |
| 1992 | | | <i>18.42</i> | <i>1,096.07</i> | | | | | | |
| 1993 | <i>20.21</i> | <i>1,242.66</i> | | | | | <i>4.17</i> | <i>256.40</i> | | |
| 1994 | | | | | | | | | | |
| 1995 | <i>13.95</i> | <i>857.75</i> | <i>25.40</i> | <i>1,511.40</i> | <i>28.81</i> | <i>1,771.46</i> | <i>13.59</i> | <i>835.62</i> | <i>6.12</i> | <i>364.17</i> |
| 1996 | | | | | | | | | | |
| 1997 | | | <i>41.71</i> | <i>2,481.82</i> | | | | | | |
| 1998 | | | | | | | | | | |

| | | | | | | | | | | |
|-----------|--------------|-----------------|--------------|-----------------|--------------|-----------------|--------------|---------------|-------------|---------------|
| Averages: | <i>17.51</i> | <i>1,076.82</i> | <i>28.71</i> | <i>1,708.17</i> | <i>23.47</i> | <i>1,442.99</i> | <i>10.35</i> | <i>636.39</i> | <i>9.73</i> | <i>578.70</i> |
|-----------|--------------|-----------------|--------------|-----------------|--------------|-----------------|--------------|---------------|-------------|---------------|

Data in italics from USGS gaging station 006100.00, see attached data sheets.

Blank cells are due to missing/insufficient data.

Average = Average Flow for ENTIRE month. Monthly Total = Total Volume used during month.

See Methodology section for explanations.

Spot data readings used in calculating averages in table on following pages.

Green River Basin, Wyoming; Key Structures and Diversions
Description and Operation Memorandum

Tibbals Ditch, East Fork New Fork River, Diversion Data

Data:

1980: 4/28, on; 4/30, 3 cfs; 5/6, 3 cfs; 5/13, 2 cfs; 5/20, 31 cfs; 5/21, 37 cfs; 5/29, 31 cfs; 6/3, 25 cfs; 6/10, 49 cfs; 6/18, 31 cfs; 6/23, 56 cfs; 6/30, 43 cfs; 7/9, 26 cfs; 7/15, 16 cfs; 7/22, 13 cfs; 7/24, 13 cfs; 7/28, 10 cfs; 8/8, 7 cfs; 8/12, 5 cfs; 8/21, 3 cfs; 9/22, 8 cfs; 9/29, 7 cfs.

1981: 4/24, 7.5 cfs; 5/8, 13 cfs; 5/14, 10 cfs; 5/28, 31 cfs; 6/4, 19 cfs; 6/9, 45 cfs; 6/17, 31 cfs; 6/25, 29 cfs; 7/7, 19 cfs; 7/15, 16 cfs; 7/20, 10 cfs; 8/4, 9 cfs; 8/13, 8 cfs; 8/27, 8 cfs; 10/2, 4 cfs (est).

1982: 5/24, 18 cfs; 6/2, 23 cfs; 6/9, 15 cfs; 6/18, 40 cfs; 6/22, 47 cfs; 7/2, 30 cfs; 7/8, 18 cfs; 7/16, 28 cfs; 7/25, 9 cfs; 8/3, 5 cfs; 8/27, 16 cfs; 9/22, 10 cfs.

1983: 5/24, off; 6/1, 13 cfs; 6/7, 13 cfs; 6/19, 21 cfs; 6/24, 23 cfs; 7/6, 20 cfs; 7/12, 12 cfs; 7/19, 3 cfs (est); 7/27, 16 cfs; 8/22, 19 cfs; 9/12, 7 cfs.

1984: 5/18, off; 5/22, 13 cfs; 6/1, 25 cfs; 6/9, 7 cfs; 6/12, 4 cfs (est); 6/14, 18 cfs; 6/29, 26 cfs; 7/6, 3 cfs (est); 7/11, 26 cfs; 7/11, 6 cfs; 7/19, 15 cfs; 7/23, 62 cfs; 7/30, 47 cfs; 8/24, 4 cfs (est); 9/25, 70 cfs.

1985: 6/7, 22.9 cfs; 7/5, 4.0 cfs; 7/13, 22.9 cfs; 7/19, 20.8 cfs; 7/24, 20.8 cfs; 7/31, 18.5 cfs; 8/19, 0.2 cfs (est); 9/5, 9.8 cfs; 9/25, 14.0 cfs; 10/25, 11.0 cfs.

1986: 6/19, 7.5 cfs; 7/9, 5.3 cfs; 9/9, 0.5 cfs (est).

1987: 5/14, 27.7 cfs; 6/18, 6.5 cfs; 7/14, 1 cfs; 8/31, 7.5 cfs.

1988: 4/12, 4 cfs; 6/26, 5 cfs; 7/1, 6.8 cfs.

1989: 4/14, 6 cfs; 4/21, 7 cfs; 4/29, 8 cfs; 5/13, 54 cfs; 5/23, 57 cfs; 6/26, 40 cfs; 7/17, 16 cfs; 8/3, 0 cfs.

1990: 7/11, 22.4 cfs.

1992: 5/29, 17.00 cfs; 6/8, 15.00 cfs; 6/10, 21.00 cfs; 6/11, 20.00 cfs; 7/10, 18.00 cfs.

1993: 4/29, 12.00 cfs; 5/3, 12.3 cfs; 6/14, 36.80 cfs; 7/27, 8.10 cfs; 9/2, 1.00 cfs.

1995: 4/10, 4.0 cfs (est); 4/18, 8.5 cfs; 4/26, 10.0 cfs (est); 5/24, 15.0 cfs; 6/26, 30.0 cfs; 7/6, 33.3 cfs; 7/17, 30 cfs (est); 8/16, 12 cfs; 8/30, 10 cfs (est); 9/21, 8.5 cfs.

1996: 5/4, 8.5 cfs (est); 6/26, 9 cfs (est); 9/21, 7.0 cfs (est).

1997: 5/27, 20 cfs (est); 6/16, 53.1 cfs; 7/15, 13.0 cfs.

Supply: 1980, below average; 1981, slightly below average; 1982, average (late peak); 1983, above average; 1984, above average; 1985, below average; 1986, average to slightly above average; 1988, very below average; 1989, below average; 1990, below average; 1991, slightly below average; 1992, below average; 1993, average; 1994, below average; 1995, average to above average; 1996, average; 1997, average; 1998, average to above average.

Source: State Engineer's Office, Annual Hydrographers' Reports.

Green River Basin, Wyoming; Key Structures and Diversions Description and Operation Memorandum

Tibbals Ditch, East Fork New Fork River, Diversion Data

TIBBALS DITCH

STATION NO. 006100.00

LATITUDE 0-00-00 LONGITUDE 0-00-00

SECTION 0 TOWNSHIP 0 ,RANGE 0 P.M.

ELEVATION UNKNOWN DRAINAGE AREA UNKNOWN

NONCONTRIBUTING AREA UNKNOWN BASIN UNKNOWN

DATA FROM WATER COMMISSIONERS (P)

| MEAN DAILY FLOW IN CFS BY WATER YEAR | | | | | | | | | | | | | |
|--------------------------------------|-----|-----|-----|-----|-----|-----|-----|---------|---------|---------|--------|--------|-----|
| 1975 | | | | | | | | | | | | | |
| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUNE | JULY | AUG | SEPT | DAY |
| 1 | ** | ** | ** | ** | ** | ** | ** | ** | 16.00 | 62.20 | 29.00 | 4.50 | 1 |
| 2 | ** | ** | ** | ** | ** | ** | ** | ** | 19.00 | 60.00 | 25.00 | 4.50 | 2 |
| 3 | ** | ** | ** | ** | ** | ** | ** | ** | 21.00 | 59.00 | 20.00 | 4.50 | 3 |
| 4 | ** | ** | ** | ** | ** | ** | ** | ** | 25.00 | 58.00 | 20.00 | 4.53 | 4 |
| 5 | ** | ** | ** | ** | ** | ** | ** | ** | 25.00 | 57.00 | 15.00 | 4.50 | 5 |
| 6 | ** | ** | ** | ** | ** | ** | ** | ** | 25.00 | 56.00 | 13.00 | 4.00 | 6 |
| 7 | ** | ** | ** | ** | ** | ** | ** | ** | 25.00 | 55.00 | 12.10 | 4.00 | 7 |
| 8 | ** | ** | ** | ** | ** | ** | ** | ** | 25.00 | 54.00 | 12.00 | 3.50 | 8 |
| 9 | ** | ** | ** | ** | ** | ** | ** | ** | 25.00 | 51.60 | 12.00 | 3.50 | 9 |
| 10 | ** | ** | ** | ** | ** | ** | ** | ** | 25.00 | 52.00 | 12.00 | 3.50 | 10 |
| 11 | ** | ** | ** | ** | ** | ** | ** | ** | 24.25 | 64.10 | 11.00 | 3.50 | 11 |
| 12 | ** | ** | ** | ** | ** | ** | ** | 3.40 | 26.00 | 60.00 | 11.00 | 3.50 | 12 |
| 13 | ** | ** | ** | ** | ** | ** | ** | 4.00 | 28.00 | 56.00 | 11.40 | 3.50 | 13 |
| 14 | ** | ** | ** | ** | ** | ** | ** | 4.00 | 31.00 | 52.00 | 11.00 | 3.84 | 14 |
| 15 | ** | ** | ** | ** | ** | ** | ** | 4.00 | 33.00 | 46.00 | 11.00 | 3.50 | 15 |
| 16 | ** | ** | ** | ** | ** | ** | ** | 5.00 | 35.00 | 41.50 | 10.00 | 3.50 | 16 |
| 17 | ** | ** | ** | ** | ** | ** | ** | 5.00 | 38.00 | 38.00 | 10.00 | 3.50 | 17 |
| 18 | ** | ** | ** | ** | ** | ** | ** | 5.00 | 41.50 | 35.00 | 9.00 | 3.50 | 18 |
| 19 | ** | ** | ** | ** | ** | ** | ** | 5.00 | 35.00 | 32.00 | 9.00 | 3.50 | 19 |
| 20 | ** | ** | ** | ** | ** | ** | ** | 5.00 | 31.00 | 29.00 | 8.00 | 3.50 | 20 |
| 21 | ** | ** | ** | ** | ** | ** | ** | 6.00 | 36.00 | 29.00 | 7.00 | 3.50 | 21 |
| 22 | ** | ** | ** | ** | ** | ** | ** | 6.00 | 41.00 | 27.00 | 6.00 | 3.50 | 22 |
| 23 | ** | ** | ** | ** | ** | ** | ** | 6.00 | 46.00 | 24.00 | 6.00 | 3.50 | 23 |
| 24 | ** | ** | ** | ** | ** | ** | ** | 6.00 | 53.00 | 23.50 | 5.00 | 3.50 | 24 |
| 25 | ** | ** | ** | ** | ** | ** | ** | 7.00 | 60.00 | 21.00 | 4.89 | 3.24 | 25 |
| 26 | ** | ** | ** | ** | ** | ** | ** | 7.00 | 45.40 | 18.00 | 5.00 | 3.00 | 26 |
| 27 | ** | ** | ** | ** | ** | ** | ** | 7.50 | 46.00 | 23.00 | 5.00 | 3.00 | 27 |
| 28 | ** | ** | ** | ** | ** | ** | ** | 8.00 | 60.00 | 26.00 | 5.00 | 3.00 | 28 |
| 29 | ** | ** | ** | ** | | ** | ** | 10.00 | 60.00 | 29.00 | 4.50 | 3.00 | 29 |
| 30 | ** | ** | ** | ** | | ** | ** | 12.00 | 60.00 | 31.00 | 4.50 | 3.00 | 30 |
| 31 | ** | | ** | ** | | ** | | 14.00 | | 31.00 | 4.50 | | 31 |
| TOTAL | ** | ** | ** | ** | ** | ** | ** | 129.90* | 1061.15 | 1300.90 | 328.89 | 108.61 | |
| MEAN | ** | ** | ** | ** | ** | ** | ** | 6.50* | 35.37 | 41.96 | 10.61 | 3.62 | |
| AC-FT | ** | ** | ** | ** | ** | ** | ** | 257.65* | 2104.76 | 2580.30 | 652.34 | 215.42 | |

** INDICATES
MISSING DATA

* INDICATES
COMPUTED FROM
INCOMPLETE DATA

E INDICATES
ESTIMATED VALUE

Green River Basin, Wyoming; Key Structures and Diversions Description and Operation Memorandum

Tibbals Ditch, East Fork New Fork River, Diversion Data

TIBBALS DITCH

STATION NO. 006100.00

LATITUDE 0-00-00 LONGITUDE 0-00-00

SECTION 0 TOWNSHIP 0 ,RANGE 0 P.M.

ELEVATION UNKNOWN DRAINAGE AREA UNKNOWN

NONCONTRIBUTING AREA UNKNOWN BASIN UNKNOWN

DATA FROM WATER COMMISSIONERS (P)

| MEAN DAILY FLOW IN CFS BY WATER YEAR | | | | | | | | | | | | | |
|--------------------------------------|-----|-----|-----|-----|-----|-----|-----|---------|---------|---------|--------|--------|-----|
| 1976 | | | | | | | | | | | | | |
| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUNE | JULY | AUG | SEPT | DAY |
| 1 | ** | ** | ** | ** | ** | ** | ** | ** | 33.00 | 55.80 | 14.00 | 4.00 | 1 |
| 2 | ** | ** | ** | ** | ** | ** | ** | ** | 36.00 | 55.00 | 10.00 | 2.00 | 2 |
| 3 | ** | ** | ** | ** | ** | ** | ** | ** | 39.50 | 53.00 | 6.00 | 2.00 | 3 |
| 4 | ** | ** | ** | ** | ** | ** | ** | ** | 39.00 | 51.00 | 5.00 | 2.00 | 4 |
| 5 | ** | ** | ** | ** | ** | ** | ** | ** | 39.00 | 47.00 | 5.00 | 2.00 | 5 |
| 6 | ** | ** | ** | ** | ** | ** | ** | ** | 39.00 | 43.00 | 5.00 | 2.00 | 6 |
| 7 | ** | ** | ** | ** | ** | ** | ** | ** | 39.00 | 37.80 | 5.00 | 2.00 | 7 |
| 8 | ** | ** | ** | ** | ** | ** | ** | ** | 39.00 | 34.00 | 5.00 | 2.00 | 8 |
| 9 | ** | ** | ** | ** | ** | ** | ** | ** | 39.50 | 33.00 | 5.00 | 6.60 | 9 |
| 10 | ** | ** | ** | ** | ** | ** | ** | ** | 39.00 | 32.00 | 17.10 | 6.00 | 10 |
| 11 | ** | ** | ** | ** | ** | ** | ** | ** | 39.00 | 31.00 | 16.00 | 6.00 | 11 |
| 12 | ** | ** | ** | ** | ** | ** | ** | 7.50 | 39.00 | 29.50 | 15.00 | 5.00 | 12 |
| 13 | ** | ** | ** | ** | ** | ** | ** | 7.00 | 35.00 | 26.00 | 12.00 | 5.00 | 13 |
| 14 | ** | ** | ** | ** | ** | ** | ** | 7.00 | 30.00 | 23.00 | 12.00 | 5.00 | 14 |
| 15 | ** | ** | ** | ** | ** | ** | ** | 7.00 | 26.00 | 20.70 | 11.00 | 4.00 | 15 |
| 16 | ** | ** | ** | ** | ** | ** | ** | 6.00 | 26.00 | 20.00 | 10.00 | 4.00 | 16 |
| 17 | ** | ** | ** | ** | ** | ** | ** | 6.00 | 26.50 | 20.00 | 9.00 | 4.00 | 17 |
| 18 | ** | ** | ** | ** | ** | ** | ** | 6.00 | 25.00 | 20.00 | 8.00 | 4.00 | 18 |
| 19 | ** | ** | ** | ** | ** | ** | ** | 5.00 | 25.00 | 39.50 | 7.00 | 4.00 | 19 |
| 20 | ** | ** | ** | ** | ** | ** | ** | 5.20 | 25.00 | 38.00 | 6.00 | 5.00 | 20 |
| 21 | ** | ** | ** | ** | ** | ** | ** | 5.00 | 26.00 | 36.00 | 5.00 | 5.00 | 21 |
| 22 | ** | ** | ** | ** | ** | ** | ** | 7.00 | 28.00 | 36.00 | 5.00 | 5.00 | 22 |
| 23 | ** | ** | ** | ** | ** | ** | ** | 10.00 | 30.00 | 33.00 | 12.10 | 5.00 | 23 |
| 24 | ** | ** | ** | ** | ** | ** | ** | 14.00 | 31.00 | 31.00 | 11.00 | 5.20 | 24 |
| 25 | ** | ** | ** | ** | ** | ** | ** | 18.00 | 36.00 | 30.00 | 10.00 | 5.00 | 25 |
| 26 | ** | ** | ** | ** | ** | ** | ** | 24.00 | 41.00 | 29.00 | 10.70 | 5.00 | 26 |
| 27 | ** | ** | ** | ** | ** | ** | ** | 24.10 | 46.00 | 28.00 | 10.00 | 5.00 | 27 |
| 28 | ** | ** | ** | ** | ** | ** | ** | 25.00 | 51.00 | 26.50 | 9.00 | 5.00 | 28 |
| 29 | ** | ** | ** | ** | ** | ** | ** | 27.00 | 55.00 | 24.00 | 8.00 | 5.00 | 29 |
| 30 | ** | ** | ** | ** | | ** | ** | 29.00 | 55.00 | 22.00 | 5.00 | 5.20 | 30 |
| 31 | ** | | ** | ** | | ** | | 31.00 | | 18.00 | 5.00 | | 31 |
| TOTAL | ** | ** | ** | ** | ** | ** | ** | 270.80* | 1077.50 | 1022.80 | 273.90 | 127.00 | |
| MEAN | ** | ** | ** | ** | ** | ** | ** | 13.54* | 35.92 | 32.99 | 8.84 | 4.23 | |
| AC-FT | ** | ** | ** | ** | ** | ** | ** | 537.12* | 2137.19 | 2028.69 | 543.27 | 251.90 | |

** INDICATES
MISSING DATA

* INDICATES
COMPUTED FROM
INCOMPLETE DATA

E INDICATES
ESTIMATED VALUE

Green River Basin, Wyoming; Key Structures and Diversions Description and Operation Memorandum

Tibbals Ditch, East Fork New Fork River, Diversion Data

TIBBALS DITCH

STATION NO. 006100.00

LATITUDE 0-00-00 LONGITUDE 0-00-00

SECTION 0 TOWNSHIP 0 ,RANGE 0 P.M.

ELEVATION UNKNOWN DRAINAGE AREA UNKNOWN

NONCONTRIBUTING AREA UNKNOWN BASIN UNKNOWN

DATA FROM WATER COMMISSIONERS (P)

| MEAN DAILY FLOW IN CFS BY WATER YEAR | | | | | | | | | | | | | |
|--------------------------------------|---------|-----|-----|-----|-----|-----|-----|---------|---------|---------|--------|--------|-----|
| 1978 | | | | | | | | | | | | | |
| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUNE | JULY | AUG | SEPT | DAY |
| 1 | 5.00 | ** | ** | ** | ** | ** | ** | ** | 21.00 | 38.00 | 12.00 | 4.00 | 1 |
| 2 | 5.00 | ** | ** | ** | ** | ** | ** | ** | 21.00 | 36.00 | 10.00 | 4.00 | 2 |
| 3 | 5.00 | ** | ** | ** | ** | ** | ** | ** | 22.00 | 34.00 | 10.00 | 4.00 | 3 |
| 4 | 5.00 | ** | ** | ** | ** | ** | ** | ** | 25.00 | 32.00 | 10.00 | 4.00 | 4 |
| 5 | 5.00 | ** | ** | ** | ** | ** | ** | ** | 28.00 | 31.00 | 10.00 | 4.00 | 5 |
| 6 | 5.00 | ** | ** | ** | ** | ** | ** | ** | 45.00 | 27.00 | 10.00 | 4.00 | 6 |
| 7 | 4.00 | ** | ** | ** | ** | ** | ** | ** | 45.00 | 25.00 | 10.00 | 4.00 | 7 |
| 8 | 4.00 | ** | ** | ** | ** | ** | ** | ** | 44.00 | 23.00 | 10.00 | 4.00 | 8 |
| 9 | 4.00 | ** | ** | ** | ** | ** | ** | 10.00 | 42.00 | 21.00 | 10.00 | 4.00 | 9 |
| 10 | 4.00 | ** | ** | ** | ** | ** | ** | 10.00 | 40.00 | 31.00 | 9.00 | 4.00 | 10 |
| 11 | 4.00 | ** | ** | ** | ** | ** | ** | 10.00 | 38.00 | 31.00 | 9.00 | 4.00 | 11 |
| 12 | 3.00 | ** | ** | ** | ** | ** | ** | 10.00 | 36.00 | 31.00 | 9.00 | 4.00 | 12 |
| 13 | 3.00 | ** | ** | ** | ** | ** | ** | 10.00 | 36.00 | 30.00 | 9.00 | 4.00 | 13 |
| 14 | 3.00 | ** | ** | ** | ** | ** | ** | 10.00 | 34.00 | 30.00 | 8.00 | 4.00 | 14 |
| 15 | 3.00 | ** | ** | ** | ** | ** | ** | 11.00 | 34.00 | 29.00 | 8.00 | 4.00 | 15 |
| 16 | 2.00 | ** | ** | ** | ** | ** | ** | 11.00 | 36.00 | 29.00 | 8.00 | 4.00 | 16 |
| 17 | 2.00 | ** | ** | ** | ** | ** | ** | 12.00 | 38.00 | 28.00 | 7.00 | 5.00 | 17 |
| 18 | 2.00 | ** | ** | ** | ** | ** | ** | 13.00 | 38.00 | 26.00 | 7.00 | 5.00 | 18 |
| 19 | 1.00 | ** | ** | ** | ** | ** | ** | 14.00 | 40.00 | 24.00 | 6.00 | 5.00 | 19 |
| 20 | 1.00 | ** | ** | ** | ** | ** | ** | 15.00 | 40.00 | 24.00 | 5.00 | 5.00 | 20 |
| 21 | ** | ** | ** | ** | ** | ** | ** | 16.00 | 42.00 | 24.00 | 5.00 | 5.00 | 21 |
| 22 | ** | ** | ** | ** | ** | ** | ** | 17.00 | 44.00 | 24.00 | 5.00 | 5.00 | 22 |
| 23 | ** | ** | ** | ** | ** | ** | ** | 17.00 | 46.00 | 24.00 | 5.00 | 5.00 | 23 |
| 24 | ** | ** | ** | ** | ** | ** | ** | 18.00 | 48.00 | 24.00 | 5.00 | 5.00 | 24 |
| 25 | ** | ** | ** | ** | ** | ** | ** | 18.00 | 48.00 | 24.00 | 5.00 | 5.00 | 25 |
| 26 | ** | ** | ** | ** | ** | ** | ** | 18.00 | 46.00 | 24.00 | 5.00 | 5.00 | 26 |
| 27 | ** | ** | ** | ** | ** | ** | ** | 18.00 | 43.00 | 24.00 | 5.00 | 5.00 | 27 |
| 28 | ** | ** | ** | ** | ** | ** | ** | 19.00 | 40.00 | 24.00 | 4.00 | 5.00 | 28 |
| 29 | ** | ** | ** | ** | | ** | ** | 19.00 | 40.00 | 24.00 | 4.00 | 5.00 | 29 |
| 30 | ** | ** | ** | ** | | ** | ** | 19.00 | 39.00 | 20.00 | 4.00 | 5.00 | 30 |
| 31 | ** | | ** | ** | | ** | | 20.00 | | 16.00 | 4.00 | | 31 |
| TOTAL | 70.00* | ** | ** | ** | ** | ** | ** | 335.00* | 1139.00 | 832.00 | 228.00 | 134.00 | |
| MEAN | 3.50* | ** | ** | ** | ** | ** | ** | 14.57* | 37.97 | 26.84 | 7.35 | 4.47 | |
| AC-FT | 138.84* | ** | ** | ** | ** | ** | ** | 664.46* | 2259.17 | 1650.25 | 452.23 | 265.78 | |

** INDICATES
MISSING DATA

* INDICATES
COMPUTED FROM
INCOMPLETE DATA

E INDICATES
ESTIMATED VALUE

Source: Wyoming Water Resources Data System, March 20, 2000.

Green River Basin, Wyoming; Key Structures and Diversions
Description and Operation Memorandum

Wardell Ditch, Green River

Diversion Description: Diversion consists of a single 6' steel panel headgate. No diversion dam exists.¹

Diversion Location:

Source: Green River

Section, Township, Range: Lot 8, 30, 110

Conveyance Description: Open Channel Canal, approximately 5 miles in length.¹

Wyoming Water Rights Summary:

| Priority Date (M-D-Y) | Permit Number | Permitted Use | Acres | Flow (cfs) | Cumulative Flow (cfs) | Comments |
|--------------------------|------------------|------------------|--------|---------------|--------------------------|----------|
| 02-04-1898 | 1738 | Irrigation | 130.00 | 1.85 | 1.85 | |
| 06-20-1900 | 551E | Irrigation | 225.00 | 3.26 | 5.11 | |
| 04-03-1903 | 1014E | Irrigation | 113.00 | 1.61 | 6.72 | |
| 01-13-1915 | 3107E | Irrigation | 262.83 | 2.75 | 9.47 | |
| 07-31-1930 | 4684E | Irrigation | 110.00 | 1.57 | 11.04 | |

Storage Rights: None.

Estimated Canal Losses: Typical (10%).¹

Irrigation Practices: Information not available at time of report.

Crop Types / Consumptive Use: Information not available at time of report.

Return Flows: Return flows are delivered to Green River at Alkali Creek.²

Other Operational Information: Information not available at time of report.

Sources: 1) Loren Smith, Wyoming State Engineer's Office, Fax, June 9, 2000.
2) Williams, Linda I., "A Model of the Green River Using the Wyoming Integrated River System Operation Study (WIRSOS)," M.S. Thesis, University of Wyoming, Department of Civil Engineering, December 1995.

Green River Basin, Wyoming; Key Structures and Diversions
Description and Operation Memorandum

Wardell Ditch, Green River, Diversion Data

No Diversion Data Available.

Green River Basin, Wyoming; Key Structures and Diversions
Description and Operation Memorandum

Wright Ditch, West Fork New Fork River

Diversion Description: Diversion dam consists of a wood stop log headgate. No diversion dam exists.¹

Diversion Location:

Source: West Fork New Fork River, Trib. New Fork River, Trib. Green River

Section, Township, Range: 16, 35, 110

Conveyance Description: Open Channel Canal, approximately 2 miles in length.¹

Wyoming Water Rights Summary:

| Priority Date (M-D-Y) | Permit Number | Permitted Use | Acres | Flow (cfs) | Cumulative Flow (cfs) | Comments |
|--------------------------|------------------|------------------|--------|---------------|--------------------------|----------|
| 05-27-1898 | 1844 | Irrigation | 275.00 | 3.92 | 3.92 | |
| 05-15-1899 | 424E | Irrigation | 305.00 | 4.35 | 8.27 | |
| 02-06-1904 | 1161E | Irrigation | 315.00 | 4.50 | 12.77 | |
| 06-11-1929 | 4832E | Irrigation | 48.10 | 0.69 | 13.46 | |

Storage Rights: None.

Estimated Canal Losses: Information not available at time of report.

Irrigation Practices: Information not available at time of report.

Crop Types / Consumptive Use: Information not available at time of report.

Return Flows: Return flows are delivered to West Fork New Fork River north of Cora.²

Other Operational Information: Information not available at time of report.

Sources: 1) Loren Smith, Wyoming State Engineer's Office, Fax, June 6, 2000.
2) Williams, Linda I., "A Model of the Green River Using the Wyoming Integrated River System Operation Study (WIRSOS)," M.S. Thesis, University of Wyoming, Department of Civil Engineering, December 1995.

Green River Basin, Wyoming; Key Structures and Diversions
Description and Operation Memorandum

Wright Ditch, West Fork New Fork River, Diversion Data

| Wateryear | May | | June | | July | | August | | September | |
|-----------|---------------|--------------------|---------------|--------------------|---------------|--------------------|---------------|--------------------|---------------|--------------------|
| | Average (cfs) | Monthly Total (AF) | Average (cfs) | Monthly Total (AF) | Average (cfs) | Monthly Total (AF) | Average (cfs) | Monthly Total (AF) | Average (cfs) | Monthly Total (AF) |
| 1980 | | | | | | | | | | |
| 1981 | | | | | | | | | | |
| 1982 | | | | | | | | | | |
| 1983 | | | | | | | | | | |
| 1984 | | | <i>34.07</i> | <i>2,027.31</i> | <i>26.35</i> | <i>1,620.48</i> | <i>5.55</i> | <i>341.18</i> | <i>5.67</i> | <i>337.67</i> |
| 1985 | <i>11.64</i> | <i>715.97</i> | <i>31.06</i> | <i>1,848.34</i> | <i>20.97</i> | <i>1,289.24</i> | <i>0.87</i> | <i>53.38</i> | <i>1.03</i> | <i>61.15</i> |
| 1986 | | | <i>29.81</i> | <i>1,773.58</i> | <i>13.14</i> | <i>807.83</i> | <i>5.72</i> | <i>351.63</i> | <i>20.81</i> | <i>1,238.20</i> |
| 1987 | <i>21.53</i> | <i>1,323.97</i> | <i>31.18</i> | <i>1,855.44</i> | <i>14.34</i> | <i>881.47</i> | <i>1.09</i> | <i>66.90</i> | <i>4.18</i> | <i>248.91</i> |
| 1988 | | | | | | | | | | |
| 1989 | | | | | | | | | | |
| 1990 | | | | | | | | | | |
| 1991 | | | | | | | | | | |
| 1992 | | | | | | | | | | |
| 1993 | | | | | | | | | | |
| 1994 | 0.00 | 0.00 | 2.23 | 132.96 | | | | | | |
| 1995 | | | | | | | | | | |
| 1996 | | | | | | | | | | |
| 1997 | | | | | | | | | | |
| 1998 | | | | | | | | | | |

| | | | | | | | | | | |
|-----------|-------|--------|-------|----------|-------|----------|------|--------|------|--------|
| Averages: | 11.06 | 679.98 | 25.67 | 1,527.53 | 18.70 | 1,149.76 | 3.31 | 203.27 | 7.92 | 471.48 |
|-----------|-------|--------|-------|----------|-------|----------|------|--------|------|--------|

Data in italics from USGS gaging station 007104.00, see attached data sheets.

Blank cells are due to missing/insufficient data.

Average = Average Flow for ENTIRE month. Monthly Total = Total Volume used during month.

See Methodology section for explanations.

Spot data readings used in calculating averages in table on following pages.

Green River Basin, Wyoming; Key Structures and Diversions
Description and Operation Memorandum

Wright Ditch, West Fork New Fork River, Diversion Data

Data:

1989: 6/5, 32 cfs.

1994: 5/13, 6/13, dry; 7/2, 12.00 cfs; 9/7, dry.

Source: State Engineer's Office, Annual Hydrographers' Reports.

Supply: 1980, below average; 1981, slightly below average; 1982, average (late peak); 1983, above average; 1984, above average; 1985, below average; 1986, average to slightly above average; 1988: very below average; 1989, below average; 1990, below average; 1991, slightly below average; 1992, below average; 1993, average; 1994, below average; 1995, average to above average; 1996, average; 1997, average; 1998, average to above average.

Green River Basin, Wyoming; Key Structures and Diversions
Description and Operation Memorandum

Wright Ditch, West Fork New Fork River, Diversion Data

WRIGHT DITCH

STATION NO. 007104.00

LATITUDE 42-59-51 LONGITUDE 109-58-39

NE1/4SW1/4 SECTION 20 TOWNSHIP 35 N,RANGE 110 W 6TH P.M.

ELEVATION 7440.00 FT DRAINAGE AREA UNKNOWN

NONCONTRIBUTING 0.00 SQ MI BASIN 15570000

SUBLETTE COUNTY

DATA FROM WWRC

(C)

****TO USE THIS DATA, SEE VIC HASFURTHER****

| MEAN DAILY FLOW IN CFS BY WATER YEAR | | | | | | | | | | | | | |
|--------------------------------------|-----|-----|-----|-----|-----|-----|-----|---------|---------|---------|--------|--------|-----|
| 1984 | | | | | | | | | | | | | |
| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUNE | JULY | AUG | SEPT | DAY |
| 1 | ** | ** | ** | ** | ** | ** | ** | ** | 10.70 | 36.60 | 5.48 | 5.75 | 1 |
| 2 | ** | ** | ** | ** | ** | ** | ** | ** | 10.60 | 35.80 | 5.56 | 5.75 | 2 |
| 3 | ** | ** | ** | ** | ** | ** | ** | ** | 10.30 | 16.40 | 5.52 | 5.75 | 3 |
| 4 | ** | ** | ** | ** | ** | ** | ** | ** | 21.90 | 8.99 | 5.45 | 5.75 | 4 |
| 5 | ** | ** | ** | ** | ** | ** | ** | ** | 37.00 | 8.62 | 5.41 | 5.75 | 5 |
| 6 | ** | ** | ** | ** | ** | ** | ** | ** | 42.00 | 8.51 | 5.45 | 5.75 | 6 |
| 7 | ** | ** | ** | ** | ** | ** | ** | ** | 41.60 | 22.10 | 5.48 | 5.75 | 7 |
| 8 | ** | ** | ** | ** | ** | ** | ** | ** | 40.70 | 42.40 | 5.45 | 5.75 | 8 |
| 9 | ** | ** | ** | ** | ** | ** | ** | ** | 40.30 | 42.00 | 5.37 | 5.75 | 9 |
| 10 | ** | ** | ** | ** | ** | ** | ** | ** | 40.70 | 42.00 | 5.37 | 5.75 | 10 |
| 11 | ** | ** | ** | ** | ** | ** | ** | ** | 41.10 | 40.70 | 5.37 | 5.75 | 11 |
| 12 | ** | ** | ** | ** | ** | ** | ** | ** | 40.30 | 42.90 | 5.33 | 5.75 | 12 |
| 13 | ** | ** | ** | ** | ** | ** | ** | ** | 39.40 | 42.90 | 5.33 | 5.75 | 13 |
| 14 | ** | ** | ** | ** | ** | ** | ** | ** | 38.60 | 43.80 | 5.33 | 5.71 | 14 |
| 15 | ** | ** | ** | ** | ** | ** | ** | ** | 34.30 | 43.30 | 5.41 | 5.67 | 15 |
| 16 | ** | ** | ** | ** | ** | ** | ** | ** | 38.20 | 39.00 | 5.48 | 5.67 | 16 |
| 17 | ** | ** | ** | ** | ** | ** | ** | ** | 38.60 | 39.40 | 5.48 | 5.67 | 17 |
| 18 | ** | ** | ** | ** | ** | ** | ** | ** | 37.00 | 39.90 | 5.48 | 5.67 | 18 |
| 19 | ** | ** | ** | ** | ** | ** | ** | 6.80 | 34.70 | 37.80 | 5.52 | 5.67 | 19 |
| 20 | ** | ** | ** | ** | ** | ** | ** | 6.80 | 34.30 | 31.10 | 5.52 | 5.67 | 20 |
| 21 | ** | ** | ** | ** | ** | ** | ** | 6.84 | 34.70 | 33.60 | 5.52 | 5.67 | 21 |
| 22 | ** | ** | ** | ** | ** | ** | ** | 6.76 | 29.40 | 34.30 | 5.52 | 5.67 | 22 |
| 23 | ** | ** | ** | ** | ** | ** | ** | 6.59 | 35.10 | 30.10 | 6.14 | 5.67 | 23 |
| 24 | ** | ** | ** | ** | ** | ** | ** | 6.76 | 35.40 | 11.80 | 5.83 | 5.63 | 24 |
| 25 | ** | ** | ** | ** | ** | ** | ** | 6.84 | 35.80 | 6.06 | 5.79 | 5.60 | 25 |
| 26 | ** | ** | ** | ** | ** | ** | ** | 6.76 | 35.80 | 7.40 | 5.79 | 5.56 | 26 |
| 27 | ** | ** | ** | ** | ** | ** | ** | 7.49 | 35.80 | 6.97 | 5.71 | 5.52 | 27 |
| 28 | ** | ** | ** | ** | ** | ** | ** | 7.90 | 35.40 | 6.02 | 5.71 | 5.48 | 28 |
| 29 | ** | ** | ** | ** | ** | ** | ** | 8.16 | 35.80 | 5.52 | 5.71 | 5.48 | 29 |
| 30 | ** | ** | ** | ** | | ** | ** | 11.00 | 36.60 | 5.48 | 5.75 | 5.48 | 30 |
| 31 | ** | | ** | ** | | ** | | 11.00 | | 5.52 | 5.75 | | 31 |
| TOTAL | ** | ** | ** | ** | ** | ** | ** | 99.70* | 1022.10 | 816.99 | 172.01 | 170.24 | |
| MEAN | ** | ** | ** | ** | ** | ** | ** | 7.67* | 34.07 | 26.35 | 5.55 | 5.67 | |
| AC-FT | ** | ** | ** | ** | ** | ** | ** | 197.75* | 2027.31 | 1620.48 | 341.18 | 337.67 | |

** INDICATES
MISSING DATA

* INDICATES
COMPUTED FROM
INCOMPLETE DATA

E INDICATES
ESTIMATED VALUE

Green River Basin, Wyoming; Key Structures and Diversions
Description and Operation Memorandum

Wright Ditch, West Fork New Fork River, Diversion Data

WRIGHT DITCH

STATION NO. 007104.00

LATITUDE 42-59-51 LONGITUDE 109-58-39

NE1/4SW1/4 SECTION 20 TOWNSHIP 35 N,RANGE 110 W 6TH P.M.

ELEVATION 7440.00 FT DRAINAGE AREA UNKNOWN

NONCONTRIBUTING 0.00 SQ MI BASIN 15570000

SUBLETTE COUNTY

DATA FROM WWRC

(C)

****TO USE THIS DATA, SEE VIC HASFURTHER****

| MEAN DAILY FLOW IN CFS BY WATER YEAR | | | | | | | | | | | | | |
|--------------------------------------|---------|-----|-----|-----|-----|-----|-----|---------|---------|---------|-------|-------|-----|
| 1985 | | | | | | | | | | | | | |
| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUNE | JULY | AUG | SEPT | DAY |
| 1 | 5.48 | ** | ** | ** | ** | ** | ** | ** | 24.40 | 0.39 | 0.16 | 1.28 | 1 |
| 2 | 5.52 | ** | ** | ** | ** | ** | ** | ** | 26.63 | 0.10 | 0.14 | 3.07 | 2 |
| 3 | 5.45 | ** | ** | ** | ** | ** | ** | ** | 29.02 | 14.54 | 0.13 | 5.96 | 3 |
| 4 | 5.45 | ** | ** | ** | ** | ** | ** | ** | 33.18 | 32.91 | 0.23 | 2.09 | 4 |
| 5 | 5.45 | ** | ** | ** | ** | ** | ** | ** | 32.37 | 31.57 | 0.71 | 1.16 | 5 |
| 6 | 5.45 | ** | ** | ** | ** | ** | ** | ** | 33.46 | 31.57 | 0.71 | 0.71 | 6 |
| 7 | 5.45 | ** | ** | ** | ** | ** | ** | ** | 36.00 | 29.27 | 0.64 | 0.43 | 7 |
| 8 | 5.41 | ** | ** | ** | ** | ** | ** | ** | 36.00 | 60.82 | 0.52 | 0.52 | 8 |
| 9 | 5.41 | ** | ** | ** | ** | ** | ** | ** | 36.59 | 61.25 | 0.47 | 0.58 | 9 |
| 10 | 5.41 | ** | ** | ** | ** | ** | ** | 13.83 | 36.30 | 60.38 | 0.39 | 0.71 | 10 |
| 11 | 5.45 | ** | ** | ** | ** | ** | ** | 8.64 | 36.00 | 60.82 | 0.39 | 0.58 | 11 |
| 12 | 5.41 | ** | ** | ** | ** | ** | ** | 7.19 | 35.43 | 59.95 | 0.52 | 1.89 | 12 |
| 13 | 5.41 | ** | ** | ** | ** | ** | ** | 6.55 | 34.57 | 58.25 | 0.58 | 1.56 | 13 |
| 14 | 5.41 | ** | ** | ** | ** | ** | ** | 10.65 | 34.29 | 25.72 | 0.58 | 1.05 | 14 |
| 15 | 5.41 | ** | ** | ** | ** | ** | ** | 15.28 | 36.00 | 24.83 | 0.64 | 0.52 | 15 |
| 16 | 5.37 | ** | ** | ** | ** | ** | ** | 15.28 | 36.30 | 24.61 | 0.86 | 0.58 | 16 |
| 17 | 5.33 | ** | ** | ** | ** | ** | ** | 15.43 | 36.30 | 22.51 | 2.53 | 0.64 | 17 |
| 18 | 5.30 | ** | ** | ** | ** | ** | ** | 15.89 | 36.30 | 0.26 | 3.38 | 0.58 | 18 |
| 19 | 5.33 | ** | ** | ** | ** | ** | ** | 15.59 | 36.00 | 0.19 | 1.28 | 0.86 | 19 |
| 20 | 5.30 | ** | ** | ** | ** | ** | ** | 18.54 | 36.59 | 1.41 | 0.35 | 0.47 | 20 |
| 21 | 5.26 | ** | ** | ** | ** | ** | ** | 18.37 | 35.14 | 7.19 | 0.58 | 0.47 | 21 |
| 22 | 5.26 | ** | ** | ** | ** | ** | ** | 18.54 | 35.14 | 9.76 | 0.52 | 1.28 | 22 |
| 23 | 5.26 | ** | ** | ** | ** | ** | ** | 18.37 | 34.85 | 10.31 | 0.52 | 0.71 | 23 |
| 24 | 5.22 | ** | ** | ** | ** | ** | ** | 19.62 | 35.43 | 10.88 | 0.78 | 0.52 | 24 |
| 25 | 5.26 | ** | ** | ** | ** | ** | ** | 20.93 | 32.64 | 8.73 | 1.05 | 0.47 | 25 |
| 26 | 5.22 | ** | ** | ** | ** | ** | ** | 19.62 | 30.02 | 0.23 | 1.56 | 0.52 | 26 |
| 27 | ** | ** | ** | ** | ** | ** | ** | 19.62 | 29.02 | 0.78 | 3.07 | 0.52 | 27 |
| 28 | ** | ** | ** | ** | ** | ** | ** | 19.43 | 16.21 | 0.21 | 1.41 | 0.52 | 28 |
| 29 | ** | ** | ** | ** | ** | ** | ** | 20.17 | 1.05 | 0.19 | 0.22 | 0.35 | 29 |
| 30 | ** | ** | ** | ** | ** | ** | ** | 22.11 | 0.64 | 0.19 | 0.43 | 0.23 | 30 |
| 31 | ** | ** | ** | ** | ** | ** | ** | 21.32 | ** | 0.17 | 1.56 | ** | 31 |
| TOTAL | 139.68* | ** | ** | ** | ** | ** | ** | 360.97* | 931.87 | 649.99 | 26.91 | 30.83 | |
| MEAN | 5.37* | ** | ** | ** | ** | ** | ** | 16.41* | 31.06 | 20.97 | 0.87 | 1.03 | |
| AC-FT | 277.05* | ** | ** | ** | ** | ** | ** | 715.97* | 1848.34 | 1289.24 | 53.38 | 61.15 | |

** INDICATES
MISSING DATA

* INDICATES
COMPUTED FROM
INCOMPLETE DATA

E INDICATES
ESTIMATED VALUE

Green River Basin, Wyoming; Key Structures and Diversions
Description and Operation Memorandum

Wright Ditch, West Fork New Fork River, Diversion Data

WRIGHT DITCH

STATION NO. 007104.00

LATITUDE 42-59-51 LONGITUDE 109-58-39

NE1/4SW1/4 SECTION 20 TOWNSHIP 35 N,RANGE 110 W 6TH P.M.

ELEVATION 7440.00 FT DRAINAGE AREA UNKNOWN

NONCONTRIBUTING 0.00 SQ MI BASIN 15570000

SUBLETTE COUNTY

DATA FROM WWRC

(C)

*****TO USE THIS DATA, SEE VIC HASFURTHER*****

| MEAN DAILY FLOW IN CFS BY WATER YEAR | | | | | | | | | | | | | |
|--------------------------------------|-------|--------|-----|-----|-----|-----|-----|--------|---------|--------|--------|---------|-----|
| 1986 | | | | | | | | | | | | | |
| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUNE | JULY | AUG | SEPT | DAY |
| 1 | 0.21 | 7.19 | ** | ** | ** | ** | ** | ** | 20.31 | 29.34 | 0.02 | 7.69 | 1 |
| 2 | 0.23 | 0.52 | ** | ** | ** | ** | ** | ** | 22.25 | 28.10 | 0.20 | 8.23 | 2 |
| 3 | 0.28 | 0.43 | ** | ** | ** | ** | ** | ** | 23.02 | 27.49 | 4.65 | 12.06 | 3 |
| 4 | 0.26 | ** | ** | ** | ** | ** | ** | ** | 21.75 | 26.90 | 1.50 | 13.01 | 4 |
| 5 | 0.26 | ** | ** | ** | ** | ** | ** | ** | 23.81 | 26.60 | 1.73 | 14.37 | 5 |
| 6 | 0.26 | ** | ** | ** | ** | ** | ** | ** | 30.63 | 26.60 | 0.02 | 18.50 | 6 |
| 7 | 0.35 | ** | ** | ** | ** | ** | ** | ** | 39.35 | 26.90 | 0.17 | 18.44 | 7 |
| 8 | 0.35 | ** | ** | ** | ** | ** | ** | ** | 35.13 | 26.60 | 6.13 | 19.61 | 8 |
| 9 | 0.28 | ** | ** | ** | ** | ** | ** | ** | 30.96 | 26.31 | 6.13 | 22.00 | 9 |
| 10 | 0.26 | ** | ** | ** | ** | ** | ** | ** | 27.19 | 25.46 | 6.31 | 22.51 | 10 |
| 11 | 0.26 | ** | ** | ** | ** | ** | ** | ** | 30.96 | 25.18 | 6.05 | 20.31 | 11 |
| 12 | 0.23 | ** | ** | ** | ** | ** | ** | ** | 37.39 | 24.90 | 8.01 | 18.07 | 12 |
| 13 | 0.23 | ** | ** | ** | ** | ** | ** | ** | 38.95 | 23.81 | 8.93 | 22.76 | 13 |
| 14 | 0.23 | ** | ** | ** | ** | ** | ** | ** | 37.77 | 18.94 | 9.05 | 22.76 | 14 |
| 15 | 0.23 | ** | ** | ** | ** | ** | ** | ** | 34.77 | 17.44 | 7.69 | 23.02 | 15 |
| 16 | 0.23 | ** | ** | ** | ** | ** | ** | ** | 32.30 | 9.81 | 7.17 | 23.02 | 16 |
| 17 | 0.23 | ** | ** | ** | ** | ** | ** | ** | 31.29 | 6.68 | 7.27 | 23.28 | 17 |
| 18 | 0.23 | ** | ** | ** | ** | ** | ** | ** | 30.30 | 6.59 | 0.11 | 23.54 | 18 |
| 19 | 0.23 | ** | ** | ** | ** | ** | ** | ** | 28.10 | 2.30 | 6.40 | 23.81 | 19 |
| 20 | 0.23 | ** | ** | ** | ** | ** | ** | ** | 27.49 | 0.55 | 7.07 | 23.81 | 20 |
| 21 | 0.23 | ** | ** | ** | ** | ** | ** | ** | 34.14 | 0.12 | 6.88 | 23.81 | 21 |
| 22 | 0.23 | ** | ** | ** | ** | ** | ** | ** | 31.96 | 0.12 | 6.22 | 24.08 | 22 |
| 23 | 0.32 | ** | ** | ** | ** | ** | ** | ** | 30.30 | 0.12 | 5.62 | 24.62 | 23 |
| 24 | 0.28 | ** | ** | ** | ** | ** | ** | 0.31 | 29.34 | 0.09 | 8.81 | 25.46 | 24 |
| 25 | 0.28 | ** | ** | ** | ** | ** | ** | 0.17 | 29.02 | 0.08 | 8.23 | 25.74 | 25 |
| 26 | 0.28 | ** | ** | ** | ** | ** | ** | 0.17 | 28.10 | 0.07 | 8.23 | 25.46 | 26 |
| 27 | 0.28 | ** | ** | ** | ** | ** | ** | 0.20 | 27.49 | 0.06 | 7.92 | 25.46 | 27 |
| 28 | 0.26 | ** | ** | ** | ** | ** | ** | 0.15 | 26.90 | 0.04 | 7.80 | 23.81 | 28 |
| 29 | 15.59 | ** | ** | ** | ** | ** | ** | 0.08 | 26.90 | 0.03 | 7.69 | 22.00 | 29 |
| 30 | 4.94 | ** | ** | ** | ** | ** | ** | 0.15 | 26.31 | 0.03 | 7.58 | 23.02 | 30 |
| 31 | 9.66 | ** | ** | ** | ** | ** | ** | 6.88 | ** | 0.02 | 7.69 | ** | 31 |
| TOTAL | 37.42 | 8.14* | ** | ** | ** | ** | ** | 8.11* | 894.18 | 407.28 | 177.28 | 624.26 | |
| MEAN | 1.21 | 2.71* | ** | ** | ** | ** | ** | 1.01* | 29.81 | 13.14 | 5.72 | 20.81 | |
| AC-FT | 74.22 | 16.15* | ** | ** | ** | ** | ** | 16.09* | 1773.58 | 807.83 | 351.63 | 1238.20 | |

** INDICATES
MISSING DATA

* INDICATES
COMPUTED FROM
INCOMPLETE DATA

E INDICATES
ESTIMATED VALUE

Green River Basin, Wyoming; Key Structures and Diversions
Description and Operation Memorandum

Wright Ditch, West Fork New Fork River, Diversion Data

WRIGHT DITCH

STATION NO. 007104.00

LATITUDE 42-59-51 LONGITUDE 109-58-39

NE1/4SW1/4 SECTION 20 TOWNSHIP 35 N,RANGE 110 W 6TH P.M.

ELEVATION 7440.00 FT DRAINAGE AREA UNKNOWN

NONCONTRIBUTING 0.00 SQ MI BASIN 15570000

SUBLETTE COUNTY

DATA FROM WWRC

(C)

****TO USE THIS DATA, SEE VIC HASFURTHER****

| MEAN DAILY FLOW IN CFS BY WATER YEAR | | | | | | | | | | | | | |
|--------------------------------------|--------|-------|-----|-----|-----|-----|-----|----------|---------|--------|-------|--------|-----|
| 1987 | | | | | | | | | | | | | |
| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUNE | JULY | AUG | SEPT | DAY |
| 1 | 23.02 | 0.00 | ** | ** | ** | ** | ** | ** | 31.78 | 30.47 | 0.23 | 2.78 | 1 |
| 2 | 23.54 | 0.00 | ** | ** | ** | ** | ** | ** | 32.46 | 28.89 | 0.34 | 2.78 | 2 |
| 3 | 23.28 | 0.00 | ** | ** | ** | ** | ** | ** | 31.45 | 10.68 | 3.66 | 2.78 | 3 |
| 4 | 17.44 | 0.00 | ** | ** | ** | ** | ** | ** | 31.45 | 8.54 | 4.01 | 2.78 | 4 |
| 5 | 10.89 | ** | ** | ** | ** | ** | ** | ** | 31.12 | 8.89 | 2.78 | 2.78 | 5 |
| 6 | 10.89 | ** | ** | ** | ** | ** | ** | ** | 30.79 | 8.77 | 1.75 | 2.78 | 6 |
| 7 | 10.89 | ** | ** | ** | ** | ** | ** | ** | 31.45 | 31.45 | 1.59 | 2.78 | 7 |
| 8 | 10.89 | ** | ** | ** | ** | ** | ** | ** | 32.46 | 32.12 | 1.45 | 2.78 | 8 |
| 9 | 10.89 | ** | ** | ** | ** | ** | ** | ** | 35.26 | 27.09 | 1.45 | 2.11 | 9 |
| 10 | 0.00 | ** | ** | ** | ** | ** | ** | ** | 36.37 | 26.51 | 0.90 | 1.00 | 10 |
| 11 | 0.00 | ** | ** | ** | ** | ** | ** | ** | 34.54 | 29.83 | 0.23 | 1.00 | 11 |
| 12 | 0.00 | ** | ** | ** | ** | ** | ** | ** | 34.54 | 30.79 | 0.82 | 0.62 | 12 |
| 13 | 0.00 | ** | ** | ** | ** | ** | ** | 32.46 | 34.19 | 28.28 | 0.09 | 0.62 | 13 |
| 14 | 0.00 | ** | ** | ** | ** | ** | ** | 33.84 | 34.19 | 20.53 | 0.34 | 1.20 | 14 |
| 15 | 0.00 | ** | ** | ** | ** | ** | ** | 34.90 | 29.83 | 12.43 | 1.00 | 6.21 | 15 |
| 16 | 0.00 | ** | ** | ** | ** | ** | ** | 36.00 | 12.28 | 10.95 | 1.00 | 0.68 | 16 |
| 17 | 0.00 | ** | ** | ** | ** | ** | ** | 37.50 | 11.10 | 11.24 | 0.90 | 0.17 | 17 |
| 18 | 0.00 | ** | ** | ** | ** | ** | ** | 37.50 | 15.69 | 10.68 | 0.90 | 1.92 | 18 |
| 19 | 0.00 | ** | ** | ** | ** | ** | ** | 37.50 | 34.90 | 9.50 | 0.10 | 7.76 | 19 |
| 20 | 0.00 | ** | ** | ** | ** | ** | ** | 37.12 | 36.00 | 10.54 | 0.09 | 7.76 | 20 |
| 21 | 0.00 | ** | ** | ** | ** | ** | ** | 36.74 | 36.00 | 13.73 | 0.07 | 7.87 | 21 |
| 22 | 0.00 | ** | ** | ** | ** | ** | ** | 36.37 | 36.00 | 8.89 | 0.07 | 8.09 | 22 |
| 23 | 0.00 | ** | ** | ** | ** | ** | ** | 36.00 | 36.00 | 7.25 | 0.07 | 8.09 | 23 |
| 24 | 0.00 | ** | ** | ** | ** | ** | ** | 35.63 | 34.54 | 4.01 | 0.07 | 7.98 | 24 |
| 25 | 0.00 | ** | ** | ** | ** | ** | ** | 35.26 | 34.19 | 0.38 | 0.07 | 0.46 | 25 |
| 26 | 0.00 | ** | ** | ** | ** | ** | ** | 35.26 | 33.84 | 1.20 | 0.75 | 1.59 | 26 |
| 27 | 0.00 | ** | ** | ** | ** | ** | ** | 34.54 | 29.83 | 6.21 | 1.92 | 9.50 | 27 |
| 28 | 0.00 | ** | ** | ** | ** | ** | ** | 33.84 | 30.47 | 5.75 | 2.11 | 9.50 | 28 |
| 29 | 0.00 | ** | ** | ** | | ** | ** | 32.80 | 31.28 | 4.01 | 2.11 | 9.50 | 29 |
| 30 | 0.00 | ** | ** | ** | | ** | ** | 32.12 | 31.45 | 3.05 | 0.08 | 9.62 | 30 |
| 31 | 0.00 | | ** | ** | | ** | | 32.12 | | 1.75 | 2.78 | | 31 |
| TOTAL | 141.73 | 0.00* | ** | ** | ** | ** | ** | 667.50* | 935.45 | 444.41 | 33.73 | 125.49 | |
| MEAN | 4.57 | 0.00* | ** | ** | ** | ** | ** | 35.13* | 31.18 | 14.34 | 1.09 | 4.18 | |
| AC-FT | 281.12 | 0.00* | ** | ** | ** | ** | ** | 1323.97* | 1855.44 | 881.47 | 66.90 | 248.91 | |

** INDICATES
MISSING DATA

* INDICATES
COMPUTED FROM
INCOMPLETE DATA

E INDICATES
ESTIMATED VALUE

Green River Basin, Wyoming; Key Structures and Diversions
Description and Operation Memorandum

Wright Ditch, West Fork New Fork River, Diversion Data

WRIGHT DITCH

STATION NO. 007104.00

LATITUDE 42-59-51 LONGITUDE 109-58-39

NE1/4SW1/4 SECTION 20 TOWNSHIP 35 N,RANGE 110 W 6TH P.M.

ELEVATION 7440.00 FT DRAINAGE AREA UNKNOWN

NONCONTRIBUTING 0.00 SQ MI BASIN 15570000

SUBLETTE COUNTY

DATA FROM WWRC

(C)

****TO USE THIS DATA, SEE VIC HASFURTHER****

| MEAN DAILY FLOW IN CFS BY WATER YEAR | | | | | | | | | | | | | |
|--------------------------------------|--------|-------|-------|-----|-----|-----|-----|-------|------|------|-----|------|-----|
| 1988 | | | | | | | | | | | | | |
| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUNE | JULY | AUG | SEPT | DAY |
| 1 | 9.62 | 1.00 | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | 1 |
| 2 | 9.62 | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | 2 |
| 3 | 9.25 | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | 3 |
| 4 | 10.40 | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | 4 |
| 5 | 12.91 | ** | ** | ** | ** | ** | ** | 0.00 | ** | ** | ** | ** | 5 |
| 6 | 12.59 | ** | ** | ** | ** | ** | ** | 0.00 | ** | ** | ** | ** | 6 |
| 7 | 13.07 | ** | ** | ** | ** | ** | ** | 0.00 | ** | ** | ** | ** | 7 |
| 8 | 13.40 | ** | ** | ** | ** | ** | ** | 0.00 | ** | ** | ** | ** | 8 |
| 9 | 8.31 | ** | ** | ** | ** | ** | ** | 0.00 | ** | ** | ** | ** | 9 |
| 10 | 6.95 | ** | ** | ** | ** | ** | ** | 0.00 | ** | ** | ** | ** | 10 |
| 11 | 6.86 | ** | ** | ** | ** | ** | ** | 0.00 | ** | ** | ** | ** | 11 |
| 12 | 6.76 | ** | 0.00 | ** | ** | ** | ** | 0.00 | ** | ** | ** | ** | 12 |
| 13 | 6.76 | ** | ** | ** | ** | ** | ** | 0.00 | ** | ** | ** | ** | 13 |
| 14 | 6.76 | ** | ** | ** | ** | ** | ** | 0.00 | ** | ** | ** | ** | 14 |
| 15 | 6.76 | ** | ** | ** | ** | ** | ** | 0.00 | ** | ** | ** | ** | 15 |
| 16 | 6.48 | ** | ** | ** | ** | ** | ** | 0.00 | ** | ** | ** | ** | 16 |
| 17 | 6.39 | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | 17 |
| 18 | 6.39 | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | 18 |
| 19 | 6.30 | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | 19 |
| 20 | 6.30 | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | 20 |
| 21 | 4.39 | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | 21 |
| 22 | 4.01 | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | 22 |
| 23 | 3.34 | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | 23 |
| 24 | 3.34 | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | 24 |
| 25 | 3.05 | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | 25 |
| 26 | 3.05 | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | 26 |
| 27 | 2.78 | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | 27 |
| 28 | 1.20 | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | 28 |
| 29 | 1.32 | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | 29 |
| 30 | 1.32 | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | 30 |
| 31 | 1.20 | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | 31 |
| TOTAL | 200.88 | 1.00* | 0.00* | ** | ** | ** | ** | 0.00* | ** | ** | ** | ** | |
| MEAN | 6.48 | 1.00* | 0.00* | ** | ** | ** | ** | 0.00* | ** | ** | ** | ** | |
| AC-FT | 398.44 | 1.98* | 0.00* | ** | ** | ** | ** | 0.00* | ** | ** | ** | ** | |

** INDICATES
MISSING DATA

* INDICATES
COMPUTED FROM
INCOMPLETE DATA

E INDICATES
ESTIMATED VALUE

Source: Wyoming Water Resources Data System, March 20, 2000.

Green River Basin, Wyoming; Key Structures and Diversions
Description and Operation Memorandum

Wright Ditch, West Fork New Fork River, Diversion Data