

# References

- AECOM, Inc., 2009, Update of the task 1B report for the Powder River Basin coal review current water resources conditions: prepared for Bureau of Land Management, High Plains District Office and Wyoming State Office, [variously paged].
- AECOM, Inc., 2014, Task 1B report for the Powder River Basin coal review current water resources conditions: prepared for Bureau of Land Management, High Plains District Office and Wyoming State Office, [variously paged].
- AECOM and Environmental Simulations, Inc., 2009, Powder River Basin coal review, eastern Powder River Basin coal mine groundwater model, revised modeling protocol: report prepared for Bureau of Land Management (High Plains District Office and Wyoming State Office), [variously paged].
- Aller, Linda, Bennett, Truman, Lehr, J.H., and Petty, R.J., 1985, DRASTIC: A standardized system for evaluation of groundwater pollution potential using hydrogeologic settings: U.S. Environmental Protection Agency, 600/2-85/0108. Ada, Okla., USEPA, Robert S. Kerr Environmental Research Laboratory.
- American Society of Civil Engineers and UNESCO/IHP, 1998, Sustainability criteria for water resource Systems: American Society of Civil Engineers, Reston, Va., 44 p.
- Anderson and Kelly, Inc., 1986, Wright groundwater supply project level III, drilling and testing of RJ-4 well, operating plan and preconstruction report: prepared for the Wyoming Water Development Commission, [variously paged].
- Andrichuk, J.M., 1955, Mississippian Madison Group stratigraphy and sedimentation in Wyoming and southern Montana: American Association of Petroleum Geologists Bulletin, v. 39, no. 11, p. 2,170–2,210.
- Anna, L.O., 2010, Geologic assessment of undiscovered oil and gas in the Powder River Basin province Wyoming and Montana, in Total petroleum systems and geologic assessment of oil and gas resources in the Powder River Basin province, Wyoming and Montana: U.S. Geological Survey Series DDS-69-U, 97 p. (Revised 2010.)
- Applied Hydrology Associates, Inc., and Greystone Environmental Consultants, Inc., 2002, Groundwater modeling of impacts associated with mining and coal bed methane development in the Powder River Basin, in Technical report, Powder River Basin Oil and Gas Environmental Impact Statement: Denver, Colo., report prepared for Bureau of Land Management, Buffalo, Wyoming, Field Office, [variously paged].
- Armentrout, G.W., Jr., and Wilson, J.F., Jr., 1987, An assessment of low flows in streams in northeastern Wyoming: U.S. Geological Survey Water-Resources Investigations Report 85-4246, 30 p., 1 pl.
- Aurand, K.R., 2013, Groundwater recharge estimates for the lower Tertiary and Upper Cretaceous aquifers in the Williston and Powder River structural basins: Rapid City, South Dakota School of Mines and Technology, M.S. thesis, 101 p.
- Averitt, Paul, 1975, Coal resources of the United States, January 1, 1974: U.S. Geological Survey Bulletin 1412, 131 p.
- AVI Professional Corporation (in association with TST of Denver, Inc. and Hinckley Consulting), 2014, Lusk master plan level I study, final report: prepared for the Wyoming Water Development Commission, [variously paged].
- Babcock, H.M., and Bjorklund, L.J., 1956, Ground-water geology of parts of Laramie and Albany counties, Wyoming, and Weld County, Colorado, with a section on The chemical quality of the ground water, by L.R. Kister: U.S. Geological Survey Water-Supply Paper 1367, 61 p., 1 pl.
- Babcock, H.M., and Morris, D.A., 1954, Ground water in the vicinity of Edgerton, Wyoming: U.S. Geological Survey Open-File Report 54-13, 9 p. [Number assigned after report was published].
- Babcock, H.M., and Rapp, J.R., 1952, Reconnaissance of the geology and ground-water resources of the Horse Creek-Bear Creek area, Laramie and Goshen counties, Wyoming, with a section on The chemical quality of the water, by W.H. Durum: U.S. Geological Survey Circular 162, 28 p., 1 pl.
- Back, William, 1966, Hydrochemical facies and ground-water flow patterns in northern part of Atlantic Coastal Plain: U.S. Geological Survey Professional Paper 498-A, 42 p.
- Baker and Associates, Inc. (in association with Wyoming Groundwater, LLC), 2014, Pine Haven tank and well level II study, final report: prepared for the Wyoming Water Development Commission, [variously paged].
- Banner Associates, Inc., 1994, Osage water supply project level II, final report: prepared for the Wyoming Water Development Commission, [variously paged].
- Banner Associates, Inc. (in association with Soda Butte Services, Inc.), 1996, Osage water supply project level II extension, final report: prepared for the Wyoming Water Development Commission, [variously paged].

- Banner Associates, Inc., 2002, Powder River water supply level I study: prepared for the Wyoming Water Development Commission, 53 p.
- Barlow, P.M., and Leake, S.A., 2012, Streamflow depletion by wells—Understanding and managing the effects of groundwater pumping on streamflow: U.S. Geological Survey Circular 1376, 84 p.
- Bartolino, J.R., and Cunningham, W.L., 2003, Groundwater depletion across the nation: U.S. Geological Survey Fact Sheet FS-103-03, 4 p.
- Bartos, T.T., and Ogle, K.M., 2002, Water quality and environmental isotopic analyses of ground-water samples collected from the Wasatch and Fort Union formations in areas of coalbed methane development—Implications to recharge and ground-water flow, eastern Powder River Basin, Wyoming: U.S. Geological Survey Water-Resources Investigations Report 02-4045, 88 p.
- Bartos, T.T., Hallberg, L.L., and Ogle, K.M., 2002, Potentiometric surfaces, altitudes of the tops, and hydrogeology of the Minnelusa and Madison aquifers, Black Hills area, Wyoming: U.S. Geological Survey Hydrologic Investigations Atlas HA-748, 4 sheets, scale 1:100,000.
- Bartos, T.T., Hallberg, L.L., and Clark, M.L., 2012, WBRB [Wind/Bighorn River Basin] hydrogeologic units—Physical and chemical characteristics, chap. 7 of Taucher, Paul, Bartos, T.T., Clarey, K.E., Quillinan, S.A., Hallberg, L.L., Clark, M.L., Thompson, Melissa, Gribb, Nikolaus, Worman, Brett, and Gracias, Tomas, Wind/Bighorn River Basin water plan update, ground-water study, level I (2008–2011)—Available groundwater determination: Wyoming State Geological Survey Technical Memorandum 1, p. 7-101–7-179, prepared for the Wyoming Water Development Commission.
- Bartos, T.T., Hallberg, L.L., and Clark, M.L., 2013, Physical and chemical characteristics of hydrogeologic units in the Platte River Basin, chap. 7 of Taucher, Paul, Bartos, T.T., Taboga, K.G., Hallberg, L.L., Clark, M.L., Stafford, James, Gracias, Tomas, Hinckley, Bern, Worman, Brett, Clarey, Keith, Lindemann, Lisa, Quillinan, S.A., Copeland, Dave, Hays, Richard, and Thompson, Melissa, 2013, Platte River Basin water plan update, ground-water study, level I (2009–2013)—Available groundwater determination: Wyoming State Geological Survey Technical Memorandum 5, p. 7-127–7-289, prepared for the Wyoming Water Development Commission.
- Bartos, T.T., Diehl, S.F., Hallberg, L.L., and Webster, D.M., 2014, Geologic and hydrogeologic characteristics of the Ogallala Formation and White River Group, Belvoir Ranch near Cheyenne, Laramie County, Wyoming: U.S. Geological Survey Scientific Investigations Report 2013-5242, 100 p.
- Bates, R.L., 1955, Permo-Pennsylvanian formations between Laramie Mountains, Wyoming, and Black Hills, South Dakota: American Association of Petroleum Geologists Bulletin, v. 39, no. 10, p. 1,979–2,002.
- Bates, B.L., McIntosh, J.C., Lohse, K.A., and Brooks, P.D., 2011, Influence of groundwater flowpaths, residence times, and nutrients on the extent of microbial methanogenesis in coal beds—Powder River Basin, USA: Chemical Geology, v. 284, p. 45–61.
- Bearlodge Ltd, Inc. (in association with Gries, J.P.), 1986, Report for the Sundance groundwater project—Sundance no. 6 well: prepared for the Wyoming Water Development Commission, [variously paged].
- Bearlodge Ltd, Inc., 1991, Hulett water supply level II, final report: prepared for the Wyoming Water Development Commission, 2 v., [variously paged].
- Bearlodge Ltd, Inc. (in association with Gries, J.P., and Soda Butte Services), 1994, Moorcroft water supply level II, final report: prepared for the Wyoming Water Development Commission, [variously paged].
- Bedessem, M.E., Casey, B., Frederick, K., and Nibbelink, N., 2003, Phase I—Aquifer prioritization, final report: prepared for the Wyoming Department of Environmental Quality by the University of Wyoming Department of Civil and Architectural Engineering, Laramie, Wyoming, [variously paged].
- Bednar, J.M., 2013, Interaction of groundwater and surface water in the Williston and Powder River structural basins: Rapid City, South Dakota School of Mines and Technology, M.S. thesis, 110 p.
- Beikman, H.M., 1962, Geology of the Powder River, Basin Wyoming and Montana, with reference to subsurface disposal of radioactive wastes: U.S. Geological Survey Trace Elements Investigations Report 823, 85 p.
- Berg, R.R., 1975, Depositional environment of Upper Cretaceous Sussex Sandstone, House Creek field, Wyoming: American Association of Petroleum Geologists Bulletin, v. 59, no. 11, p. 2,099–2,110.
- Berg, R.R., Larberg, G.M., and Recker, L.D., 1985, Hydrodynamic flow in the Lower Cretaceous Muddy Formation, northeast Powder River Basin, Wyoming and Montana, in Nelson, G.E., ed., The Cretaceous geology of Wyoming: Wyoming Geological Association, 36th annual field conference, Guidebook, p. 149–156.
- Bern, C.R., Breit, G.N., Healy, R.W., Zupancic, J.W., and Hammack, Richard, 2013, Deep subsurface drip irrigation using coal-bed sodic water—Part I, water and solute movement: Agricultural Water Management, v. 118, p. 122–134.

- Bjorklund, L.J., 1959, Geology and ground-water resources of the upper Lodgepole Creek drainage basin, Wyoming, with a section on Chemical quality of the water, by R.A. Krieger and E.R. Jochens: U.S. Geological Survey Water-Supply Paper 1483, 40 p., 2 pls.
- Blackstone, D.L., Jr., 1981, Compression as an agent in deformation of the east-central flank of the Bighorn Mountains, Sheridan and Johnson counties, Wyoming: *Contributions to Geology*, University of Wyoming, v. 19, no. 2, p. 105–122.
- Blackstone, D.L., Jr., 1982, Structural uncoupling of the Madison aquifer, west margin, Powder River Basin, Wyoming, in *Proceedings of the 10th annual Rocky Mountain groundwater conference: Laramie*, University of Wyoming, Department of Geology, p. 65.
- Blackstone, D.L., Jr., 1988, Thrust faulting—southern margin Powder River Basin, Wyoming, in Diedrich, R.P., Dyka, M.A.K., and Miller, W.R., eds., *Eastern Powder River Basin-Black Hills: Wyoming Geological Association, 39th annual field conference*, Guidebook, p. 35–44.
- Blackstone, D.L., Jr., 1990, Rocky Mountain foreland structure exemplified by the Owl Creek Mountains, Bridger Range, and Casper Arch, central Wyoming, in Specht, R.W., ed., *Wyoming sedimentation and tectonics: Wyoming Geological Association, 41st annual field conference*, Guidebook, p. 151–166, 2 pls.
- Blanchard, M.R., 1990, Discrimination between flow-through and pulse-through components of an alpine carbonate aquifer, Salt River Range, Wyoming: Laramie, University of Wyoming, M.S. thesis, 77 p.
- Blanchard, M.R., Drever, J.I., and Huntoon, P.W., 1990, Discrimination between flow-through and pulse-through components of an alpine carbonate aquifer, Salt River Range, Wyoming: Laramie, University of Wyoming, Water Research Center, Water Resource Publication 90-31, 77 p.
- Blankennagel, R.K., Miller, W.R., Brown, D.L., and Cushing, E.M., 1977, Report on preliminary data for Madison Limestone test well no. 1, NE1/4 SE1/4 sec. 15, T. 57 N., R. 65 W., Crook County, Wyoming: U.S. Geological Survey Open-File Report 77-164, 97 p., 3 pls.
- Blondes, M.S., Gans, K.D., Thordsen, J.J., Reidy, M.E., Thomas, B., Engle, M.A., Kharaka, Y.K., and Rowan, E.L., 2017, National produced waters geochemical database: U.S. Geological Survey Energy Resources Program, v. 2.2, available at <https://energy.usgs.gov/EnvironmentalAspects/EnvironmentalAspectsOfEnergyProductionandUse/ProducedWaters.aspx#3822349-data>.
- Bloyd, R.M., Daddow, P.B., Jordan, P.R., and Lowham, H.W., 1986, Investigation of possible effects of surface coal mining on hydrology and landscape stability in part of the Powder River structural basin, northeastern Wyoming: U.S. Geological Survey Water-Resources Investigations Report 86-4329, 101 p.
- Bohn, H.L., McNeal, B.L., and O'Connor, G.A., 1985, *Soil chemistry*: New York, John Wiley and Sons, 341 p.
- Boner, F.C., Lines, G.C., Lowry, M.E., and Powell, J.E., 1976, Geohydrologic reconnaissance and measurement of perennial streams crossing outcrops of the Madison Limestone, northeastern Wyoming, 1974: U.S. Geological Survey Open-File Report 75-614, 64 p.
- Bowles, C.G., 1968, Theory of uranium deposition from artesian water in the Edgemont district, southern Black Hills, in Wulf, G.R., ed., *Black Hills area, South Dakota, Montana, Wyoming: Wyoming Geological Association, 20th annual field conference*, Guidebook, p. 125–130.
- Bowles, C.G., and Braddock, W.A., 1963, Solution breccias of the Minnelusa Formation in the Black Hills, South Dakota and Wyoming, in *Short papers in geology and hydrology*: U.S. Geological Survey Professional Paper 475-C, p. C91–C95.
- Braddock, W.A., 1963, Geology of the Jewel Cave SW quadrangle, Custer County, South Dakota: U.S. Geological Survey Bulletin 1063-G, p. 217–268.
- Bradley, Edward, 1956, Geology and ground-water resources of the upper Niobrara River basin, Nebraska and Wyoming, with a section on Chemical quality of the ground water, by F.H. Rainwater: U.S. Geological Survey Water-Supply Paper 1368, 70 p.
- Breckenridge, R.M., and Hinckley, B.S., 1978, Thermal springs of Wyoming: Geological Survey of Wyoming [Wyoming State Geological Survey] Bulletin 60, 104 p., 9 pls.
- Brinck, E.L., Drever, J.I., and Frost, C.D., 2008, The geochemical evolution of water co-produced with coalbed natural gas in the Powder River Basin, Wyoming: *Environmental Geosciences*, v. 15, no. 4, p. 153–171.
- Brobst, D.A., and Epstein, J.B., 1963, Geology of the Fanny Peak quadrangle, Wyoming-South Dakota: U.S. Geological Survey Bulletin 1063-I, p. 323–377.
- Brown, J.D., 1980, Regional hydrogeology of the Gillette, Wyoming area (with a discussion of cumulative regional impacts of surface coal mining and reclamation), in *Proceedings, Second Wyoming Mining Hydrology Symposium*: Laramie, University of Wyoming, Water Resources Research Institute, p. 10–42.

- Brown, J.L., 1993, Sedimentology and depositional history of the lower Paleocene Tullock Member of the Fort Union Formation, Powder River Basin, Wyoming and Montana: U.S. Geological Survey Bulletin 1917-L, 142 p.
- Brown, W.G., 1993, Structural style of Laramie basement-cored uplifts and associated folds, in Snoke, A.W., Steidtmann, J.R., and Roberts, S.M., eds., *Geology of Wyoming: Geological Survey of Wyoming [Wyoming State Geological Survey] Memoir 5*, p. 312–371.
- Brown and Caldwell, (in association with Falcon Consulting Services, LLC), 2005, Drilling, construction, development, and testing of Sleepy Hollow well no. 6: Report prepared for the Wyoming Water Development Commission [variously paged].
- Buelow, K.L., Heasler, H.P., and Hinckley, B.S., 1986, Geothermal resources of the southern Powder River Basin, Wyoming: Geological Survey of Wyoming, Report of Investigations 36, 32 p., 4 sheets in pocket.
- Bureau of Land Management, 1999, Wyodak coal bed methane project, draft environmental impact statement: Bureau of Land Management, Buffalo, Wyoming, Field Office, [variously paged].
- Bureau of Land Management, 2003, Final environmental impact statement and proposed plan amendment for the Powder River Basin oil and gas project, WY-070-02-065: Bureau of Land Management, Buffalo, Wyoming, Field Office, [variously paged].
- Busby, J.F., Lee, R.W., and Hanshaw, B.B., 1983, Major geochemical processes related to the hydrology of the Madison aquifer system and associated rocks in parts of Montana, South Dakota, and Wyoming: U.S. Geological Survey Water-Resources Investigations Report 83-4093, 180 p.
- Busby, J.F., Plummer, L.M., Lee, R.W., and Hanshaw, B.B., 1991, Geochemical evolution of ground water in the Madison aquifer system in parts of Montana, Wyoming, and South Dakota: U.S. Geological Survey Professional Paper 1273-F, 89 p.
- Busby, J.F., Kimball, B.A., Downey, J.S., and Peter, K.D., 1995, Geochemistry of water in aquifers and confining units of the Northern Great Plains in parts of Montana, North Dakota, South Dakota, and Wyoming: U.S. Geological Survey Professional Paper 1402-F, 146 p.
- Byers, C.W., and Larson, D.W., 1979, Paleoenvironments of Mowry Shale (Lower Cretaceous), western and central Wyoming: *American Association of Petroleum Geologists Bulletin*, v. 63, no. 3, p. 354–375.
- Camp Creek Engineering, Inc. (in association with Wyoming Groundwater LLC), 2010, Sweetwater water supply level I reconnaissance study, final report: prepared for the Wyoming Water Development Commission, [variously paged].
- Campbell, C.E., 2007, Strontium isotopes as tracers of water co-produced with coal-bed natural gas in the Powder River Basin, Wyoming: Laramie, University of Wyoming, M.S. thesis, 124 p.
- Campbell, C.E., Pearson, B.N., and Frost, C.D., 2008, Strontium isotopes as an indicator of aquifer communication in an area of coalbed natural gas production, Powder River Basin, Wyoming and Montana: *Rocky Mountain Geology*, v. 43, no. 2, p. 149–175.
- Carter, J.M., Driscoll, D.G., and Hamade, G.R., 2001a, Estimated recharge to the Madison and Minnelusa aquifers in the Black Hills area, South Dakota and Wyoming, water years 1931–98: U.S. Geological Survey Water-Resources Investigations Report 00-4278, 66 p.
- Carter, J.M., Driscoll, D.G., Hamade, G.R., and Jarrell, G.J., 2001b, Hydrologic budgets for the Madison and Minnelusa aquifers, Black Hills of South Dakota and Wyoming, water years 1987–96: U.S. Geological Survey Water-Resources Investigations Report 01-4119, 53 p.
- Carter, J.M., Driscoll, D.G., Williamson, J.E., and Lindquist, V.A., 2002, Atlas of water resources in the Black Hills area, South Dakota: U.S. Geological Survey Hydrologic Investigations Atlas HA-747, 120 p.
- Cassiliano, M.L., 1980, Stratigraphy and vertebrate paleontology of the Horse Creek-Trail Creek area, Laramie County, Wyoming: *Contributions to Geology*, University of Wyoming, v. 19, no. 1, p. 25–68.
- Cavaroc, V.V., and Flores, R.M., 1991, Red beds of the Triassic Chugwater group, southwestern Powder River Basin, Wyoming: U.S. Geological Survey Bulletin 1917-E, 17 p.
- Clarey, K.E., 2009, 1990–2006 Coalbed natural gas (CBNG) regional groundwater monitoring report—Powder River Basin, Wyoming: Wyoming State Geological Survey Open File Report 09-10, 126 p.
- Clarey, K.E., Bartos, T.T., Copeland, David, Hallberg, L.L., Clark, M.L., and Thompson, M.L., 2010, Available groundwater determination, WWDC Green River Basin water plan II—Groundwater study level 1 (2007–2009): Wyoming State Geological Survey Technical Memorandum 2, 7 pls, prepared for the Wyoming Water Development Commission, [variously paged].

- Clark, D.W., 1995, Geochemical processes in groundwater resulting from surface mining of coal at the Big Sky and West Decker mine areas, southeastern Montana: U.S. Geological Survey Water-Resources Investigations Report 95-4097, 45 p.
- Clark, M.L., 2012, Water-quality characteristics and trend analyses for the Tongue, Powder, Cheyenne, and Belle Fourche river drainage basins, Wyoming and Montana, for selected periods, water years 1991 through 2010: U.S. Geological Survey Scientific Investigations Report 2012-5117, 70 p.
- Coates, D.A., and Heffern, E.L., 1999, Origin and geomorphology of clinker in the Powder River Basin, Wyoming and Montana, in Miller, W.R., ed., Coalbed methane and Tertiary geology of the Powder River Basin, Wyoming and Montana: Wyoming Geological Association, 50th annual field conference, Guidebook, p. 211–229.
- Collentine, M.G., 1982, Analysis of coal aquifer characteristics, Belle Ayr mine, Gillette, Wyoming, in Proceedings, hydrology symposium on surface coal mines in Powder River Basin: Gillette, Wyo., Gillette Area Groundwater Monitoring Organization and American Institute of Mining Engineers (northeastern Wyoming chapter), Symposium to discuss surface and groundwater at surface coal mines in the Powder River Basin of Wyoming, November 3–5, 1982, p. 103–128.
- Collentine, M.G., Libra, R.D., and Boyd, L., 1981, Injection well inventory of Wyoming: Laramie, University of Wyoming, Water Resources Research Institute, prepared for U.S. Environmental Protection Agency, 2 v., [variously paged].
- Colorado State University, 2013, Understanding plant water use — Evapotranspiration (ET): Colorado Agricultural Meteorological Network (COAGMET), accessed July 2017, at <https://coagmet.colostate.edu/>.
- Condra, G.E., and Reed, E.C., 1935, Permo-Pennsylvanian section of the Hartville area of Wyoming: Nebraska Geological Survey Paper 9, 46 p.
- Condra, G.E., Reed, E.C., and Scherer, O.J., 1940, Correlation of the formations of the Laramie Range, Hartville Uplift, Black Hills and western Nebraska: Nebraska Geological Survey Bulletin 13, 52 p.
- Connor, C.W., 1992, The Lance Formation petrography and stratigraphy, Powder River Basin and nearby basins, Wyoming and Montana: U.S. Geological Survey Bulletin 1917-I, 17 p.
- Cooley, M.E., 1978, Synopsis of some hydrogeologic factors affecting streamflow, Powder River Basin of north-eastern Wyoming (unpublished): prepared by U.S. Geological Survey for the northern Great Plains hydro-logic study of Wyoming, Montana, North Dakota, and South Dakota, 15 p.
- Cooley, M.E., 1984, Artesian pressures and water quality in Paleozoic aquifers in the Ten Sleep area of the Bighorn Basin, north-central Wyoming: U.S. Geological Water-Resources Investigations/Open-File Report 84-621, 74 p.
- Cooley, M.E., 1986, Artesian pressures and water quality in Paleozoic aquifers in the Ten Sleep area of the Bighorn Basin, north-central Wyoming: U.S. Geological Survey Water-Supply Paper 2289, 54 p., 5 pl.
- Craddock, W.H., Drake, R.M., II, Mars, J.C., Merrill, M.D., Warwick, P.D., Blondes, M.S., Gosai, M.A., Freeman, P.A., Cahan, S.M., DeVera, C.A., and Lohr, C.D., 2012, Geologic framework for the national assess-ment of carbon dioxide storage resources—Powder River Basin, Wyoming, Montana, South Dakota, and Nebraska, chap. B of Warwick, P.D., and Corum, M.D., eds., Geologic framework for the national assessment of carbon dioxide storage resources: U.S. Geological Survey Open-File Report 2012-1024-B, 30 p.
- Crawford, J.C., 1940, Oil field waters of Wyoming and their relation to geological formations: American Association of Petroleum Geologists Bulletin, v. 24, no. 7, p. 1,214–1,329.
- Crews, G.C., Barlow, J.A., Jr., and Haun, J.D., 1976, Upper Cretaceous Gammon, Shannon, and Sussex sandstones, central Powder River Basin, Wyoming, in Laudon, R.B., Curry, W.H., III, and Runge, J.S., eds., Geology and energy resources of the Powder River Basin: Wyoming Geological Association, 28th annual field conference, Guidebook, p. 33–44.
- Crist, M.A., 1977, Hydrologic evaluation of the Arikaree Formation near Lusk, Niobrara and Goshen counties, Wyoming: U.S. Geological Survey Water-Resources Investigations Report 77-111, 23 p., 3 pls.
- Crist, M.A., 1991, Evaluation of ground-water-level changes near Gillette, northeastern Wyoming: U.S. Geological Survey Water-Resources Investigations Report 88-4196, 2 sheets, scale 1:100,000.
- Crist, M.A., and Borchert, W.B., 1972, The ground-water system in southeastern Laramie County, Wyoming: U.S. Geological Survey Open-File Report 72-80, 53 p.
- Crist, M.A., and Lowry, M.E., 1972, Ground-water resources of Natrona County, Wyoming: U.S. Geological Survey Water-Supply Paper 1897, 92 p., 3 pls.

- Crysdale, B.L., 1990, Map showing contours on the top of the Pennsylvanian and Permian Minnelusa Formation and equivalents, Powder River Basin, Wyoming and Montana: U.S. Geological Survey Miscellaneous Field Studies Map MF-2140-B, scale 1:500,000.
- Cuppels, N.P., 1963, Geology of the Clifton quadrangle, Wyoming and South Dakota: U.S. Geological Survey Bulletin 1063-H, p. 271–321.
- Curry, W.H., III, 1971, Laramide structural history of the Powder River Basin, Wyoming, in Renfro, A.R., Madison, L.V., Jarre, G.A., and Bradley, W.A., eds., Symposium on Wyoming tectonics and their economic significance: Wyoming Geological Association, 23rd annual field conference, Guidebook, p. 49–60.
- Daddow, P.B., 1986, Potentiometric-surface map of the Wyodak-Anderson coal bed, Powder River structural basin, Wyoming, 1973–84: U.S. Geological Survey Water-Resources Investigations Report 85-4305, scale 1:250,000.
- Dahl, A.R., and Hagmaier, J.L., 1974, Genesis and characteristics of the southern Powder River Basin uranium deposits, Wyoming, USA: International Atomic Energy Agency, Formation of Uranium Ore Deposits Proceedings, Athens, 1974, p. 201–218.
- Dahl, A.R., and Hagmaier, J.L., 1976, Genesis and characteristics of the southern Powder River Basin uranium deposits, Wyoming, in Laudon, R.B., Curry, W.H. III, and Runge, J.S., eds., Geology and energy resources of the Powder River Basin: Wyoming Geological Association, 28th annual field conference, Guidebook, p. 243–252.
- Dana, G.F., 1961, Underground water report for the City of Sundance, Wyoming: prepared by Wyoming Natural Resource Board, November 1961, [variously paged].
- Dana, G.F., 1962, Groundwater reconnaissance study of the state of Wyoming, part 7, Powder River Basin: prepared for Wyoming Natural Resource Board, 221 p., 2 unnumbered pls.
- Darton, N.H., 1906, Geology of the Bighorn Mountains: U.S. Geological Survey Professional Paper 51, 129 p., 3 pls.
- Davis, R.W., 1976, Hydrologic factors related to coal development in the eastern Powder River Basin, in Laudon, R.B., Curry, W.H., III, and Runge, J.S., eds., Geology and energy resources of the Powder River Basin: Wyoming Geological Association, 28th annual field conference, Guidebook, p. 203–207.
- Davis, R.W., 1984, Hydrodynamics of the Fountain and Casper formations, Laramie Basin, Wyoming, in Goolsby, Jim, and Morton, Doug, eds., The Permian and Pennsylvanian geology of Wyoming: Wyoming Geological Association, 35th annual field conference, Guidebook, p. 389–399.
- Davis, R.W., and Rechar, P.A., 1977, Effects of surface mining upon shallow aquifers in the eastern Powder River Basin, Wyoming: Laramie, University of Wyoming, Water Resources Research Institute Water Resources Series no. 67, 47 p.
- Denson, N.M., and Bergendahl, M.H., 1961, Middle and upper Tertiary rocks of southeastern Wyoming and adjoining areas, in Short papers in the geologic and hydrologic sciences: U.S. Geological Survey Professional Paper 424-C, p. C168–C172.
- Denson, N.M., and Botinelly, Theodore, 1949, Geology of the Hartville Uplift, eastern Wyoming: U.S. Geological Survey Oil and Gas Investigations Preliminary Map 102, scale 1:48,000.
- Denson, N.M., and Chisholm, W.A., 1971, Summary of mineralogic and lithologic characteristics of Tertiary sedimentary rocks in the middle Rocky Mountains and the northern Great Plains, in Geological survey research 1971: U.S. Geological Survey Professional Paper 750-C, p. C117–C126.
- Denson, N.M., and Horn, G.H., 1975, Geologic and structure map of the southern part of the Powder River Basin, Converse, Niobrara, and Natrona counties, Wyoming: U.S. Geological Survey Miscellaneous Investigations Map I-1201, 2 sheets, scale 1:125,000.
- Denson, N.M., Macke, D.L., and Schumann, R.R., 1989a, Geologic map and distribution of heavy minerals in Tertiary rocks of the Gillette 30' x 60' quadrangle, Campbell, Crook, and Weston counties, Wyoming: U.S. Geological Survey Miscellaneous Investigations Series Map I-2023, scale 1:100,000.
- Denson, N.M., Macke, D.L., and Schumann, R.R., 1989b, Geologic map and distribution of heavy minerals in Tertiary rocks of the Reno Junction 30' x 60' quadrangle, Campbell and Weston counties, Wyoming: U.S. Geological Survey Miscellaneous Investigations Series Map I-2025, scale 1:100,000.
- DeWitt, E., Redden, J.A., Buscher, D.P., and Wilson, A.B., 1989, Geologic map of the Black Hills area, South Dakota and Wyoming: U.S. Geological Survey Miscellaneous Investigations Series Map I-1910, scale 1:250,000.

- DeWitt, E., Redden, J.A., Wilson, A.B., Buscher, David, and Dersch, J.S., 1986, Mineral resource potential and geology of the Black Hills National Forest, South Dakota and Wyoming, with a section on salable commodities: U.S. Geological Survey Bulletin 1580, 135 p., 4 pls.
- Dobbin, C.E., and Horn, G.H., 1949, Geology of Mush Creek and Osage oil fields and vicinity, Weston County, Wyoming: U.S. Geological Survey Oil and Gas Investigations Preliminary Map 103, scale 1:48,000.
- Dobbin, C.E., and Reeside, J.B., Jr., 1929, The contact of the Fox Hills and Lance formations: U.S. Geological Survey Professional Paper 158-B, p. 9–25.
- Dobson, C.W., III, 1996, Anisotropy of horizontal transmissivity in the Anderson-Wyodak coal aquifer of the Powder River Basin, Wyoming: Laramie, University of Wyoming, M.S. thesis, 185 p.
- Dockery, W.L., 1940, Underground water resources of Horse Creek and Bear Creek valleys, southeastern Wyoming: Geological Survey of Wyoming [Wyoming State Geological Survey] Bulletin 30, 32 p., 3 pls.
- Dockins, W.S., Olson, G.J., Turback, S.C., and Lee, R.W., 1980a, Sulfate reduction in ground water of southeastern Montana: U.S. Geological Survey Water-Resources Investigations Report 80–9, 13 p.
- Dockins, W.S., Olson, G.J., McFeters, G.A., and Turbak, S.C., 1980b, Dissimilatory bacterial sulphate reduction in Montana groundwater: *Geomicrobiology Journal*, v. 2, no. 1, p. 83–98.
- Dogan, U.D., 1984, Stratigraphy, petrology, depositional and post-depositional histories and their effects upon reservoir properties of the Parkman Formation of the Mesaverde Group, Powder River Basin, Wyoming: Iowa City, University of Iowa, Ph.D. dissertation, 265 p.
- Dolson, J.C., and Muller, D.S., 1994, Stratigraphic evolution of the Lower Cretaceous Dakota Group, Western Interior, USA, in Caputo, M.V., Peterson, J.A., and Franczyk, K.J., eds., *Mesozoic systems of the Rocky Mountain region, USA: Society of Economic Paleontologists and Mineralogists, Rocky Mountain Section, Guidebook*, p. 441–456.
- Dolton, G.L., Fox, J.E., and Clayton, J.L., 1990, Petroleum geology of the Powder River Basin, Wyoming and Montana: U.S. Geological Survey Open-File Report 88-450, 64 p.
- Dorf, Erling, 1942, Flora of the Lance Formation at its type locality, Niobrara County, Wyoming, part 2 of Upper Cretaceous floras of the Rocky Mountain region: Carnegie Institute Washington Publication 508, p. 70–159.
- DOWL (in association with Weston Engineering, Inc.), 2015, Gillette regional connection level II study, means first extension master plan, final report: prepared for the Wyoming Water Development Commission, [variously paged].
- Downey, J.S., 1984, Geohydrology of the Madison and associated aquifers in parts of Montana, North Dakota, South Dakota, and Wyoming: U.S. Geological Survey Professional Paper 1273-G, 47 p.
- Downey, J.S., 1986, Geohydrology of bedrock aquifers in the northern Great Plains in parts of Montana, North Dakota, South Dakota, and Wyoming: U.S. Geological Survey Professional Paper 1402-E, 87 p.
- Downey, J.S., and Dinwiddie, G.A., 1988, The regional aquifer system underlying the northern Great Plains in parts of Montana, North Dakota, South Dakota, and Wyoming—Summary: U.S. Geological Survey Professional Paper 1402-A, 64 p.
- Drake, R.M., II, Brennan, S.T., Covault, J.A., Blondes, M.A., Freeman, P.A., Cahan, S.M., DeVera, C.A., and Lohr, C.D., 2014, Geologic framework for the national assessment of carbon dioxide storage resources—Denver Basin, Colorado, Wyoming, and Nebraska, chap. G of Warwick, P.D., and Corum, M.D., eds., *Geologic framework for the national assessment of carbon dioxide storage resources: U.S. Geological Survey Open-File Report 2012-1024-G*, 17 p.
- Dresser, H.W., 1974, Muddy Sandstone—Wind River Basin: Wyoming Geological Association, *Earth Science Bulletin*, v. 7, p. 3–70.
- Dripps, W.R., and Bradbury, K.R., 2007, A simple daily soil-water balance model for estimating the spatial and temporal distribution of groundwater recharge in temperate humid areas: *Hydrogeology Journal*, v. 15, no. 3, p. 433–444.
- Driscoll, D.G., and Carter, J.M., 2001, Hydrologic conditions and budgets in the Black Hills area of South Dakota, through water year, 1998: U.S. Geological Survey Water-Resources Investigations Report 01-4226, 143 p.
- Driscoll, D.G., Carter, J.M., Williamson, J.E., and Putnam, L.D., 2002, Hydrology of the Black Hills area, South Dakota: U.S. Geological Survey Water-Resources Investigations Report 02-4094, 150 p.
- Eddy-Miller, C.A., and Gianakos, Laura, 2002a, Pesticides in ground water—Johnson County, Wyoming, 2000–2001: U.S. Geological Survey Fact Sheet FS-069-02, 4 p.
- Eddy-Miller, C.A., and Gianakos, Laura, 2002b, Pesticides in ground water—Crook County, Wyoming, 2000–2001: U.S. Geological Survey Fact Sheet FS-070-02, 4 p.



- Eddy-Miller, C.A., and Norris, J.R., 2001, Pesticides in ground water—Sheridan County, Wyoming, 1999–2000: U.S. Geological Survey Fact Sheet FS-123-01, 4 p.
- Eddy-Miller, C.A., and Remley, K.J., 2004, Pesticides in ground water—Natrona County, Wyoming, 2001–02: U.S. Geological Survey Fact Sheet 2004-3079, 4 p.
- Eddy-Miller, C.A., and Remley, K.J., 2005, Pesticides in ground water—Converse County, Wyoming, 2003–04: U.S. Geological Survey Fact Sheet 2005-3089, 4 p.
- Eddy-Miller, C.A., and Remley, K.J., 2006, Pesticides in ground water—Campbell County, Wyoming, 2004–2005: U.S. Geological Survey Fact Sheet 2006-3123, 4 p.
- Eddy-Miller, C.A., 2006, Pesticides in ground water—Niobrara and Weston counties, Wyoming, 2005–2006: U.S. Geological Survey Fact Sheet 2006-3024, 4 p.
- Eisen, Craig, Feathers, K.R., Goodwin, C., and Huntoon, P.W., 1980a, Reconnaissance study of water development potential of the lower Paleozoic aquifer, southeastern Wyoming: Laramie, University of Wyoming, Water Resources Research Institute: submitted to the Wyoming Water Development Commission, 34 p.
- Eisen, Craig, Feathers, K.R., and Kerr, G.L., 1980b, Preliminary findings of the Madison baseline study: Laramie, University of Wyoming, Water Resources Research Institute, prepared for Wyoming State Engineer's Office and ETSI, 72 p.
- Eisen, Craig, Feathers, K.R., and Kerr, G.L., 1981, Progress report on phase 2 of the Madison baseline study: Laramie, University of Wyoming, Water Resources Research Institute: prepared for Wyoming State Engineer's Office and Energy Transportation Systems, Inc., 29 p.
- Ellis, M.S., 1999, Assessment of Wyodak-Anderson coal resources in the Powder River Basin, Wyoming and Montana, in Miller, W.R., ed., Coalbed methane and Tertiary geology of the Powder River Basin: Wyoming Geological Association, 50th annual field conference, Guidebook, p. 43–60.
- Ellis, M.S., Flores, R.M., Ochs, A.M., Stricker, G.D., Gunther, G.L., Rossi, G.S., Bader, L.R., Schuenemeyer, J.H., and Power, H.G., 1999a, Gillette coalfield, Powder River Basin: Geology, coal quality, and coal resources: U.S. Geological Survey Professional Paper 1625-A, chap. PG, p. PG1–PG79.
- Ellis, M.S., Gunther, G.L., Flores, R.M., Ochs, A.M., Stricker, G.D., Roberts, S.B., Taber, T.T., Bader, L.R., and Schuenemeyer, J.H., 1999b, Preliminary report on coal resources of the Wyodak-Anderson coal zone, Powder River Basin, Wyoming and Montana: U.S. Geological Survey Open-File Report 98-789A, 49 p.
- Ellis, M.S., Ochs, A.M., Bader, L.R., Johnson, R.C., and Vogler, Daniel, 1999c, Framework geology of the Fort Union coal in the Powder River Basin: U.S. Geological Survey Professional Paper 1625-A, chap. PF, 17 p.
- EnTech, Inc. (in association with Weston Engineering, Inc.), 2003a, Final report for Dayton groundwater exploration project: prepared for the Wyoming Water Development Commission, [variously paged].
- EnTech, Inc. (in association with Weston Engineering, Inc.), 2003b, Final report for Dayton groundwater exploration project acid enhancement program level II study supplement: prepared for the Wyoming Water Development Commission, [variously paged].
- EnTech, Inc. (in association with Weston Engineering, and West Plains Engineering, Inc.), 2013a, Gillette regional connections 1 level II study Antelope Valley connections, final report: prepared for the Wyoming Water Development Commission, [variously paged].
- EnTech, Inc. (in association with Weston Engineering, and West Plains Engineering, Inc.), 2013b, Gillette regional connections 1 level II study—Bennor Estates connection, final report: prepared for the Wyoming Water Development Commission, [variously paged].
- Epstein, J.B., 2001, Hydrology, hazards, and geomorphic development of gypsum karst in the northern Black Hills, South Dakota and Wyoming, in, Kuniansky, ed., 2001, U.S. Geological Survey Karst Interest Group proceedings, Water-Resources Investigations Report 01-4011, p. 30–37.
- Feathers, K.R., Libra, R.D., and Stephenson, T.R., 1981, Occurrence and characteristics of ground water in the Powder River Basin, Wyoming: Laramie, University of Wyoming, Water Resources Research Institute, v. I-A (171 p., 4 apps.) and v. I-B (8 pls.).
- Fetter, C.W., 2001, Applied hydrogeology (4th ed.): Upper Saddle River, N.J., Prentice Hall, 598 p.
- Fitzwater, P.L., 1981, Age and movement of ground water in the Madison Limestone, northeastern Wyoming: Tucson, University of Arizona, M.S. thesis, 83 p.
- Flores, R.M., 1986, Styles of coal deposition in Tertiary alluvial deposits, Powder River Basin, Montana and Wyoming, in Lyons, P.C., and Rice, C.L., eds., Paleoenvironmental and tectonic controls in coal-forming basins of the United States: Geological Society of America Special Paper 210, p. 9–104.

- Flores, R.M., 1999, Wyodak-Anderson coal zone in the Powder River Basin, Wyoming and Montana—A tale of uncorrelatable coal beds, in Miller, W.R., ed., *Coalbed methane and Tertiary geology of the Powder River Basin, Wyoming and Montana*: Wyoming Geological Association, 50th annual field conference, Guidebook, p. 1–24.
- Flores, R.M., and Bader, L.R., 1999, Fort Union coal in the Powder River Basin, Wyoming and Montana—A synthesis: U.S. Geological Survey Professional Paper 1625-A, chap. PS, 49 p.
- Flores, R.M., Clark, A.C., Keighin, W.C., 1993, Architecture of Fort Union paleovalley conglomerates related to aquifer potential in the western Wind River Basin, Wyoming, in Keefer, W.R., Metzger, W.J., and Godwin, L.H., eds., *Oil and gas and other resources of the Wind River Basin, Wyoming*: Wyoming Geological Association Special Symposium, Guidebook, p. 143–162.
- Flores, R.M., Ochs, A.M., Bader, L.R., Johnson, R.C., and Vogler, D., 1999, Framework geology of the Fort Union coal in the Powder River Basin: U.S. Geological Survey Professional Paper 1625-A, chap. PF, p. PF1–PF37.
- Flores, R.M., Rice, C.A., Stricker, G.D., Warden, A., and Ellis, M.S., 2008, Methanogenic pathways of coalbed gas in the Powder River Basin, United States—The geologic factor: *International Journal of Coal Geology*, v. 76, p. 52–75.
- Flores, R.M., Spear, B.D., Kinney, S.A., Purchase, P.A., and Gallagher, C.M., 2010, After a century—Revised Paleogene coal stratigraphy, correlation, and deposition, Powder River Basin, Wyoming and Montana: U.S. Geological Survey Professional Paper 1777, 97 p., CD-ROM in pocket.
- Fogg, J.L., Martin, M.W., and Daddow, P.B., 1991, Geohydrology and potential effects of coal mining in 12 coal-lease areas, Powder River structural basin, northeastern Wyoming: U.S. Geological Survey Water-Resources Investigations Report 87-4102, 49 p.
- Foster, D.I., 1958, Summary of the stratigraphy of the Minnelusa Formation, Powder River Basin, Wyoming, in *Powder River Basin*: Wyoming Geological Association, 13th annual field conference, Guidebook, 1958, p. 39–44.
- Foster, N.H., 1972, Ordovician System, in Mallory, W.W., ed., *Geologic atlas of the Rocky Mountain region*: Rocky Mountain Association of Geologists, p. 76–85.
- Fox, J.E., and Higley, D.K., 1987a, Thickness of Upper Cretaceous rocks from the base of the Fox Hills Sandstone to the top of the Lower Cretaceous rocks, Powder River Basin, Wyoming and Montana, Powder River Basin, Wyoming and Montana: U.S. Geological Survey Open-File Report 87-340-Q, scale 1:500,000.
- Fox, J.E., and Higley, D.K., 1987b, Thickness of Upper Cretaceous Mesaverde Formation, Powder River Basin, Wyoming and Montana: U.S. Geological Survey Open-File Report 87-340-D, scale 1:500,000.
- Fox, J.E., and Higley, D.K., 1987c, Thickness of the Teapot Sandstone Member of the Upper Cretaceous Mesaverde Formation, Powder River Basin, Wyoming and Montana: U.S. Geological Survey Open-File Report 87-340-I, scale 1:500,000.
- Fox, J.E., and Higley, D.K., 1987d, Thickness of Parkman Sandstone Member of the Upper Cretaceous Mesaverde Formation and the Redbird Silty Member of the Upper Cretaceous Pierre Shale, Powder River Basin, Wyoming and Montana: U.S. Geological Survey Open-File Report 87-340-E, scale 1:500,000.
- Fox, J.E., and Higley, D. K., 1987e, Thickness of the Lower Cretaceous Inyan Kara Group, Powder River Basin, Wyoming and Montana: U.S. Geological Survey Open-File Report 87-340-R, scale 1:500,000.
- Fox, J.R., 1993a, Stratigraphic cross sections A–A' through F–F' showing electric logs of Upper Cretaceous and older rocks, Powder River Basin, Montana and Wyoming: U.S. Geological Survey Oil and Gas Investigations Chart OC-135.
- Fox, J.R., 1993b, Stratigraphic cross sections G–G' through L–L' showing electric logs of Upper Cretaceous and older rocks, Powder River Basin, Wyoming: U.S. Geological Survey Oil and Gas Investigations Chart OC-136.
- Fox, J.R., 1993c, Stratigraphic cross sections M–M' through R–R' showing electric logs of Upper Cretaceous and older rocks, Powder River Basin, Wyoming: U.S. Geological Survey Oil and Gas Investigations Chart OC-137.
- Fox, J.R., 1993d, Stratigraphic cross sections S–S' through V–V' showing electric logs of Upper Cretaceous and older rocks, Powder River Basin, Montana and Wyoming: U.S. Geological Survey Oil and Gas Investigations Chart OC-138.
- Fox, J.E., 1988, Wells used in stratigraphic framework studies of the Powder River Basin, Wyoming and Montana: U.S. Geological Survey Open-File Report 86-465.
- Frost, C.D., and Brinck, E.L., 2005, Strontium isotopic tracing of the effects of coalbed natural gas development on shallow and deep groundwater systems in the Powder River Basin, Wyoming: Wyoming State Geological Survey Report of Investigations 55, p. 93–107.

- Frost, C.D., Pearson, D.N., Ogle, K.M., Heffern, E.L., and Lyman, R.M., 2002, Strontium (Sr) isotopic tracing of aquifer interactions in an area of coalbed methane production, Powder River Basin, Wyoming: *Geology*, v. 30, p. 923–926.
- Frost, C.D., Brinck, E.L., Mailloux, Jason, Sharma, Shikha, Campbell, C.E., Carter, S.A., Pearson, D.N., 2010, Innovative approaches for tracing water co-produced with coalbed natural gas—Applications of strontium and carbon isotopes of produced water in the Powder River Basin, Wyoming and Montana, in Reddy, K.J., ed., *Coalbed methane—Energy and the environment*: New York, Nova Science Publishers, p. 59–80.
- Galloway, D.L., and Burbey, T.J., 2011, Review—Regional land subsidence accompanying groundwater extraction: *Hydrogeology Journal*, v. 19, p. 1,459–1,486.
- Garland, R.F., 1996, Permeability architecture and groundwater circulation in the fault-severed Casper aquifer, southern Powder River Basin, Converse County, Wyoming: Laramie, University of Wyoming, M.S. thesis, 165 p., 5 pls.
- Gill, J.R., and Burkholder, R.R., 1979, Measured sections of the Montana Group and equivalent rocks from Montana and Wyoming: U.S. Geological Survey Open-File Report 79-1143, 202 p.
- Gill, J.R., and Cobban, W.A., 1966a, The Red Bird section of the Upper Cretaceous Pierre Shale in Wyoming, with a section on A new echinoid from the Cretaceous Pierre Shale of eastern Wyoming, by P.M. Kier: U.S. Geological Survey Professional Paper 393-A, p. A1–A73.
- Gill, J.R., and Cobban, W.A., 1966b, Regional unconformity in Late Cretaceous, Wyoming: U.S. Geological Survey Professional Paper 550-B, p. B20–B27.
- Gill, J.R., and Cobban, W.A., 1973, Stratigraphy and geologic history of the Montana Group and equivalent rocks, Montana, Wyoming, and North and South Dakota: U.S. Geological Survey Professional Paper 776, 37 p.
- Glass, G.B., 1980, Coal resources of the Powder River Basin coal basin, in Glass, G.B., ed., *Guidebook to the coal geology of the Powder River coal basin, Wyoming*: Geological Survey of Wyoming [Wyoming State Geological Survey] Public Information Circular 14, p. 97–131.
- Glass, G.B., 1997, Coal geology of Wyoming: Wyoming State Geological Survey Reprint 63, 21 p. (Reprinted from 1997 *Keystone Coal Industry Manual*.)
- Glass, W.R., and Sultz, L.G., 1992, Summary of data indicating gain or loss of streamflow across outcrops of Paleozoic formations in northeastern Wyoming, 1974–91: U.S. Geological Survey Open-File Report 92-72, 136 p.
- Goodwin, C.N., and Hasfurther, Victor, 1982, An alluvial valley floor model [study area is Powder River Basin], in *Proceedings, Hydrology symposium on surface coal mines in Powder River Basin: Gillette, Wyo.*: Gillette Area Groundwater Monitoring Organization and American Institute of Mining Engineers (northeastern Wyoming chapter), Symposium, November 3–5, 1982, p. 139–155.
- Gorody, A.W., 1999, The origin of natural gas in the Tertiary coal seams on the eastern margin of the Powder River Basin, in Miller, W.R., ed., *Coalbed methane and Tertiary geology of the Powder River Basin: Wyoming Geological Association, 50th annual field conference, Guidebook*, p. 89–101.
- Gott, G.B., Wolcott, D.E., and Bowles, C.G., 1974, Stratigraphy of the Inyan Kara Group and localization of uranium deposits, southern Black Hills, South Dakota and Wyoming: U.S. Geological Survey Professional Paper 763, 57 p.
- Greene, E.A., 1993, Hydraulic properties of the Madison aquifer system in the western Rapid City area, South Dakota: U.S. Geological Survey Water-Resources Investigations Report 93-4008, 56 p.
- Greene, E.A., and Rahn, P.H., 1995, Localized anisotropic transmissivity in a karst aquifer: *Groundwater*, v. 33, no. 5, p. 806–816.
- Grizzly Engineering, Inc., 1999, Town of Kaycee water supply master plan level I: report prepared for the Wyoming Water Development Commission, [variously paged].
- U.S. Geological Survey, 1974, Shallow ground water in selected areas in the Fort Union coal region: U.S. Geological Survey Open-File Report 74-371, 92 p., prepared by the Ground-water Subgroup of Water Work Group, Northern Great Plains Resource Program.
- Hagmaier, J.L., 1971, Groundwater flow, hydrochemistry, and uranium deposition in the Powder River Basin, Wyoming: Grand Forks, University of North Dakota, Ph.D. dissertation, 166 p.
- Hamerlinck, J.D., and Arneson, C.S., eds., 1998, Wyoming groundwater vulnerability assessment handbook—Volume 1. Background, model development, and aquifer sensitivity analysis: Laramie, Wyoming, University of Wyoming, Spatial Data and Visualization Center Publication SDVC 98-01-1, [variously paged].
- Hansley, P.L., and Whitney, C.G., 1990, Petrology, diagenesis, and sedimentology of oil reservoirs in Upper Cretaceous Shannon Sandstone beds, Powder River Basin, Wyoming: U.S. Geological Survey Bulletin 1917-C, 33 p.

- Harbaugh, A.W., and McDonald, M.G., 1996, User's documentation for MODFLOW-96, an update to the U.S. Geological Survey modular finite-difference ground-water flow model: U.S. Geological Survey Open-File Report 96-485, 56 p.
- Harbaugh, A.W., Banta, E.R., Hill, M.C., and McDonald, M.G., 2000, MODFLOW-2000, the U.S. Geological Survey modular ground-water model—User guide to modularization concepts and the ground-water flow process: U.S. Geological Survey Open-File Report 2000-92, 121 p.
- Hares, C.J., 1916, Anticlines in central Wyoming: U.S. Geological Survey Bulletin 641-I, p. 233–279.
- Harris, R.E., DeBruin, R.H., and Jones, R.W., 1992, Resources in sedimentary rocks of the Powder River Basin and adjacent uplifts, northeastern Wyoming: U.S. Geological Survey Bulletin 1917-N, p. N1–N10.
- Harris, S.A., 1976, Fall River (“Dakota”) oil entrapment, Powder River Basin, in Laudon, R.B., Curry, W.H. III, and Runge, J.S., eds., *Geology and energy resources of the Powder River Basin: Wyoming Geological Association, 28th annual field conference, Guidebook*, p. 147–164.
- Hausel, W.D., and Holden, G.S., 1978, Mineral resources of the Wind River Basin and adjacent Precambrian uplifts: Geological Survey of Wyoming [Wyoming State Geological Survey] Reprint 35, p. 303–310, 1 pl., scale 1:500,000. (Reprinted 1978, Wyoming Geological Association.)
- HDR Engineering, Inc. (in association with Riverside Technologies, Inc. and Stetson Engineering), 2009, Final report, Gillette regional master plan level I study: prepared for Wyoming Water Development Commission, [variously paged]
- HDR Engineering, Inc. (in association with Western Groundwater Services), 2012, Final report, Wright water and sewer district water supply level II study, well no. RJ-7: prepared for Wyoming Water Development Commission, [variously paged].
- HDR Engineering, Inc. (in association with Western Groundwater Services, LLC), 2015, Town of Moorcroft master plan level I study, final report: prepared for the Wyoming Water Development Commission, [variously paged].
- Head, W.J., and Merkel, R.H., 1977, Hydrologic characteristics of the Madison Limestone, the Minnelusa Formation, and equivalent rocks as determined by well-logging formation evaluation, Wyoming, Montana, South Dakota, and North Dakota: *Journal of Research of the U.S. Geological Survey*, v. 5, no. 4, p. 473–485.
- Healy, R.W., Bartos, T.T., Rice, C.A., McKinley, M.P., and Smith, B.D., 2011, Groundwater chemistry near an impoundment for produced water, Powder River Basin, Wyoming, USA: *Journal of Hydrology*, v. 403, p. 37–48.
- Healy, R.W., and Scanlon, B.R., 2010, *Estimating ground-water recharge*: Cambridge, UK, Cambridge University Press, 245 p.
- Heath, R.C., 1983, *Basic groundwater hydrology*: U.S. Geological Survey Water-Supply Paper 2220, 86 p. (Revised 2004.)
- Heffern, E.L., and Coates, D.A., 1997, Clinker—its occurrence, uses, and effects on coal mining in the Powder River Basin, in Jones, R.W., and Harris, R.E., eds., *Proceedings of the 32nd annual forum on the geology of industrial minerals: Wyoming State Geological Survey Public Information Circular 38*, p. 151–165.
- Heffern, E.L., and Coates, D.A., 1999, Hydrogeology and ecology of clinker in the Powder River Basin, Wyoming and Montana, in Miller, W.R., ed., *Coalbed methane and Tertiary geology of the Powder River Basin: Wyoming Geological Association, 50th annual field conference, Guidebook*, p. 231–252.
- Heffern, E.L., Reiners, P.W., and Riihimaki, C.A., 2013, Clinker distribution and age in the Powder River structural basin: Montana Bureau of Mines and Geology Geologic Map 64, 7 p., 1 pl., scale 1:339,849.
- Heffern, E.L., Coates, D.A., Whiteman, J., and Ellis, M.S., 1993, Geologic map showing distribution of clinker in the Tertiary Fort Union and Wasatch formations, northern Powder River Basin, Montana: U.S. Geological Survey Coal Investigations Map C-142, scale 1:175,000.
- Heffern, E.L., Reiners, P.W., Naeser, C.W., and Coates, D.A., 2007, Geochronology of clinker and implications for evolution of the Powder River Basin landscape, Wyoming and Montana, in Stracher, G.B., ed., *Geology of coal fires—Case studies from around the world: Geological Society of America Reviews in Engineering Geology*, v. XVIII, p. 155–175.
- Helsel, D.R., and Hirsch, R.M., 2002, Statistical methods in water resources, in *Techniques of water resources investigations: U.S. Geological Survey, book 4, chap. A3*, 522 p.
- Helsel, D.R., and Cohn, T.A., 1988, Estimation of descriptive statistics for multiply censored water quality data: *Water Resources Research*, v. 24, no. 12, p. 1,997–2,004.
- Hem, J.D., 1985, *Study and interpretation of the chemical characteristics of natural water (3d ed.)*: U.S. Geological Survey Water-Supply Paper 2254, 263 p.
- Hibbsman and Associates, 1990, Water transmission system level II feasibility study, final report: for the Town of Glendo, [variously paged].

- Higley, D.K., 1992, Petrology and reservoir paragenesis in the Sussex "B" Sandstone of the Upper Cretaceous Cody Shale, House Creek and Porcupine fields, Powder River Basin, Wyoming: U.S. Geological Survey Bulletin 1917-G, 16 p.
- Hinaman, Kurt, 2005, Hydrogeologic framework and estimates of ground-water volumes in Tertiary and Upper Cretaceous hydrogeologic units in the Powder River Basin, Wyoming: U.S. Geological Survey Scientific Investigations Report 2005-5008, 18 p.
- Hinckley Consulting, (in association with Wyoming Groundwater, LLC), 2009, Lusk area groundwater level I study, final report: prepared for the Wyoming Water Development Commission, [variously paged].
- HKM Associates, Inc., 1992a, Final report for a proposed water supply system for Cook Road Water District, Campbell County, Wyoming: prepared for the Wyoming Water Development Commission, [variously paged].
- HKM Associates, Inc., 1992b, Final report for a proposed water supply system for Pine Butte Improvement and Service District: prepared for the Wyoming Water Development Commission, [variously paged].
- HKM Engineering Inc. (in association with Lord Consulting and Watts and Associates), 2002a, Powder/Tongue River Basin plan final report and technical memoranda: prepared for Wyoming Water Development Commission Basin Planning Program, [variously paged].
- HKM Engineering Inc. (in association with Lord Consulting and Watts and Associates), 2002b, Northeast Wyoming river basins plan final report and technical memoranda: prepared for Wyoming Water Development Commission Basin Planning Program, [variously paged].
- Hoch, A.R., and Frost, C.D., 1993, Petrographic and geochemical characteristics of mid-Tertiary igneous rocks in the Rattlesnake Hills, central Wyoming, with a comparison to the Bear Lodge intrusive suite of northeastern Wyoming, in Snoke, A.W., Steidtmann, J.R., and Roberts, S.M., eds., *Geology of Wyoming: Geological Survey of Wyoming [Wyoming State Geological Survey] Memoir 5*, p. 508–528.
- Hodson, W.G., 1974, Records of water wells, springs, oil- and gas-test holes, and chemical analyses of water for the Madison Limestone and equivalent rocks in the Powder River Basin and adjacent areas, northeastern Wyoming: Wyoming State Engineer's Office report, 27 p.
- Hodson, W.G., Pearl, R.H., and Druse, S.A., 1973 [1974], Water resources of the Powder River Basin and adjacent areas, northeastern Wyoming: U.S. Geological Survey Hydrologic Investigations Atlas HA-465, 4 sheets.
- Horn, G.H., 1955, Geologic and structure map of the Sussex and Meadow Creek oilfields and vicinity, Johnson and Natrona counties, Wyoming: U.S. Geological Survey Oil and Gas Investigations Map OM-164.
- Hortness, J.E., and Driscoll, D.G., 1998, Streamflow losses in the Black Hills of western South Dakota: U.S. Geological Survey Water-Resources Investigations Report 98-4116, 99 p.
- Hose, R.K., 1955, Geology of the Crazy Woman Creek area, Johnson County, Wyoming: U.S. Geological Survey Bulletin 1027-B, p. 33–118.
- Hotchkiss, W.R., and Levings, J.F., 1986, Hydrogeology and simulation of water flow in strata above the Bearpaw Shale and equivalents of eastern Montana and northeastern Wyoming: U.S. Geological Survey Water-Resources Investigations Report 85-4281, 72 p.
- Howard, Needles, Tammen, and Bergendoff Corporation (in association with Anderson and Kelly, and PRC Engineering), 1985, Sheridan area water supply investigation, level II, v. 1, Report of findings, and v. 2, Supplemental groundwater information, report of drilling and testing: prepared for Wyoming Water Development Commission, [both volumes variously paged].
- Howard, Needles, Tammen, and Bergendoff Corporation (in association with Anderson and Kelly), 1987, Little Goose domestic water supply project: prepared for the Wyoming Water Development Commission, 2 v., [variously paged].
- Hoyt, J.H., 1962, Pennsylvanian and lower Permian of northern Denver Basin, Colorado, Wyoming, and Nebraska: *American Association of Petroleum Geologists Bulletin*, v. 46, no. 1, p. 46–59.
- Hunter, John, 1999, Fluvial architecture and paleo-groundwater infiltration of the Fort Union Formation near the Highland uranium mine, southern Powder River Basin, Wyoming, in Miller, W.R., ed., *Coalbed methane and Tertiary geology of the Powder River Basin: Wyoming Geological Association, 50th annual field conference, Guidebook*, p. 119–139.
- Huntoon, P.W., 1976, Permeability and ground-water circulation in the Madison aquifer along the eastern flank of the Bighorn Mountains of Wyoming, in Laudon, R.B., ed., *Geology and energy resources of the Powder River Basin: Wyoming Geological Association, 28th annual field conference, Guidebook*, p. 283–290.
- Huntoon, P.W., 1983a, Fault severed aquifers along the perimeters of Wyoming artesian basins: *Groundwater*, v. 23, no. 2, p. 176–181.

- Huntoon, P.W., 1983b, Fault severing of aquifers and other geologically controlled permeability contrasts in the basin-mountain interface and the implications for groundwater recharge to and development from the major artesian basins of Wyoming: Technical Completion Report to the U.S. Department of the Interior, Agreement no. 14-34-0001-2154, Project A-034-WYO, 64 p.
- Huntoon, P.W., 1985a, Fault severed aquifers along the perimeters of Wyoming artesian basins: *Groundwater*, v. 23, no. 2, p. 176–181.
- Huntoon, P.W., 1985b, Rejection of recharge water from the Madison aquifer along the eastern perimeter of the Bighorn artesian basin, Wyoming: *Groundwater*, v. 23, no. 2, p. 345–353.
- Huntoon, P.W., 1993, The influence of Laramide foreland structures on modern ground-water circulation in Wyoming artesian basins, in Snoke, A.W., Steitdmann, J.R., and Roberts, S.M., eds., *Geology of Wyoming* v. 2; Wyoming State Geological Survey Memoir 5, p. 757–789.
- Huntoon, P.W., and Lundy, D.A., 1979, Fracture-controlled ground-water circulation and well siting in the vicinity of Laramie, Wyoming: *Groundwater*, v. 17, no. 5, p. 463–469.
- Huntoon, P.W., and Richter, H.R., 1981, *Geohydrology of the Green Valley area, Converse County, Wyoming*, in chap. III, WYCOALGAS projects report on the surface geology and groundwater investigations of Mortons and Green Valley wellfields: prepared by Banner and Associates, Inc., for WYCOALGAS, Inc., [variously paged].
- Jackson, R.E., and Reddy, K.J., 2007a, Geochemistry of coalbed natural gas (CBNG) produced water in the Powder River Basin, Wyoming—Salinity and sodicity: *Water, Air, & Soil Pollution*, v. 184, p. 49–71.
- Jackson, R.E., and Reddy, K.J., 2007b, Trace element chemistry of coalbed natural gas produced water in the Powder River Basin, Wyoming: *Environmental Science and Technology*, v. 41, p. 5,953–5,959.
- Jacobs, J.J., Tyrrell, P.T., and Brosz, D.J., 2003, Wyoming water law—A summary: University of Wyoming Agricultural Experiment Station Bulletin 849R, 12 p.
- James M. Montgomery Consulting Engineers, Inc., 1992, City of Gillette Madison well field, well M-3 enhancement: prepared for the Wyoming Water Development Commission, [variously paged].
- Jarvis, W.T., 1986, Regional hydrogeology of the Paleozoic aquifer system, southeastern Bighorn Basin, Wyoming, with an impact analysis on Hot Springs State Park: Laramie, University of Wyoming, M.S. thesis, 227 p., 7 pls.
- Johnson, E.A., 1992, Depositional history of Jurassic rocks in the area of the Powder River Basin, northeastern Wyoming and southeastern Montana: *U.S. Geological Survey Bulletin* 1917-J, 38 p.
- Johnson, E.A., 1993, Depositional history of Triassic rocks in the area of the Powder River Basin, northeastern Wyoming and southeastern Montana: *U.S. Geological Survey Bulletin* 1917-P, 30 p.
- Johnson, F.O., 1962, Ground water geology of central Niobrara County, Wyoming: Laramie, University of Wyoming, M.S. thesis, 62 p., 2 pls.
- Johnson, S.A., 1994, Permeability architecture and ground-water circulation along a fault-severed margin, northern Hanna Basin, Carbon County, Wyoming: Laramie, University of Wyoming, M.S. thesis, 115 p., 5 pls.
- Johnson, S.A., and Huntoon, P.W., 1994, Permeability architecture and groundwater circulation along a fault-severed margin, northern Hanna Basin, Carbon County, Wyoming: final report to the Wyoming Water Resources Center, 115 p., 5 pls.
- Johnson, R.C., Finn, T.M., Keefer, W.R., and Szmajter, R.J., 1996, Geology of Upper Cretaceous and Paleocene gas-bearing rocks, Wind River Basin, Wyoming: *U.S. Geological Survey Open-File Report* 96-090, 120 p.
- Johnson, R.C., Finn, T.M., Kirschbaum, M.A., Roberts, S.B., Roberts, L.N.R., Cook, Troy, and Taylor, D.J., 2007, The Cretaceous-lower Tertiary composite total petroleum system, Wind River Basin, Wyoming, in U.S. Geological Survey Wind River Basin province assessment team, Petroleum systems and geologic assessment of oil and gas in the Wind River Basin province, Wyoming: *U.S. Geological Survey Digital Data Series DDS-69-J*, chap. 4, 96 p.
- Jones, N.R., 2008, Coal bed nomenclature and distribution, in Copeland, D.A., and Ewald, M.L., eds., *Water associated with coal beds in Wyoming's Powder River Basin—Geology, hydrology, and water quality: Wyoming State Geological Survey Exploration Memoir* 2, p. 45–108.
- Jones, N.R., 2010, Coal geology of Wyoming, in *Keystone coal industry manual 2010: Mining Media Publication*, p. 610–631.

- Jones, N.R., and Rodgers, J.R., 2007, Coal correlations and coal zones in the Powder River Basin, Wyoming: Wyoming State Geological Survey Open File Report 07-3, 6 sheets.
- Jones, N.R., Jones, R.W., Lucke, D.W., 2011, Coal map of Wyoming—With energy production and transportation: Wyoming State Geological Survey Map Series 93, scale 1:500,000.
- Jordan, P.R., Bloyd, R.M., and Daddow, P.B., 1984, An assessment of cumulative impacts of coal mining on hydrology in part of the Powder River structural basin, Wyoming—A progress report: U.S. Geological Survey Water-Resources Investigations Report 83-4235, 25 p.
- Keefer, W.R., 1961a, Waltman Shale and Shotgun members of Fort Union Formation (Paleocene) in the Wind River Basin, Wyoming: American Association of Petroleum Geologists Bulletin, v. 45, no. 8, p. 1,310–1,323.
- Keefer, W.R., 1961b, The Meeteetse, Lance, and Fort Union formations, southern Wind River Basin, Wyoming, in Wolwoth, G.J., Hale, L.A., Randall, A.G., and Garrison, Louis, eds., Symposium on Late Cretaceous rocks: Wyoming Geological Association, 16th annual field conference, Guidebook, p. 180–186.
- Keefer, W.R., 1965, Stratigraphy and geologic history of the uppermost Cretaceous, Paleocene, and lower Eocene rocks in the Wind River Basin, Wyoming: U.S. Geological Survey Professional Paper 495-A, 77 p.
- Keefer, W.R., 1969, General stratigraphy and depositional history of the Fort Union, Indian Meadows, and Wind River formations, Wind River Basin, Wyoming in, Barlow, J.A., Steed, R.H., Woodward, T.C., Perry, E.J., Laraway, W.H., Cardinal, D.F., and Mueller, C.A., eds., Symposium on Tertiary rocks of Wyoming: Wyoming Geological Association, 21st annual field conference, Guidebook, p. 19–28.
- Keefer, W.R., 1970, Structural geology of the Wind River Basin, Wyoming: U.S. Geological Survey Professional Paper 495-D, 35 p., 3 pls.
- Keefer, W.R., 1972, Frontier, Cody, and Mesaverde formations in the Wind River and southern Bighorn basins, Wyoming: U.S. Geological Survey Professional Paper 495-E, 23 p.
- King, N.J., 1974, Map showing occurrence of ground water in the Gillette area, Campbell County, Wyoming: U.S. Geological Survey Miscellaneous Investigations Series Map I-848-E, scale 1:125,000.
- Kirk, E., 1930, The Harding Sandstone of Colorado: American Journal of Science, v. 20, 5th ser., p. 456–466.
- Knechtel, M.M., and Patterson, S.H., 1962, Bentonite deposits of the northern Black Hills district, Wyoming, Montana, and South Dakota: U.S. Geological Survey Bulletin 1082-M, p. 893–1,030.
- Knight, S.H., and Morgan, A.M., 1937, Report on the underground water resources of Crow Creek Valley, Laramie County, Wyoming: Geological Survey of Wyoming [Wyoming State Geological Survey], Miscellaneous Publications, 16 p., 2 pls.
- Koch, Donald, Ringrose, C.D., Moore, R.C., and Brooks, D.L., 1982, Monitoring and modeling the shallow ground-water systems in the Powder River Basin (and associated appendices A–U [1 v., under separate cover]): Englewood, Colo., prepared by Hittman Associates, Inc., for U.S. Bureau of Mines [contract no. J0265050], 359 p.
- Kohout, F.A., 1957, Geology and ground-water resources of the Kaycee irrigation project, Johnson County, Wyoming, with a section on chemical quality of the ground water, by F.H. Rainwater: U.S. Geological Survey Water-Supply Paper 1360-E, p. 321–374.
- Konikow, L.F., 2013, Groundwater depletion in the United States (1900–2008): U.S. Geological Survey Scientific Investigations Report 2013-5079, 63 p.
- Konikow, L.F., 1976, Preliminary digital model of ground-water flow in the Madison Group, Powder River Basin and adjacent areas, Wyoming, Montana, South Dakota, North Dakota, and Nebraska: U.S. Geological Survey Water-Resources Investigations 75-63, 44 p., 6 pls.
- Kyllonen, D.P., and Peter, K.D., 1987, Geohydrology and water quality of the Inyan Kara, Minnelusa, and Madison aquifers of the northern Black Hills, South Dakota and Wyoming, and Bear Lodge Mountains, Wyoming: U.S. Geological Survey Water-Resources Investigations Report 86-4158, 61 p.
- Langenheim, R.L., Reinbold, M.L., and Tissue, J.S., 1976, Geologic map of Paleozoic and Mesozoic rocks, east flank of the Bighorn Mountains from lat. 44° 37' 30" N. to lat. 44° 52' 30" N., Sheridan County, Wyoming, in Laudon, R.B., Curry, W.H., III, and Runge, J.S., eds., Geology and energy resources of the Powder River Basin: Wyoming Geological Association, 28th annual field conference, Guidebook, p. 97–105.
- Larson, L.R., and Daddow, R.L., 1984, Ground-water-quality data from the Powder River structural basin and adjacent areas, northeastern Wyoming: U.S. Geological Survey Open-File Report 83-939, 56 p.
- Law, B.E., 1975, Isopach map of the Lebo Shale Member, Fort Union Formation, northwestern Powder River Basin, Wyoming and Montana: U.S. Geological Survey Open-File Report 76-176, scale 1:250,000.

- Law, B.E., Rice, D.D., and Flores, R.M., 1991, Coalbed gas accumulations in the Paleocene Fort Union Formation, Powder River Basin, Wyoming, in Schwochow, S.D., Murray, D.K., and Fahy, M.F., eds., *Coalbed methane of western North America*: Denver, Colo., Rocky Mountain Association of Geologists, p. 179–190.
- Lee, C.H., 1915, The determination of safe yield of underground reservoirs of the closed basin type: *Transactions, American Society of Civil Engineers*, v. 78, p. 148–251.
- Lee, R.W., 1981, Geochemistry of water in the Fort Union Formation of the northern Powder River Basin, southeastern Montana: U.S. Geological Survey Water-Supply Paper 2076, 17 p.
- Lemarchand, Damien, Jacobson, A.D., Cividini, Damien, and Chabaux, François, 2015, The major ion,  $^{87}\text{Sr}/^{86}\text{Sr}$ , and  $\delta^{11}\text{B}$  geochemistry of groundwater in the Wyodak-Anderson coal bed aquifer (Powder River Basin, Wyoming, USA): *Comptes Rendus Geoscience*, v. 347, p. 348–357.
- Lenfest, L.W., Jr., 1987, Recharge of shallow aquifers through two ephemeral-stream channels in northeastern Wyoming, 1982–83: U.S. Geological Survey Water-Resources Investigations Report 85-4311, 29 p.
- Leopold, L.B., and Miller, J.P., 1954, A postglacial chronology for some alluvial valleys in Wyoming: U.S. Geological Survey Water-Supply Paper 1261, 90 p.
- Lewis, B.D., and Hotchkiss, W.R., 1981, Thickness, percent sand, and configuration of shallow hydrogeologic units in the Powder River Basin, Montana and Wyoming: U.S. Geological Survey Miscellaneous Investigations Series Map I-1317, 6 sheets, scale 1:1,000,000.
- Libra, R.D., Collentine, Michael, and Feathers, K.R., 1981, Occurrence and characteristics of ground water in the Denver-Julesburg Basin, Wyoming: University of Wyoming Water Resources Research Institute, v. VIIA–B, [variously paged].
- Lindner-Lunsford, J.B., and Wilson, J.F., Jr., 1992, Shallow ground water in the Powder River Basin, northeastern Wyoming: Description of selected publications, 1950–91, and indications for further study: U.S. Geological Survey Water-Resources Investigations Report 91-4067, 71 p.
- Lisenbee, A.L., and DeWitt, Ed, 1993, Laramide evolution of the Black Hills uplift, in Snoke, A.W., Steidtmann, J.R., and Roberts, S.M., eds., *Geology of Wyoming*: Geological Survey of Wyoming [Wyoming State Geological Survey] Memoir 5, v. 1, p. 374–412.
- Littleton, R.T., 1950, Ground-water conditions in the vicinity of Gillette, Wyoming, with a section on The quality of ground waters, by H.A. Swenson: U.S. Geological Survey Circular 76, 43 p.
- Lohman, S.W., Bennett, R.R., Brown, R.H., Cooper, H.H., Jr., Drescher, W.J., Ferris, J.G., Johnson, A.I., McGuinness, C.L., Piper, A.M., Rorabaugh, M.I., Stallman, R.W., and Theis, C.V., 1972, Definitions of selected groundwater terms—Revisions and conceptual refinements: U.S. Geological Survey Water-Supply Paper 1988, 21 p.
- Long, A.J., 2000, Modeling techniques for karst aquifers—Anisotropy, dual porosity, and linear systems analysis: Rapid City, South Dakota School of Mines and Technology, Ph.D. dissertation, 59 p.
- Long, A.J., Aurand, K.R., Bednar, J.M., Davis, K.W., McKaskey, J.D.R.G., and Thamke, J.N., 2014, Conceptual model of the uppermost principal aquifer systems in the Williston and Powder River structural basins, United States and Canada: U.S. Geological Survey Scientific Investigations Report 2014-5055, 41 p.
- Love, J.D., and Christiansen, A.C., comps., 1985, Geologic map of Wyoming: U.S. Geological Survey, 3 sheets, scale 1:500,000. (Re-released 2014, Wyoming State Geological Survey.)
- Love, J.D., Christiansen, A.C., and Ver Ploeg, A.J., comps., 1993, Stratigraphic chart showing Phanerozoic nomenclature for the state of Wyoming: Geological Survey of Wyoming [Wyoming State Geological Survey] Map Series 41.
- Love J.D., Henbest, L.G., and Denson, N.M., 1953, Stratigraphy and paleontology of Paleozoic rocks, Hartville area, eastern Wyoming: U.S. Geological Survey, Oil and Gas Investigations Chart OC-44, 2 sheets, scale 1:785,000.
- Lovelace, J.K., 2009, Methods for estimating water withdrawals for mining in the United States, 2005: U.S. Geological Survey Scientific Investigations Report 2009-5053, 7 p.
- Lowry, M.E., 1966, The White River Formation as an aquifer in southeastern Wyoming and adjacent parts of Nebraska and Colorado, in Geological Survey Research 1966: U.S. Geological Survey Professional Paper 550-D, p. D217–D222.
- Lowry, M.E., 1972, Hydrology of the uppermost Cretaceous and the lowermost Paleocene rocks in the Hilight oil field, Campbell County, Wyoming: Laramie, University of Wyoming, M.S. thesis, 52 p., 5 pls.
- Lowry, M.E., 1973, Hydrology of the uppermost Cretaceous and the lowermost Paleocene rocks in the Hilight oil field, Campbell County, Wyoming: U.S. Geological Survey Open-File Report 73-161, 60 p.



- Lowry, M.E., and Crist, M.A., 1967, Geology and ground-water resources of Laramie County, Wyoming, with a section on Chemical quality of ground water and of surface water, by J.R. Tilstra: U.S. Geological Survey Water-Supply Paper 1834, 71 p., 2 pls.
- Lowry, M.E., and Cummings, T.R., 1966, Ground-water resources of Sheridan County, Wyoming: U.S. Geological Survey Water-Supply Paper 1807, 77 p., 1 pl.
- Lowry, M.E., Daddow, P.B., and Rucker, S.J., 1993, Assessment of the hydrologic system and hydrologic effects of uranium exploration and mining in the southern Powder River Basin uranium district and adjacent areas, Wyoming: U.S. Geological Survey Water-Resources Investigations Report 90-4154, 42 p.
- Lowry, M.E., Head, W.J., Rankl, J.G., and Busby, J.F., 1986, Water resources of Weston County, Wyoming: U.S. Geological Survey Water-Resources Investigations Report 84-4079, 33 p., 1 pl.
- Lowry, M.E., and Rankl, J.G., 1987, Hydrology of the White Tail Butte area, northern Campbell County, Wyoming: U.S. Geological Survey Water-Resources Investigations Report 82-4117, 47 p.
- Lowry, M.E., Wilson, J.F., Jr., and others, 1986, Hydrology of Area 50, northern Great Plains and Rocky Mountain coal provinces, Wyoming and Montana: U.S. Geological Survey Open-File Report 83-545, 137 p.
- Lundy, D.A., 1978, Hydrology and geochemistry of the Casper aquifer in the vicinity of Laramie, Albany County, Wyoming: Laramie, University of Wyoming, M.S. thesis, 76 p.
- Luppens, J.A., Scott, D.C., Haacke, J.E., Osmonson, L.M., and Pierce, P.E., 2015, Coal geology and assessment of coal resources and reserves in the Powder River Basin, Wyoming and Montana: U.S. Geological Survey Professional Paper 1809, 218 p.
- Lynds, R.M., 2013, Geologic storage assessment of carbon dioxide (CO<sub>2</sub>) in the Laramide basins of Wyoming: Wyoming State Geological Survey Technical Memorandum 3, 200 p., 20 pls.
- MacCary, L.M., 1984, Apparent water resistivity, porosity, and water temperature of the Madison Limestone and underlying rocks in parts of Montana, Nebraska, North Dakota, South Dakota, and Wyoming: U.S. Geological Survey Professional Paper 1273-D, 14 p., 20 pls.
- Macke, D.L., 1993, Cambrian through Mississippian rocks of the Powder River Basin, Wyoming, Montana, and adjacent areas: U.S. Geological Survey Bulletin 1917-M, 174 p., 2 pls.
- Maimone, Mark, 2004, Defining and managing sustainable yield: *Groundwater*, v. 42, no. 6, p. 809–814.
- Mallory, W.W., 1967, Pennsylvanian and associated rocks in Wyoming: U.S. Geological Survey Professional Paper 554-G, p. G1–G31, 3 pls.
- Mandel, S., and Shiftan, Z.L., 1981, Groundwater resources—Investigation and development: New York, N.Y., Academic Press, 269 p.
- Mapel, W.J., 1959, Geology and coal resources of the Buffalo-Lake De Smet area, Johnson and Sheridan counties, Wyoming: U.S. Geological Survey Bulletin 1078, 148 p.
- Mapel, W.J., and Pillmore, C.L., 1963, Geology of the Inyan Kara Mountain quadrangle, Crook and Weston counties, Wyoming: U.S. Geological Survey Bulletin 1121-M, 56 p.
- Martin, L.J., Naftz, D.L., Lowham, H.W., and Rankl, J.G., 1988, Cumulative potential hydrologic impacts of surface coal mining in the eastern Powder River structural basin, northeastern Wyoming: U.S. Geological Survey Water-Resources Investigations Report 88-4046, 201 p.
- Maughan, E.K., 1993, The ancestral Rocky Mountains in Wyoming, in Snoke, A.W., Steidtmann, J.R., and Roberts, S.M., eds., *Geology of Wyoming: Geological Survey of Wyoming [Wyoming State Geological Survey] Memoir 5*, p. 188–207.
- Maughan, E.K., and Perry, W.J., Jr., 1986, Lineaments and their tectonic implications in the Rocky Mountains and adjacent plains region, in Peterson, J.A., ed., *Paleotectonics and sedimentation, Rocky Mountain region, USA: American Association of Petroleum Geologists Memoir 41*, p. 41–53.
- McBeth, I.H., Reddy, K.J., and Skinner, Q.D., 2003a, Chemistry of trace elements in coalbed methane product water: *Water Resources Research*, v. 37, no. 4, p. 884–890.
- McBeth, I.H., Reddy, K.J., and Skinner, Q.D., 2003b, Coalbed methane product water chemistry in three Wyoming watersheds: *Journal of the American Water Resources Association*, v. 39, no. 3, June 2003, p. 575–585.
- McCallum, A.M., Andersen, M.S., and Acworth, R.I., 2014, A new method for estimating recharge to unconfined aquifers using differential river gauging: *Groundwater*, v. 52, no. 2, p. 291–297.
- McCoy, M.R., 1952, Ordovician sediments in the northern Black Hills, in Sonnenberg, P.P., ed., *Black Hills–Williston Basin Symposium: Billings Geological Society annual field conference, Guidebook, no. 3*, p. 44–47.
- McDonald, M.G., and Harbaugh, A.R., 1988, A modular three-dimensional finite-difference ground-water flow model: U.S. Geological Survey Techniques of Water-Resources Investigations, book 6, chap. A1, 586 p.

- McGreevy, L.J., Hodson, W.G., and Rucker, S.J., IV, 1969, Ground-water resources of the Wind River Indian Reservation, Wyoming: U.S. Geological Survey Water-Supply Paper 1576-I, 45 p., 3 pls.
- McGuire, V.L., 2013, Water-level and storage changes in the High Plains aquifer—Predevelopment to 2011 and 2009–11: U.S. Geological Survey Scientific Investigations Report 2012-5291, 15 p.
- McLaughlin, J.F., Stafford, J.E., and Harris, R.E., 2011, Geologic map of the Lusk 30' x 60' quadrangle, Niobrara, Goshen, Converse, and Platte counties, Wyoming, and Sioux County, Nebraska: Wyoming State Geological Survey Map Series 82, scale 1:100,000.
- McLaughlin Water Engineers, Ltd. (in association with Wyoming Water Design and Development, LLC), 2008, Upton well no. 6, level II study: prepared for the Wyoming Water Development Commission, [variously paged].
- Meinzer, O.E., 1923, The occurrence of groundwater in the United States—With a discussion of principles: Water Supply Paper 489, 321 p.
- Meredith, E.B., 2016, Coal aquifer contribution to streams in the Powder River Basin, Montana: *Journal of Hydrology*, v. 537, p. 130–137.
- Meredith, E.B., and Kuzara, S.L., 2012, Identification and quantification of baseflow using carbon isotopes: *Groundwater*, v. 50, no. 6, p. 959–965.
- Merewether, E.A., 1996, Stratigraphy and tectonic implications of Upper Cretaceous rocks in the Powder River Basin, northeastern Wyoming and southeastern Montana: U.S. Geological Survey Bulletin 1917-T, 92 p.
- Merewether, E.A., Cobban, W.A., and Cavanaugh, E.T., 1979, Frontier Formation and equivalent rocks in eastern Wyoming: *The Mountain Geologist*, v. 6, no. 3, p. 67–102.
- Merewether, E.A., Cobban, W.A., Matson, R.M., and Magathan, W.J., 1977a, Stratigraphic diagrams with electric logs of Upper Cretaceous rocks, Powder River Basin, Johnson, Campbell, and Crook counties, Wyoming, section A–A': U.S. Geological Survey Oil and Gas Investigations Chart OC-73.
- Merewether, E.A., Cobban, W.A., Matson, R.M., and Magathan, W.J., 1977b, Stratigraphic diagrams with electric logs of Upper Cretaceous rocks, Powder River Basin, Natrona, Campbell, and Weston counties, Wyoming, section B–B': U.S. Geological Survey Oil and Gas Investigations Chart OC-74.
- Merewether, E.A., Cobban, W.A., Matson, R.M., and Magathan, W.J., 1977c, Stratigraphic diagrams with electric logs of Upper Cretaceous rocks, Powder River Basin, Natrona, Converse, and Niobrara counties, Wyoming, section C–C': U.S. Geological Survey Oil and Gas Investigations Chart OC-75.
- Merewether, E.A., Cobban, W.A., Matson, R.M., and Magathan, W.J., 1977d, Stratigraphic diagrams with electric logs of Upper Cretaceous rocks, Powder River Basin, Sheridan, Johnson, Campbell, and Converse counties, Wyoming, section D–D': U.S. Geological Survey Oil and Gas Investigations Chart OC-76.
- Meyer, Joe, 1999, General drawdown map—Wyodak-Anderson coal bed, 1980 to 1998, in Miller, W.R., ed., *Coalbed methane and Tertiary geology of the Powder River Basin, Wyoming and Montana: Wyoming Geological Association, 50th annual field conference, Guidebook*, p. 87–88.
- Meyers, J.H., Suttner, L.J., Furer, L.C., May, M.T., Soreghan, M.J., 1992, Intrabasinal tectonic control on fluvial sandstone bodies in the Cloverly Formation (Early Cretaceous), west-central Wyoming, USA: *Basin Research*, v. 4, p. 315–333.
- Miller, A.K., 1930, The age and correlation of the Bighorn Formation of northwestern United States: *American Journal of Science*, v. 20, ser. 5, p. 195–213.
- Miller, W.R., 1976, Water in carbonate rocks of the Madison group in southeastern Montana—A preliminary evaluation: U.S. Geological Survey Water-Supply Paper 2043, 51 p.
- Miller, W.R., and Strausz, S.A., 1980, Preliminary map showing freshwater heads for the Mission Canyon and Lodgepole limestones and equivalent rocks of Mississippian age in the northern Great Plains of Montana, North Dakota, South Dakota, and Wyoming: U.S. Geological Survey Open-File Report 80-729, scale 1:1,000,000.
- Mills, J.P., 1989, Foreland structure and karstic ground water circulation in the eastern Gros Ventre Range, Wyoming: Laramie, University of Wyoming, M.S. thesis, 101 p.
- Mills, J.P., and Huntoon, P.W., 1989, Foreland structure and karstic ground water circulation in the eastern Gros Ventre Range, Wyoming: Wyoming Water Research Center, Water Resource Publication 89-02, 101 p.
- Minick, J.N., 1951, Tertiary stratigraphy of southeastern Wyoming and northeastern Colorado: Laramie, University of Wyoming, M.A. thesis, 53 p., 1 pl.

- Montana Bureau of Mines and Geology, 2013, Geologic quadrangle maps—1:100,000: accessed July 2, 2013, at <http://www.mbm.gmtech.edu/gmr/gmr-statemap.asp>.
- Moore, F.E., 1959, The geomorphic evolution of the east flank of the Laramie Range, Colorado and Wyoming: Laramie, University of Wyoming, Ph.D. dissertation, 123 p., 6 pls.
- Moore, F.E., 1963, Tertiary stratigraphy of the High Plains, in *Geology of the northern Denver Basin and adjacent uplifts*: Rocky Mountain Association of Geologists, Guidebook 14, p. 162–166.
- Morris, D.A., 1956, Reconnaissance of the geology and ground-water resources in the Cheyenne River drainage basin in northern Converse County, Wyoming: U.S. Geological Survey Open-File Report 56-83, 14 p.
- Morris, D.A., and Babcock, H.M., 1960, Geology and ground-water resources of Platte County, Wyoming, with a section on Chemical quality of the water, by R.H. Langford: U.S. Geological Survey Water-Supply Paper 1490, 195 p., 4 pls.
- Morris, D.A., Hackett, O.M., Vanlier, K.E., and Moulder, E.A., 1959, Ground-water resources of Riverton irrigation project area, Wyoming, with a section on Chemical quality of ground water, by W.H. Durum: U.S. Geological Survey Water-Supply Paper 1375, 205 p., 3 pls.
- Morrison-Maierle, Inc., 1984, Glendo groundwater exploration program feasibility study: prepared for the Wyoming Water Development Commission and the Town of Glendo, [variously paged].
- Morrison-Maierle, Inc. (in association with Burns and McDonnell), 2007, City of Gillette long-term water supply, level II study: prepared for City of Gillette, [variously paged].
- Murphy, R.P., and Stockdale, R.G., 2000, Campbell County coal bed methane monitor well program: prepared by Wyoming State Engineer's Office for Wyoming Water Development Commission, 35 p.
- MWH Americas, Inc. (in association with Short Elliott Hendrickson, Inc., and Harvey Economics), 2010, Wind-Bighorn Basin plan update report: prepared for the Wyoming Water Development Commission, [variously paged].
- Naus, C.A., Driscoll, D.G., and Carter, J.M., 2001, Geochemistry of the Madison and Minnelusa aquifers in the Black Hills area, South Dakota: U.S. Geological Survey Water-Resources Investigations Report 01-4129, 118 p.
- Nichols, D.J., 1994, Palynostratigraphic correlation of Paleocene rocks in the Wind River, Bighorn, and Powder River basins, Wyoming, in Flores, R.M., Mehring, K.T., Jones, R.W., and Beck, T.L., eds., *Organics and the Rockies field guide: Wyoming State Geological Survey Public Information Circular 33*, 184 p., prepared for The Organic Petrology, Eleventh Annual Meeting, Jackson, Wyoming. Post-meeting field trip September 25-27, 1994.
- Nichols, D.J., 1998, Palynostratigraphy of the Fort Union Formation (Paleocene) in the North Dakota part of the Williston Basin and its application to coal resource assessment [abs.]: Geological Society of America, 1998 annual meeting, Abstracts with programs, v. 30, no. 7, p. 366.
- Nichols, D.J., and Brown, J.L., 1992, Palynostratigraphy of the Tullock Member (lower Paleocene) of the Fort Union Formation in the Powder River Basin, Montana and Wyoming: U.S. Geological Survey Bulletin 1917-F, 35 p.
- Nielsen, N.C., 1987, A cumulative hydrologic impact assessment of the Wyodak-Anderson coal seam in the southern Powder River Basin, Wyoming: Boulder, University of Colorado, M.S. thesis, 352 p.
- Nixon, R.P., 1973, Oil source beds in Cretaceous Mowry Shale of northwestern interior United States: *Bulletin of the American Association of Petroleum Geologists*, v. 57, p. 136–161.
- North American Commission on Stratigraphic Nomenclature, 2005, North American stratigraphic code: *American Association of Petroleum Geologists Bulletin*, v. 89, no. 11, [variously paged].
- Nuccio, V.F., 1990, Burial, thermal, and petroleum generation history of the Upper Cretaceous Steele Member of the Cody Shale (Shannon Sandstone Bed horizon), Powder River Basin, Wyoming: U.S. Geological Survey Bulletin 1917-A, 17 p.
- Ogle, K.M., Kunze, M.D., and Reckentine, L.J., 2011, Cumulative hydrological impact assessment of coal mining in the middle Powder River Basin, Wyoming: Wyoming Department of Environmental Quality, Land Quality Division, WDEQ-CHIA-27, 165 p., 1 pl.
- Old West Regional Commission, 1976, Investigation of recharge to groundwater reservoirs of northeastern Wyoming (the Powder River Basin): prepared by Wyoming Water Planning Program, 111 p., 13 pls.
- Olsson Associates (in association with AVI, P.C.), 2008, Manville source water supply level II study, final report: prepared for the Wyoming Water Development Commission, [variously paged].

- Peacock, Kenneth, 1997, Assessing the cumulative impacts of surface mining and coal bed methane development on shallow aquifers in the Powder River Basin, Wyoming, in Brandt, J.E., ed., Proceedings: 14th annual national meeting of the American Society for Surface Mining and Reclamation, Austin, Texas, May 10–15, 1997, p. 648–666.
- Pearson, B.N., 2002, Strontium (Sr) isotope ratio as a monitor of recharge and aquifer communication, Paleocene Fort Union Formation and Eocene Wasatch Formation, Powder River Basin, Wyoming and Montana: Laramie, University of Wyoming, M.S. thesis, 151 p.
- Peter, K.D., 1985, Availability and quality of water from the bedrock aquifers in the Rapid City area, South Dakota: U.S. Geological Survey Water-Resources Investigations Report 85-4022, 34 p.
- Peterson, D.A., Clark, M.L., Foster, Katharine, Wright, P.R., and Boughton, G.K., 2010, Assessment of ecological conditions and potential effects of water produced from coalbed natural gas development on biological communities in streams of the Powder River structural basin, Wyoming and Montana, 2005–08: U.S. Geological Survey Scientific Investigations Report 2010-5124, 84 p.
- Peterson, J.A., 1978, Subsurface geology and porosity distribution, Madison Limestone and underlying formations, Powder River Basin, northeastern Wyoming, and southeastern Montana and adjacent areas: U.S. Geological Survey Open-File Report 78-783, 32 p.
- Peterson, J.A., 1984, Stratigraphy and sedimentary facies of the Madison Limestone and associated rocks in parts of Montana, Nebraska, North Dakota, South Dakota, and Wyoming: U.S. Geological Survey Professional Paper 1273-A, 34 p., 20 pls.
- Peterson, D.A., 1991, Streamflow recharge to the Madison Limestone and the Casper Formation in the Glenrock area, east-central Wyoming: U.S. Geological Survey Water-Resources Investigations Report 88-4192, 18 p.
- Piper, A.M., 1944, A graphic procedure in the geochemical interpretation of water analyses: American Geophysical Union Transactions, v. 25, p. 914–923.
- Plafcan, Maria, Eddy-Miller, C.A., Ritz, G.F., and Holland, J.P.R., II, 1995, Water resources of Fremont County, Wyoming, with a section on Water-right administration, by R.G. Stockdale, Wyoming State Engineer's Office: U.S. Geological Survey Water-Resources Investigations Report 95-4095, 133 p., 3 pls.
- Plains Engineering, 1982, Buffalo hydrogeologic reconnaissance report: prepared for the Wyoming Water Development Commission, [variously paged].
- Pochop, L.O., Teegarden, Travis, Kerr, G.L., and Delaney, Ronald, 1992, Consumptive use and consumptive irrigation requirements in Wyoming: Water Resources Research Institute report 92-06, 59 p., prepared for the Wyoming Water Resources Center
- Poland, J.F., Lofgren, B.E., and Riley, F.S., 1972, Glossary of selected terms useful in studies of the mechanics of aquifer systems and land subsidence due to fluid withdrawal: U.S. Geological Survey Water Supply Paper 2025, 9 p.
- Prickett, T.A., and Lonquist, C.G., 1971, Selected digital computer techniques for groundwater resource evaluation: Illinois State Water Survey Bulletin 55, 62 p.
- PRISM Climate Group, 2016, PRISM climate data: accessed June 26, 2017, at <http://prism.oregonstate.edu/>.
- Quillinan, S.A., 2011, Geochemical and isotopic characterization of water associated with Wyoming's coalbed natural gas development: Laramie, University of Wyoming, M.S. thesis, 205 p.
- Quillinan, S.A., and Frost, C.D., 2012, Spatial variability of coalbed natural gas produced water quality, Powder River Basin, Wyoming—Implications for future development: Wyoming State Geological Survey Report of Investigations 64, 55 p.
- Quillinan, S.A., and Frost, C.D., 2014, Carbon isotopic characterization of Powder River Basin coalbed waters—Key to minimizing unnecessary water production and implications for exploration and production of biogenic gas: International Journal of Coal Geology, v. 126, p. 106–119.
- Rahn, P.H., and Gries, J.P., 1973, Large springs in the Black Hills, South Dakota, and Wyoming: South Dakota State Geological Survey Report of Investigations 107, 46 p., 4 pls.
- Rankl, J.G., and Lowry, M.E., 1990, Ground-water flow systems in the Powder River structural basin, Wyoming and Montana: U.S. Geological Survey Water-Resources Investigations Report 85-4229, 39 p.
- Rapp, J.R., 1953, Reconnaissance of the geology and ground-water resources of the La Prele area, Converse County, Wyoming, with a section on The chemical quality of the ground water, by W.H. Durum: U.S. Geological Survey Circular 243, 33 p., 1 pl.
- Rapp, J.R., Warner, D.A., and Morgan, A.M., 1953, Geology and ground-water resources of the Egbert-Pine Bluffs-Carpenter area, Laramie County, Wyoming: U.S. Geological Survey Water-Supply Paper 1140, 67 p., 3 pls.

- Rapp, J.R., Visher, F.N., and Littleton, R.T., 1957, Geology and ground-water resources of Goshen County, Wyoming, with a section on Chemical quality of the ground water, by W.H. Durum: U.S. Geological Survey Water-Supply Paper 1377, 145 p., 4 pls.
- Rasmussen, D.L., Jump, C.J., and Wallace, K.A., 1985, Deltaic systems in the Early Cretaceous Fall River Formation, southern Powder River Basin, Wyoming: Wyoming Geological Association, 36th annual field conference, Guidebook, p. 91–111.
- Rautman, C.A., 1978, Sedimentology of Late Jurassic barrier-island complexes—Lower Sundance Formation of the Black Hills: American Association of Petroleum Geologists Bulletin, v. 62, no. 11, p. 2,275–2,289.
- Rehm, B.W., Groenewold, G.H., and Morin, K.A., 1980, Hydraulic properties of coal and related materials, northern Great Plains: Groundwater, v. 18, no. 6, p. 551–561.
- Renick, B.C., 1924, Base exchange in ground water by silicates as illustrated in Montana: U.S. Geological Survey Water-Supply Paper 520-D, p. 53–72.
- RESPEC (in association with Anderson Consulting Engineers, Inc. and BBC Research and Consulting), 2018a, Powder/Tongue River Basin plan update level I study: prepared for the Wyoming Water Development Commission, [variously paged].
- RESPEC (in association with Anderson Consulting Engineers, Inc. and BBC Research and Consulting), 2018b, Northeast river basin plan update level I study: prepared for the Wyoming Water Development Commission, [variously paged].
- Rice, C.A., Ellis, M.S., and Bullock, J.H., Jr., 2000, Water co-produced with coalbed methane in the Powder River Basin, Wyoming—Preliminary compositional data: U.S. Geological Survey Open-File Report 00-372, 20 p.
- Rice, C.A., Bartos, T.T., and Ellis, M.S., 2002, Chemical and isotopic composition of water in the Fort Union and Wasatch formations of the Powder River Basin, Wyoming and Montana—Implications for coalbed methane development, in Schwochow, S.D., and Nuccio, V.F., eds., Coalbed methane of North America II: Rocky Mountain Association of Geologists, p. 53–70.
- Rice, C.A., Flores, R.M., Stricker, G.D., and Ellis, M.S., 2008, Chemical and stable isotope evidence for water/rock interaction and biogenic origin of coalbed methane, Fort Union Formation, Powder River Basin, Wyoming and Montana, USA: International Journal of Coal Geology, v. 76, p. 76–85.
- Rice, D.D., and Flores, R.M., 1991, Controls of bacterial gas accumulations in thick tertiary coal beds and adjacent channel sandstones, Powder River Basin, Wyoming and Montana: American Association of Petroleum Geologists Bulletin, v. 75, no. 3, p. 661.
- Rich, E.I., 1962, Reconnaissance geology of Hiland-Clarkson Hill area, Natrona County, Wyoming: U.S. Geological Survey Bulletin 1107-G, p. 447–540.
- Richards, P.W., and Nieschmidt, C.L., 1961, The Bighorn Dolomite and correlative formations in southern Montana and northern Wyoming: U.S. Geological Survey Oil and Gas Investigations Map OM-202, scale 1:750,000.
- Richter, H.R., Jr., 1981, Occurrence and characteristics of groundwater in the Wind River Basin, Wyoming: University of Wyoming Water Resources Research Institute, v. IV-A [variously paged], and v. IV-B, 11 sheets.
- Riffenburg, H.B., 1925, Chemical character of ground water of the northern Great Plains: U.S. Geological Survey Water-Supply Paper 560-B, p. 31–52.
- Ringen, B.H., and Daddow, P.B., 1990, Hydrology of the Powder River alluvium between Sussex, Wyoming, and Moorhead, Montana: U.S. Geological Survey Water-Resources Investigations Report 89-4002, 48 p.
- Roberts, Sheila, 1989, Wyoming geomaps: Geological Survey of Wyoming [Wyoming State Geological Survey] Educational Series 1, 41 p.
- Robinson, C.S., Mapel, W.J., and Bergendahl, M.H., 1964, Stratigraphy and structure of the northern and western flanks of the Black Hills uplift, Wyoming, Montana, and South Dakota: U.S. Geological Survey Professional Paper 404, 134 p.
- Ross, H.E., and Zoback, M.D., 2008, Sub-hydrostatic pore pressure in coalbed and sand aquifers of the Powder River Basin, Wyoming, Montana, and implications for disposal of coalbed-methane-produced water through injection: Rocky Mountain Geology, v. 43, no. 2, p. 155–169.
- Royse, Frank, Jr., 1993, An overview of the geologic structure of the thrust belt in Wyoming, northern Utah, and eastern Idaho, in Snoke, A.W., Steidtmann, J.R., and Roberts, S.M., eds., 1993, Geology of Wyoming: Geological Survey of Wyoming [Wyoming State Geological Survey] Memoir 5, p. 272–311.
- Sandberg, C.A. 1961, Widespread Beartooth Butte Formation of Early Devonian age in Montana and Wyoming and its paleogeographic significance: American Association of Petroleum Geologists Bulletin, v. 45, p. 1,301–1,309.

- Sandberg, C.A. 1967, Measured sections of Devonian rocks in northern Wyoming: Geological Survey of Wyoming [Wyoming State Geological Survey] Bulletin 52, 93 p.
- Sando, W.J., 1974, Ancient solution phenomena in the Madison Limestone (Mississippian) of north-central Wyoming: U.S. Geological Survey Journal of Research, v. 2, no. 2, p. 133–141.
- Sando, W.J., 1976a, Madison Limestone (Devonian and Mississippian), east flank of Bighorn Mountains, Wyoming: Wyoming Geological Association, 28th annual field conference, Guidebook, p. 45–52.
- Sando, W.J., 1976b, Mississippian history of the northern Rocky Mountains region: U.S. Geological Survey Journal of Research, v. 4, no. 3, p. 317–338.
- Sando, W.J., and Sandberg, C.A., 1987, New interpretations of Paleozoic stratigraphy and history in the northern Laramie Range and vicinity, southeast Wyoming: U.S. Geological Survey Professional Paper 1450, 39 p.
- Sanford, W.E., and Selnick, D.L., 2013, Estimation of evapotranspiration across the conterminous United States using a regression with climate and land-cover data: Journal of the American Water Resources Association, v. 49, no. 1, p. 217–230.
- Santos, E.S., 1981, Facies distribution and uranium host rocks of the southern Powder River Basin, Wyoming: U.S. Geological Survey Open-File Report 81-741, 15 p.
- Sato, Yoshiaki, and Denson, N.M., 1967, Volcanism and tectonism as reflected by the distribution of nonopaque heavy minerals in some Tertiary rocks of Wyoming and adjacent states, in Geological Survey Research 1967: U.S. Geological Survey Professional Paper 575-C, p. C42–C54.
- Seeland, David, 1992, Depositional systems of a synorogenic continental deposit—The upper Paleocene and lower Eocene Wasatch Formation of the Powder River Basin, northeast Wyoming: U.S. Geological Survey Bulletin 1917-H, 20 p.
- Sharp, J.M. Jr., 2007, A glossary of hydrogeological terms: Department of Geological Sciences, University of Texas, Austin, Texas, 63 p.
- Sharp, W.N., and Gibbons, A.B., 1964, Geology and uranium deposits of the southern part of the Powder River Basin, Wyoming: U.S. Geological Survey Bulletin 1147-D, 60 p.
- Sharp, W.N., McKay, E.J., McKeown, F.A., and White, A.M., 1964, Geology and uranium deposits of the Pumpkin Buttes ore of the Powder River Basin, Wyoming: U.S. Geological Survey Bulletin 1107-H, p. 541–638, 8 pls.
- Singler, C.R., and Picard, M.D., 1979a, Stratigraphic review of Oligocene beds in northern Great Plains: Wyoming Geological Association Earth Science Bulletin, v. 13, no. 1, p. 1–18.
- Singler, C.R., and Picard, M.D., 1979b, Petrography of White River Group (Oligocene) in northwest Nebraska and adjacent Wyoming: Contributions to Geology, University of Wyoming, v. 18, no. 1, p. 51–67.
- Skeen, R.C., and Ray, R.R., 1983, Seismic models and interpretation of the Casper Arch thrust—Application to Rocky Mountain foreland structure, in Rocky Mountain foreland basins and uplifts: Rocky Mountain Association of Geologists, p. 99–124.
- Slack, P.B., 1981, Paleotectonics and hydrocarbon accumulation, Powder River Basin, Wyoming: American Association of Petroleum Geologists Bulletin, v. 65, no. 4, p. 730–743.
- Slagle, S.E., Lewis, B.D., and Lee, R.W., 1985, Ground-water resources and potential hydrologic effects of surface coal mining in the northern Powder River Basin, southeastern Montana: U.S. Geological Survey Water-Supply Paper 2239, 34 p.
- Smith, D.A., 1988, The integration of hydrodynamics and stratigraphy, Muddy Sandstone, northern Powder River Basin, Wyoming and Montana: Wyoming Geological Association, 39th annual field conference, Guidebook, p. 179–189.
- Soda Butte Services, Inc. (in association with Wester-Wetstein and Associates, Inc.), 1994, Construction and testing of CRWD-1 well and conceptual design and cost estimation for Cook Road water supply project level II, final report: prepared for the Wyoming Water Development Commission, [variously paged].
- Soda Butte Services, Inc., 1995, Well construction, testing and conceptual design for the Aladdin water supply project level II, final report: prepared for the Wyoming Water Development Commission, [variously paged].
- Sophocleous, M.A., 1998, On the elusive concept of safe yield and the response of interconnected stream-aquifer systems to development, in Sophocleous, M.A., ed., Perspectives on sustainable development of water resources in Kansas: Kansas Geological Survey Bulletin 239, p. 6–85.
- Sophocleous, M.A., 2005, Groundwater recharge and sustainability in the High Plains aquifer in Kansas, USA: Hydrogeology Journal, v. 13, no. 2, p. 351–365.
- Sowers, N.R., 1979, Geologic factors affecting the hydrology of the Tongue River valley, Sheridan County, Wyoming: Laramie, University of Wyoming, M.S. thesis, 101 p., 6 pls.

- Spencer, S.A., 1986, Groundwater movement in the Paleozoic rocks and impact of petroleum production on water levels in the southwestern Bighorn Basin, Wyoming: Laramie, University of Wyoming, M.S. thesis, 165 p., 7 pls.
- Statz, M.H., 1983, Geology and description of thorium and rare-earth deposits in the southern Bear Lodge Mountains, northeastern Wyoming: U.S. Geological Survey Professional Paper 1049-D, 52 p., 2 pls.
- Stacy, M.E., 1994, Karstic groundwater circulation in the fault-severed Madison aquifer in the Casper Mountain area of Natrona County, Wyoming: Laramie, University of Wyoming, M.S. thesis, 122 p., 5 pls.
- Stacy, M.E., and Huntoon, P.W., 1994, Karstic groundwater circulation in the fault-severed Madison aquifer in the Casper Mountain area of Natrona County, Wyoming final report: prepared for the Wyoming Water Resources Center, 122 p., 5 pls.
- Stafford, J.E., and Gracias, Tomas, 2009, Surface water resources map of Wyoming— Streamflows and storage: Wyoming State Geological Survey Map Series 91, scale 1:500,000.
- Stanley, K.O., 1976, Sandstone petrofacies in the Cenozoic High Plains sequence, eastern Wyoming and Nebraska: Geological Society of America Bulletin, v. 87, p. 297–309.
- Stanton, J.S., Qi, S.L., Ryter, D.W., Falk, S.E., Houston, N.A., Peterson, S.M., Westenbroek, S.M., and Christenson, S.C., 2011, Selected approaches to estimate water-budget components of the High Plains, 1940 through 1949 and 2000 through 2009: U.S. Geological Survey Scientific Investigations Report 2011-5183, 79 p.
- Stanton, T.W., 1910, Fox Hills Sandstone and Lance Formation (“Ceratops beds”) in South Dakota, North Dakota, and eastern Wyoming: American Journal of Science, 4th ser., v. 30, no. 177, p. 172–188.
- Stephenson, T.R., 1982, Shallow aquifer hydrogeology—Little Thunder Creek area, Campbell County, Wyoming, in Proceedings, Hydrology symposium on surface coal mines in Powder River Basin: Gillette, Wyo., Gillette Area Groundwater Monitoring Organization [GAGMO] and American Institute of Mining Engineers (northeastern Wyoming chapter), Symposium to discuss surface and groundwater at surface coal mines in the Powder River Basin of Wyoming, p. 13–27.
- Stetson Engineering, Inc.(in association with Western Groundwater Services, LLC.), 2005, Final level II study report for Canyon Improvement and Service District, Newcastle, Wyoming: prepared for the Wyoming Water Development Commission, [variously paged].
- Stetson Engineering, Inc. (in association with Wester-Wetstein and Associates), 2009, Wright master plan, level I study: prepared for Wyoming Water Development Commission and Wright Water and Sewer District, [variously paged].
- Stock, M.D., 1981, The geohydrology of the shallow aquifers in the vicinity of Old Woman anticline, Niobrara County, Wyoming: Laramie, University of Wyoming, M.S. thesis, 87 p.
- Stone, D.S., 2002, Morphology of the Casper Mountain uplift and related, subsidiary structures, central Wyoming—Implications for Laramide kinematics, dynamics, and crustal inheritance: American Association of Petroleum Geologists Bulletin, v. 86, no. 8, p. 1,417–1,440.
- Stone, W.D., 1972, Stratigraphy and exploration of the Lower Cretaceous Muddy Formation, northern Powder River Basin, Wyoming and Montana: The Mountain Geologist, v. 9, no. 4, p. 355–378.
- Stone, Randolph, and Snoeberger, D.F., 1977, Cleat orientation and areal hydraulic anisotropy of a Wyoming coal aquifer: Groundwater, v. 15, no. 6, p. 434–438.
- Stoner, J.D., 1981, Horizontal anisotropy determined by pumping in two Powder River Basin coal aquifers, Montana: Groundwater, v. 19, no. 1, p. 34–40.
- Strobel, M.L., Jarrell, G.J., Sawyer, J.F., Schleicher, J.R., and Fahrenbach, M.D., 1999, Distribution of hydrogeologic units in the Black Hills area, South Dakota: U.S. Geological Survey Hydrologic Atlas 743, 3 sheets, scale 1:100,000.
- Strobel, M.L., Galloway, J.M., Hamade, G.R., and Jarrell, G.J., 2000a, Potentiometric surface of the Minnelusa aquifer in the Black Hills area, South Dakota: U.S. Geological Survey Hydrologic Atlas HA-745-C, 2 sheets, scale 1:100,000.
- Strobel, M.L., Galloway, J.M., Hamade, G.R., and Jarrell, G.J., 2000b, Potentiometric surface of the Madison aquifer in the Black Hills area, South Dakota: U.S. Geological Survey Hydrologic Atlas HA-745-D, 2 sheets, scale 1:100,000.
- Surdam, R.C., Jiao, Zunsheng, and Heasler, H.P., 2007, Origin of thermogenic and biogenic natural gas in the Tongue River Member coals of the Fort Union Formation, northeastern Powder River Basin, Wyoming: Wyoming State Geological Survey Report of Investigations 58, 43 p.
- Swenson, F.A., 1968a, Recharge and movement of water in the artesian basin of the Dakotas: Wyoming Geological Association, 20th annual field conference, Guidebook, p. 199–207.

- Swenson, F.A., 1968b, New theory of recharge to the artesian basin of the Dakotas: Geological Society of America Bulletin, v. 79, no. 2, p. 163–182.
- Swenson, F.A., 1974, Potential of Madison Group and associated rocks to supply industrial water needs, Powder River Basin, Wyoming and Montana: American Water Resources Association Proceedings, no. 18, p. 210–218.
- Swenson, F.A., Miller, W.R., Hodson, W.G., and Visher, F.N., 1976, Maps showing configuration and thickness, and potentiometric surface and water quality in the Madison Group, Powder River Basin, Wyoming and Montana: U.S. Geological Survey Miscellaneous Investigations Series Map I-847-C, 2 sheets, scale 1:1,000,000.
- Swinehart, J.B., Souders, V.L., DeGraw, H.M., and Diffendal, R.F., Jr., 1985, Cenozoic paleogeography of western Nebraska, in Flores, R.M., and Kaplan, S.S., eds., Cenozoic paleogeography of west-central United States: Denver, Colo., Rocky Mountain Section, Society of Economic Paleontologists and Mineralogists, p. 209–229.
- Taboga, K.G., 2006, Structural controls on recharge mechanisms in a mountain block/mountain front aquifer system, Casper aquifer in the vicinity of Laramie, Albany County, Wyoming, in WWC Engineering (in association with Camp Creek Engineering, Inc.), Laramie water management plan level II: prepared for the Wyoming Water Development Commission and the City of Laramie, v.2, p. 10B-1–10B-23.
- Taboga, K.G., Bartos, T.T., Taucher, Paul, Hallberg, L.L., Clark, M.L., Stafford, James, Gracias, Tomas, and Wittke, S.J., 2014, Bear River Basin water plan update, groundwater study, level I (2010–2014)—Available groundwater determination: Wyoming State Geological Survey Technical Memorandum 6, 262 p., 6 pls.
- Taboga, K.G., Bartos, T.T., Taucher, Paul, Hallberg, L.L., Clark, M.L., Stafford, James, Larsen, M.C., and Gracias, Tomas, 2014, Snake/Salt River Basin water plan update, groundwater study, level I (2011–2014)—Available groundwater determination: Wyoming State Geological Survey Technical Memorandum 7, 407 p., 6 pls.
- Taboga, K.G., and Stafford, J.E., 2016, Wyoming State Geological Survey statewide groundwater baseflow study: Wyoming State Geological Survey Open File Report 2016-8, 16 p.
- Taboga, K.G., Stafford, J.E., Rodgers, J.R., and Carroll, C.J., 2015, Groundwater response in the Upper Wyodak coal zone, Powder River Basin, Wyoming: Wyoming State Geological Survey Report of Investigations 66, 60 p.
- Taboga, K.G., Stafford, J.E., and Rodgers, J.R., 2017, Groundwater response in the sandstones of the Wasatch and Fort Union formations, Powder River Basin, Wyoming: Wyoming State Geological Survey Report of Investigations 74, 48 p.
- Taucher, Paul, Bartos, T.T., Clarey, K.E., Quillinan, S.A., Hallberg, L.L., Clark, M.L., Thompson, Melissa, Gribb, Nikolaus, Worman, Brett, and Gracias, Tomas, 2012, Wind/Bighorn River Basin water plan update, groundwater study, level I (2008–2011)—Available groundwater determination: Wyoming State Geological Survey Technical Memorandum 1, 381 p., 15 pls.
- Taucher, Paul, Bartos, T.T., Taboga, K.G., Hallberg, L.L., Clark, M.L., Stafford, James, Gracias, Tomas, Hinckley, Bern, Worman, Brett, Clarey, Kieth, Lindemann, Lisa, Quillinan, S.A., Copeland, Dave, Hays, Richard, and Thompson, Melissa, 2013, Platte River Basin water plan update, level I (2009–2013)—Available groundwater determination: Wyoming State Geological Survey Technical Memorandum 5, 584 p., 11 pls.
- Thamke, J.N., LeCain, G.D., Ryter, D.W., Sando, Roy, and Long, A.J., 2014, Hydrogeologic framework of the uppermost principal aquifer systems in the Williston and Powder River structural basins, United States and Canada: U.S. Geological Survey Scientific Investigations Report 2014-5047, 38 p.
- Thayer, P.A., 1983, Relationship of porosity and permeability to petrology of the Madison Limestone in rock cores from three test wells in Montana and Wyoming: U.S. Geological Survey Professional Paper 1273-C, 29 p.
- Theis, C.V., 1940, The source of water derived from wells—Essential factors controlling the response of an aquifer to development: Civil Engineer, v. 10, p. 277–280.
- Thompson, K.S., 1979, Prediction of water-level declines in the Casper aquifer in the vicinity of Laramie, Wyoming: Laramie, University of Wyoming, M.S. thesis, 74 p., 1 pl.
- Tillman, R.W. and Martinsen, R.S., 1984, The Shannon shelf-ridge sandstone complex, Salt Creek anticline area, Powder River Basin, Wyoming, in Tillman, R.W. and Siemers, C.T., eds., Siliciclastic shelf sediments: Society of Economic Paleontologists and Mineralogists Special Publication, no. 34, p. 85–142.
- Towse, Donald, 1952, Frontier Formation, southwest Powder River Basin, Wyoming: American Association of Petroleum Geologists Bulletin, v. 36, no. 10, p. 1,962–2,010.
- Trescott, P.C., 1975, Documentation of finite-difference model for simulation of three-dimensional groundwater flow: U.S. Geological Survey Open-File Report 75-438, 32 p.



- Trescott, P.C., and Larson, S.P., 1976, Documentation of finite-difference model for simulation of three-dimensional ground-water flow: Supplement to U.S. Geological Survey Open-File Report 76-591, 21 p.
- Trescott, P.C., Pinder, G.F., and Larson, S.P., 1976, Finite-difference model for aquifer simulation in two dimensions with results of numerical experiments: U.S. Geological Survey Techniques of Water-Resources Investigations, Book 7, Chap. Cl, 116 p.
- TriHydro Corporation, 1985, Level II exploratory drilling program for the Middle Fork Rural Water District: prepared for the Wyoming Water Development Commission, [variously paged].
- TriHydro Corporation, 1996, Well construction and aquifer testing level II water supply project, Lusk, Wyoming, final report: prepared for the Wyoming Water Development Commission, [variously paged].
- TriHydro Corporation, 2013, Sundance master plan level I, Crook County, Wyoming, final report: prepared for the Wyoming Water Development Commission, [variously paged].
- TriHydro Corporation (in association with DOWL, and DC Drilling), 2015, Sundance water system feasibility level II study, Crook County, final report: prepared for the Wyoming Water Development Commission, [variously paged].
- Tschudy, R.H., 1976, Pollen changes near the Fort Union-Wasatch boundary, Powder River Basin, in Laudon, R.B., Curry, W.H. III, and Runge, J.S., eds., *Geology and energy resources of the Powder River Basin*: Wyoming Geological Association, 28th annual field conference, Guidebook, p. 73–81.
- U.S. Census Bureau, 2010, State of Wyoming census designated places: accessed June 26, 2017, at [https://tigerweb.geo.census.gov/tigerwebmain/Files/tab10/tigerweb\\_tab10\\_cdp\\_2010\\_wy.html](https://tigerweb.geo.census.gov/tigerwebmain/Files/tab10/tigerweb_tab10_cdp_2010_wy.html)
- U.S. Energy Information Administration, 2018, Coal production by state, county, and mine type: accessed May 2018, at <https://www.eia.gov/coal/data.php#production>
- U.S. Environmental Protection Agency, 1999, 40 CFR parts 141 and 142, national primary drinking water regulations, radon-222, proposed rule: Washington, D.C., Federal Register, v. 64, no. 211, p. 59,245–59,378.
- U.S. Environmental Protection Agency, 2012, 2012 edition of the drinking water standards and health advisories: Washington, D.C., Office of Water, 822-S-12-001.
- U.S. Environmental Protection Agency, 2017, Underground injection control regulations: accessed August 17, 2017, at <http://www.epa.gov/uic/underground-injection-control-regulations#rule-summary>.
- U.S. Geological Survey Wind River Basin Assessment Team, 2007, Petroleum systems and geologic assessment of oil and gas in the Wind River Basin province, Wyoming: U.S. Geological Survey Digital Data Series DDS-69-J.
- U.S. Geological Survey, 2007, Higley, D.K., comp., Petroleum systems and assessment of undiscovered oil and gas in the Denver Basin province, Colorado, Kansas, Nebraska, South Dakota, and Wyoming—USGS province 39: U.S. Geological Survey Digital Data Series DDS-69-P.
- U.S. Geological Survey Powder River Basin Assessment Team, 2004, Total petroleum system and assessment of coalbed gas in the Powder River Basin province, Wyoming and Montana: U.S. Geological Survey Digital Data Series DDS-69-C.
- U.S. Geological Survey, 2011, Wyoming groundwater-quality monitoring network: U.S. Geological Survey Fact Sheet FS-2011-3041, 4 p.
- U.S. Geological Survey, 2014, Principal aquifers of the 48 conterminous United States, Hawaii, Puerto Rico, and the U.S. Virgin Islands: accessed January 3, 2014, at <http://www.nationalatlas.gov/mld/aquifrp.html>.
- U.S. Geological Survey, 2015a, National Water Information System (NWIS) database: accessed October 2, 2015, at <http://waterdata.usgs.gov/wy/nwis/qw/>.
- U.S. Geological Survey, 2015b, Produced Waters database: accessed October 14, 2015, at <http://energy.usgs.gov/EnvironmentalAspects/EnvironmentalAspectsOfEnergyProductionandUse/ProducedWaters.aspx>.
- Van Voast, W.A., 1991, Hydrogeologic aspects of coalbed methane occurrence, Powder River Basin (abs): *American Association of Petroleum Geologists Bulletin* 75, p. 1,142–1,143.
- Van Voast, W.A., 2003, Geochemical signature of formation waters associated with coalbed methane: *American Association of Petroleum Geologists Bulletin* 87, p. 667–676.
- Van Voast, W.A., and Reiten, J.C., 1988, Hydrogeologic responses: Twenty years of surface coal mining in southeastern Montana: *Montana Bureau of Mines and Geology Memoir* 62, 30 p.
- Ver Ploeg, A.J., De Bruin, R.H., and Jones, R.W., 2008, Geography and geology, in Copeland, D.A., and Ewald, M.L., eds, *Water associated with coal deposits in Wyoming's Powder River Basin—Geology, hydrology, and water quality*: Wyoming State Geological Survey Exploration Memoir 2, chap. 1, p. 13–42.

- Vuke, S.M., Porter, K.W., Lonn, J.D., and Lopez, D.A., 2007, Geologic map of Montana: Montana Bureau of Mines and Geology Geologic Map 62C, 73 p., 2 pls., scale 1:500,000.
- Waagé, K.M., 1959, Stratigraphy of the Inyan Kara Group in the Black Hills: U.S. Geological Survey Bulletin 1081-B, 90 p.
- Warner, D.A., 1947, Geology and ground-water resources of the Kaycee area, Wyoming: U.S. Geological Survey Open-File Report [unnumbered], 9 p.
- Water Guy, LLC, 2017, Water systems: accessed August 2017, at <http://waterguywyoming.com/>.
- Weeks, E.P., 1964, Hydrologic conditions in the Wheatland Flats area, Platte County, Wyoming: U.S. Geological Survey Water-Supply Paper 1783, 79 p., 8 pls.
- Weeks, E.P., 2005, Hydrologic properties of coal beds in the Powder River Basin, Montana—II. Aquifer test analysis: *Journal of Hydrology*, v. 308, p. 242–257.
- Wegemann, C.H., 1911, The Salt Creek oil field, Wyoming: U.S. Geological Survey Bulletin 452, p. 37–38.
- Wegemann, C.H., 1918, The Salt Creek oil field, Wyoming: U.S. Geological Survey Bulletin 670, 52 p.
- Welder, G.E., and Weeks, E.P., 1965, Hydrologic conditions near Glendo, Platte County, Wyoming: U.S. Geological Survey Water-Supply Paper 1791, 82 p., 3 pls.
- Wells, D.K., 1982, Groundwater data from selected wells in alluvial aquifers, Powder River Basin, northeastern Wyoming: U.S. Geological Survey Open-File Report 82-856, 35 p.
- Wells, D.K., Busby, J.F., and Glover, K.C., 1979, Chemical analyses of water from the Minnelusa Formation and equivalents in the Powder River Basin and adjacent areas, northeastern Wyoming: Wyoming State Engineer's Office, Wyoming Water Planning Program Report no. 18, 27 p. (Also published as U.S. Geological Survey Open-File Report 79-222.)
- Wesche, L.B., 1982, Relationships between surface and groundwater quality in an alluvial valley floor: Laramie, University of Wyoming, M.S. thesis, 174 p.
- Westenbroek, S.M., Kelson, V.A., Dripps, W.R., Hunt, R.J., and Bradbury, K.R., 2010, SWB—A modified Thornthwaite-Mather soil-water-balance code for estimating groundwater recharge: U.S. Geological Survey Techniques and Methods 6-A31, 60 p.
- Wester-Wetstein and Associates (in association with Soda Butte Services, Inc.), 1993, Construction, testing, and conceptual completion design of the Pine Butte no. 1 well for the Pine Butte water supply project level II: prepared for the Wyoming Water Development Commission, [variously paged].
- Wester-Wetstein and Associates (in association with Soda Butte Services, Inc.), 1994, Report for Gillette wells project level II feasibility study-rehabilitation: prepared for the Wyoming Water Development Commission, [variously paged].
- Wester-Wetstein and Associates, 1999, Crestview/Antelope Valley water supply project level II, final report: prepared for the Wyoming Water Development Commission, [variously paged].
- Wester-Wetstein and Associates, 2000, in association with States West Water Resources Corporation, Newcastle area water supply master plan level II: prepared for the Wyoming Water Development Commission, 2 v., [variously paged].
- Wester-Wetstein and Associates, 2003a, Coal bed methane-aquifer storage and retrieval project level II, interim report: prepared for the Wyoming Water Development Commission, [variously paged].
- Wester-Wetstein and Associates, 2003b, Pine Haven well project level II, final report: prepared for the Wyoming Water Development Commission, [variously paged].
- Wester-Wetstein and Associates, 2004a, Coal bed methane—aquifer storage and retrieval project level II, southern Fort Union well field exploration program and development study, final report: prepared for the City of Gillette Public Works Department and Wyoming Water Development Commission, [variously paged].
- Wester-Wetstein and Associates, 2004b, Eight Mile High Plains well project level II: prepared for the Wyoming Water Development Commission, [variously paged].
- Wester-Wetstein and Associates, 2006, Report on the Eight Mile-High Plains well project level II, phase II: prepared for the Wyoming Water Development Commission, [variously paged].
- Western Water Consultants, Inc., 1982a, Potential for ground water development, City of Sheridan, Wyoming, feasibility report: prepared for the City of Sheridan and Wyoming Water Development Commission, [variously paged].
- Western Water Consultants, Inc., 1982b, Ground water development potential of the Paleozoic aquifer along the flanks of the Laramie Range and Hartville uplift, southeastern Wyoming: prepared for the Wyoming Water Development Commission, 88 p., 8 pls.

- Western Water Consultants, Inc., 1983, Ground water feasibility study for Kaycee: prepared for the Wyoming Water Development Commission, 62 p., 6 pls.
- Western Water Consultants, Inc., 1984, Final report on drilling and testing of the Town of Kaycee Madison #1 test well, Johnson County, Wyoming: prepared for the Wyoming Water Development Commission, [variously paged].
- Western Water Consultants, Inc., 1996, Lance Creek water supply master plan level I: prepared for the Wyoming Water Development Commission, [variously paged].
- Western Water Consultants, Inc., 1997, Final report on the Manville water supply project, level II: prepared for the Wyoming Water Development Commission, 2 v., [variously paged].
- Weston Engineering, Inc., 1991a, Moorcroft water study level I: prepared for the Wyoming Water Development Commission, [variously paged].
- Weston Engineering, Inc., 1991b, Upton water supply project level II: prepared for the Wyoming Water Development Commission, [variously paged].
- Weston Engineering, Inc., 1992, Moorcroft water study level I: prepared for the Wyoming Water Development Commission, [variously paged].
- Weston Engineering, Inc., 1994, Vista West water supply project level II, final report: prepared for the Wyoming Water Development Commission, [variously paged].
- Weston Engineering, Inc., 2002, Moorcroft level II water supply study, final report: prepared for the Wyoming Water Development Commission, [variously paged].
- Weston Engineering, Inc. (in association with EnTech, Inc.), 2003, Beulah level I water supply study, final report: prepared for the Wyoming Water Development Commission, [variously paged].
- Weston Engineering, Inc. (in association with Civil Engineering Professionals, Inc.), 2006, Town of Kaycee well and tank storage improvements level II study, final report: prepared for the Wyoming Water Development Commission, [variously paged].
- Weston Engineering, Inc., 2008, Final report for the Clearmont CBM impact level I study: prepared for the Wyoming Water Development Commission, [variously paged].
- Wheaton, John, and Donato, Teresa, 2004, Coalbed-methane basics, Powder River Basin, Montana: Montana Bureau of Mines and Geology Information Pamphlet 5, 20 p.
- Whitcomb, H.A., 1960, Investigation of declining artesian pressures in the vicinity of Osage, Weston County, Wyoming: U.S. Geological Survey Open-File Report 60-153, 11 p.
- Whitcomb, H.A., 1963, Decreasing yields of flowing wells in the vicinity of Newcastle, Weston County, Wyoming: U.S. Geological Survey Open-File Report 63-139, 22 p.
- Whitcomb, H.A., 1965, Ground-water resources and geology of Niobrara County, Wyoming, with a section on The chemical quality of the ground water, by T.R. Cummings: U.S. Geological Survey Water-Supply Paper 1788, 101 p., 3 pls.
- Whitcomb, H.A., and Gordon, E.D., 1964, Availability of ground water at Devils Tower National Monument, Wyoming: U.S. Geological Survey Open-File Report [unnumbered], 61 p.
- Whitcomb, H.A., and Lowry, M.E., 1968, Ground-water resources and geology of the Wind River Basin area, central Wyoming: U.S. Geological Survey Hydrologic Investigations Atlas HA-270, 13 p., 3 pls.
- Whitcomb, H.A., and Morris, D.A., 1964, Ground-water resources and geology of northern and western Crook County, Wyoming, with a section on The chemical quality of the ground water, by R.H. Langford: U.S. Geological Survey Water-Supply Paper 1698, 92 p., 2 pls.
- Whitcomb, H.A., Cummings, T.R., and McCullough, R.A., 1966, Ground-water resources and geology of northern and central Johnson County, Wyoming: U.S. Geological Survey Water-Supply Paper 1806, 99 p., 2 pls.
- Whitcomb, H.A., Morris, D.A., Gordon, E.D., and Robinove, C.J., 1958, Occurrence of ground water in the eastern Powder River Basin and western Black Hills, northeastern Wyoming: Wyoming Geological Association, 13th annual field conference, Guidebook, p. 245–260.
- Whitehead, R.L., 1996, Ground water atlas of the United States—Segment 8, Montana, North Dakota, South Dakota, Wyoming: U.S. Geological Survey Hydrologic Atlas 730-I, 24 p.
- Wiersma, U.M., 1989, Structural obstruction of recharge to the Paleozoic aquifer in the Denver-Julesburg Basin along the Laramie Range, Wyoming: Laramie, University of Wyoming, M.S. thesis, 56 p., 5 pls.
- Wiersma, U.M., Hasfurther, V.R., and Kerr, G.L., 1989, Structural obstruction of recharge to the Paleozoic aquifer in the Denver-Julesburg Basin along the Laramie Range, Wyoming: University of Wyoming Department of Geology and Geophysics and Wyoming Water Research Center, Technical completion report (WWRC-88-04), prepared for the U.S. Geological Survey (USGS G1054-04, G1262-04 and G1459-04), 56 p., 5 pls.

- Williams, C.C., 1948, Ground water in the Newcastle area, Wyoming: U.S. Geological Survey Open-File Report 49-125, 18 p.
- Wilson, J.B., 1951, Stratigraphy of the Sussex Sandstone, Powder River Basin, Wyoming: Geological Survey of Wyoming [Wyoming State Geological Survey] Report of Investigations 3, 11 p., 3 pls.
- Winter, T.C., Harvey, J.W., Franke, O.L., and Alley, W.M., 1998, Ground water and surface water—A single resource: U.S. Geological Survey Circular 1139, 79 p.
- WLC Engineering, Surveying, and Planning (in association with Weston Engineering, Inc.), 2012, Gillette regional connections 2 level II study, Peoples Improvement and Service District, final report: prepared for the Wyoming Water Development Commission, [variously paged].
- Woessner, W.W., Osborne, T.J., Heffern, E.L., Andrews, Charles, Whiteman, Jason, Spotted Elk, Wesley, and Morales-Brink, Daniel, 1981, Hydrologic impacts from potential coal strip mining—Northern Cheyenne Reservation: U.S. Environmental Protection Agency Research and Development Report EPA-600/S7-81-004, v. 1, 302 p.
- Wolock, D.M., 2003, Estimated mean annual natural groundwater recharge in the conterminous United States: digital dataset, U.S. Geological Survey Open-File Report 03-311, accessed July 15, 2016, at <http://ks.water.usgs.gov/pubs/abstracts/of.03-311.htm>.
- Woodward-Clyde Consultants, 1980, Well-field hydrology technical report [Madison aquifer system and overlying/underlying hydrogeologic units in the Black Hills uplift and Powder River structural basin areas]: prepared for Bureau of Land Management, [variously paged].
- Wulf, G.R., 1962, Lower Cretaceous Albian rocks in northern Great Plains: American Association of Petroleum Geologists Bulletin, v. 46, no. 8, p. 1371–1415.
- Wulf, G.R., 1968, Lower Cretaceous Muddy Sandstone in the northern Rockies: Wyoming Geological Association, 20th annual field conference, Guidebook, p. 29–34.
- WWC Engineering, Inc. (in association with Hinckley Consulting, Collins Planning Associates, Greenwood Mapping, Inc., and States West Water Resources Corporation), 2007, Wyoming framework water plan: prepared for the Wyoming Water Development Commission, 2 v., [variously paged].
- WWC Engineering and Wyoming Groundwater, 2011, Lance Creek water supply study level I, final report: prepared for the Wyoming Water Development Commission, [variously paged].
- WyGISC, 2012, Aquifer prioritization for ambient groundwater monitoring—Map 11: Wyoming Geographic Information Science Center, University of Wyoming.
- Wyoming Department of Administration and Information, 2016, 2010 census of population and housing: Economic Analysis Division, accessed June 26, 2017, at [http://eadiv.state.wy.us/demog\\_data/demog\\_data.html](http://eadiv.state.wy.us/demog_data/demog_data.html).
- Wyoming Department of Environmental Quality, 2005, Water quality rules and regulations—Quality standards for Wyoming groundwaters: Wyoming Department of Environmental Quality, Chapter 8, 87 p.
- Wyoming Geological Association, 1957, Wyoming oil and gas fields symposium: Wyoming Geological Association, Guidebook, [includes, 1961 supplement], 579 p.
- Wyoming Geological Association, 1958, Powder River Basin, Wyoming: Wyoming Geological Association, 13th annual field conference, Guidebook, 341 p.
- Wyoming Geological Association, 1968, Black Hills area, South Dakota, Montana, and Wyoming: Wyoming Geological Association, 20th annual field conference, Guidebook, 244 p.
- Wyoming Geological Association, 1976, Geology and energy resources of the Powder River Basin: Wyoming Geological Association, 28th annual field conference, Guidebook, 328 p.
- Wyoming Geological Association, 2014, Wyoming stratigraphic nomenclature chart: Stratigraphic Nomenclature Committee of the Wyoming Geological Association.
- Wyoming Geological Association and Billings Geological Society, 1963, Northern Powder River Basin, Wyoming and Montana: Wyoming Geological Association and Billings Geological Society, first joint field conference, Guidebook, 204 p.
- Wyoming Groundwater, LLC (in association with WWC Engineering), 2009, Glendo water supply level II study: prepared for the Wyoming Water Development Commission and the Town of Glendo, [variously paged].
- Wyoming Groundwater, LLC (in association with WWC Engineering), 2013, Lance Creek well level II study: prepared for the Wyoming Water Development Commission, [variously paged].
- Wyoming Groundwater, LLC (in association with WWC Engineering), 2014, Manville well level II study, final report: prepared for the Wyoming Water Development Commission, [variously paged].

- Wyoming Oil and Gas Conservation Commission, 2018, Water production data for selected oil and gas wells: accessed December 2017, at <http://wogcc.wyo.gov/>.
- Wyoming State Engineer's Office, 1963, Summary of reports concerning groundwater conditions near Edgerton, Wyoming: prepared in cooperation with the U.S. Geological Survey Ground-Water Division, 19 p.
- Wyoming State Engineer's Office, 1974, A report on the underground water supply in the Madison Limestone of northeastern Wyoming: prepared for the Wyoming State Legislature, 117 p.
- Wyoming State Engineer's Office, 1993, Madison aquifer assessment final report, December 1993: prepared for the Fifty-Third Wyoming State Legislature, 68 p.
- Wyoming State Engineer's Office, 1995, Fort Union Formation aquifer monitoring plan and preliminary aquifer management plan: prepared for the Wyoming Water Development Commission, [variously paged].
- Wyoming State Engineer's Office, 2012, Interference investigation report, Pettigrew #1 vs. City of Gillette: prepared by the Groundwater Division of the Wyoming State Engineer's Office, [variously paged].
- Wyoming State Engineer's Office, 2006, Wyoming's compacts, treaties and court decrees: prepared by the Interstate Streams Section of the Wyoming State Engineer's Office, [variously paged].
- Wyoming State Engineer's Office, 2016, e-Permit application and water rights database: Wyoming State Engineer's Office, accessed April 15, 2016, at <https://seoweb.wyo.gov/e-Permit>.
- Wyoming State Geological Survey, 2008, Water associated with coal beds in Wyoming's Powder River Basin—Geology, hydrology and water quality: Wyoming State Geological Survey Exploration Memoir 2, 344 p.
- Wyoming Water Development Commission, 1985, Northeast Wyoming level 1 comprehensive water development plan: Wyoming Water Development Commission, 184 p.
- Wyoming Water Development Commission, 2016, State of Wyoming 2016 public water system survey report: Wyoming Water Development Commission, [variously paged].
- Wyoming Water Planning Program, 1972, Water and related land resources of northeastern Wyoming: Wyoming Water Planning Program report no. 10, 209 p.
- Wyoming Water Resources Center, 1997, A study of techniques to assess surface and groundwater impacts associated with coalbed methane and surface coal mining—Little Thunder Creek drainage, Wyoming: Wyoming Water Resources Center, [variously paged], 25 pls.
- Younus, Mohammed, 1992, Ground water circulation and vertical mixing in the principal aquifers in the southern part of the Laramie Basin, Albany County, Wyoming: Laramie, University of Wyoming, M.S. thesis, 71 p., 3 pls.

