Powder/Tongue/Northeast River Basins Water Plan Update Groundwater Study Level I (2002–2016)

Available Groundwater Determination Technical Memorandum No. 8



by

Karl G. Taboga, Timothy T. Bartos, Laura L. Hallberg, Melanie L. Clark, James E. Stafford, and Andrea M. Loveland

Director and State Geologist Erin A. Campbell

Powder/Tongue/Northeast River Basins Water Plan Update Groundwater Study Level I (2002–2016) Design and layout by: James R. Rodgers

Available Groundwater Determination Technical Memorandum No. 8

Editing by: Alec Osthoff

Prepared for the Wyoming Water Development Commission

This publication is also available online at: www.wsgs.wyo.gov/water/river-basin-plans

The WSGS encourages the fair use of its material. We request that credit be expressly given to the "Wyoming State Geological Survey" when citing information from this publication. Please contact the WSGS at 307-766-2286, ext. 224, or by email at wsgs-info@wyo.gov if you have questions about citing materials, preparing acknowledgments, or extensive use of this material. We appreciate your cooperation.

Individuals with disabilities who require an alternative form of this publication should contact the WSGS. For the TTY relay operator call 800-877-9975.

For more information about the WSGS or to order publications and maps, go to www.wsgs.wyo.gov, call 307-766-2286, ext. 224, or email wsgs-info@wyo.gov.

Funding for this project was made possible through a grant provided by the Wyoming Water Development Commission.

Citation: Taboga, K.G., Bartos, T.T., Hallberg, L.L., Clark, M.L., Stafford, J.E., and Loveland, A.M., 2019, Powder/Tongue/Northeast river basins water plan update, groundwater study, level I (2002–2016)—Available groundwater determination: Wyoming State Geological Survey Technical Memorandum 8, 479 p., 3 pls.

Front cover photos: (top) Cheyenne River near Mule Creek Junction, looking west from the bridge at Highway 85, (middle) Tongue River, looking west from the Welch Ranch Recreation Area near Acme, and (bottom) Powder River, looking north, from the Highway 14/16 bridge near Arvada.

Back cover photos: (top) Little Powder River near Weston Wyoming. Public domain photo by USGS, (middle) Little Bighorn River in Sheridan County, Wyoming. Photo by Wyoming Game and Fish Department, used with permission, and (bottom) Redwater Creek in the Belle Fourche River Basin, near Beaulah, Wyoming.

Powder/Tongue/Northeast River Basins Water Plan Update Groundwater Study Level I (2002–2016)

Available Groundwater Determination Technical Memorandum No. 8

December 2019

Karl G. Taboga¹, Timothy T. Bartos², Laura L. Hallberg², Melanie L. Clark², James E. Stafford¹, and Andrea M. Loveland¹

Alec Osthoff, Editor

This report was prepared under contract for the Wyoming Water Development Commission (WWDC) by the Wyoming State Geological Survey (WSGS)¹, the United States Geological Survey (USGS)², and the Water Resources Data System (WRDS) in cooperation with the Wyoming State Engineer's Office (WSEO), and the Wyoming Oil and Gas Conservation Commission (WOGCC)

Wyoming State Geological Survey, Laramie, Wyoming







¹Wyoming State Geological Survey, P.O. Box 1347, Laramie, Wyoming 82073-1347

²United States Geological Survey, Wyoming-Montana Water Science Center, 521 Progress Circle, Suite 6, Cheyenne, Wyoming 82007

Table of Contents

Chapter 1. Introduction	1-1
1.1 Interagency agreement and scope	1-2
1.2 Agency participation	1-5
1.3 Legal and institutional framework	1-6
1.3.1 Wyoming water law—groundwater appropriation, development, and use	1-6
1.3.2 Interstate agreements	1-6
1.3.3 Wyoming water law—groundwater quality	1-7
1.3.4 Other agencies	1-7
1.4 Authorship	1-8
1.5 Acknowledgements	1-8
Chapter 2. Background	
2.1 Sources of data	2-10
2.2 Previous regional-scale investigations	2-10
2.3 Current WWDC and USGS hydrogeologic investigations in the NERB	2-29
2.4 Current available groundwater determination	2-30
2.5 Maps	2-30
Chapter 3. Description of the study area	3-31
3.1 Geographic extent, physiography, geomorphology, and surface drainage	
3.2 Climate, precipitation, and vegetation	3-36
3.3 population distribution, land use, and land ownership	3-36
Chapter 4. Geologic overview	4-39
4.1 General geologic history	
4.2 Structural geology	
4.2.1 Powder River Basin	
4.2.2 Wind River Basin	
4.2.3 Denver-Julesburg Basin	4-41
4.2.4 Bighorn Mountains	4-41
4.2.5 Hartville Uplift	4-41
4.2.6 Black Hills	
4.2.7 Casper Arch	
4.2.8 Rattlesnake Hills	4-41
4.2.9 Pine Ridge	4-41
4.2.10 Pumpkin Buttes	4-41
4.2.11 Red Hills	

4.3 Mineral and energy resources	
Powder River Basin	
Wind River Basin	
Denver-Julesburg Basin	
4.4 Geologic cross sections	
Chapter 5. Technical concepts: hydrogeology and groundwater quality	
5.1 Definitions and concepts	
5.1.1 Definitions	
5.1.2 Types of groundwater flow	
5.1.3 Groundwater recharge, discharge, and flow	
5.1.3.1 Groundwater recharge	
- Control of the Cont	
5.1.3.2 Groundwater discharge	
5.1.3.3 Groundwater flow	
5.1.4 Groundwater storage, safe yield, and sustainable development	
5.1.4.1 Groundwater storage	
5.1.4.2 Safe yield	
5.1.4.3 Sustainable development	
5.2 Map/rock units: geologic, stratigraphic, and hydrogeologic	
5.3 Wyoming statewide aquifer classification system	
5.4 Groundwater circulation in the NERB	5-70
5.4.1 Groundwater circulation in Quaternary aquifers	
5.4.2 Groundwater circulation in Laramide structures	5-70
5.4.3 Groundwater circulation in Tertiary basin fill aquifers	
5.5 Natural groundwater quality and hydrogeochemistry	5-73
5.5.1 Groundwater quality	5-73
5.5.1.1 Regulation and classification of groundwater	
5.5.1.2 Standards of groundwater quality	5-74
5.5.1.3 Sources, screening, and selection of data	5-76
5.5.1.4 Groundwater quality characteristics	5-77
5.5.1.5 Statistical analysis	5-77
5.5.1.5.1 Environmental water samples	5-79
5.5.1.5.2 Produced-water samples	5-80
5.5.1.6 Trilinear diagrams	
5.6 Aquifer sensitivity and potential groundwater contaminant sources	
5.6.1 The Wyoming Groundwater Vulnerability Assessment Handbook	

5.6.2 Potential sources of groundwater contamination	5-83
5.6.3 Discussion	5-93
5.6.4 Source water assessment, wyoming water quality monitoring	5-93
Chapter 6. Northeast River Basin hydrogeology and groundwater resources	6-96
6.1 Hydrostratigraphy and recharge to aquifer outcrops	
6.2 Average annual recharge	6-98
6.3 Summary	6-111
Chapter 7. Physical and chemical characteristics of hydrogeologic units in the NERB	7-114
7.1 Northeastern River Basins	
7.2 Cenozoic hydrogeologic units	7-116
7.2.1 Quaternary unconsolidated deposits	7-116
Physical characteristics	
Chemical characteristics	
7.2.1.1 Quaternary alluvial aquifers	
7.2.1.2 Quaternary terrace-deposit aquifers	7-125
7.2.1.3 Quaternary dune sand (eolian) deposits	7-125
7.2.1.4 Quaternary landslide deposits	7-125
7.2.1.5 Quaternary glacial deposits	7-125
7.2.2 Tertiary hydrogeologic units	7-126
7.2.2.1 Tertiary intrusive igneous rocks	7-126
Physical characteristics	
Chemical characteristics	
7.2.2.2 Undifferentiated upper Miocene, lower Miocene, and Oligocene rocks	
7.2.2.3 Arikaree aquifer	
Physical characteristics	
7.2.2.4 White River hydrogeologic unit	
Chemical characteristics	
7.2.2.5 Wind River aquifer (Wind River structural basin)	7-129
Physical characteristics	7-129
Chemical characteristics	7-130
7.2.2.6 Lower Tertiary aquifer system	
Physical characteristics	
Regional hydrostratigraphy	
Groundwater-flow models	
Chemical characteristics	
7.2.2.6.1 Wasatch aquifer	7-151
Environmental water samples	7-151
Produced-water samples	7-152

7.2.2.6.2 Wasatch Formation coal aquifers	7-152
7.2.2.6.3 Fort Union aquifer	7-153
7.2.2.6.4 Fort Union Formation coal aquifers	7-154
7.2.2.7 Fort Union aquifer (Wind River structural basin) Physical characteristics Chemical characteristics Environmental water samples Produced-water samples.	7-155 7-155 7-155
7.3 Mesozoic hydrogeologic units	
7.3.1 Upper Cretaceous aquifer system Physical characteristics Chemical characteristics Lance aquifer. Environmental water samples Produced-water samples Fox Hills aquifer Environmental water samples Produced-water samples Produced-water samples	7-156 7-160 7-160 7-160 7-162 7-162
7.3.2 Upper Cretaceous confining unit Physical characteristics Chemical characteristics Lewis confining unit Pierre confining unit Mesaverde aquifer Cody confining unit Steele confining unit Niobrara confining unit Carlile confining unit Frontier aquifer Greenhorn confining unit Mowry confining unit	7-163 7-163 7-168 7-169 7-170 7-171 7-173 7-173 7-174 7-175
7.3.2.1 Lance aquifer (Wind River structural basin)	7-176
7.3.2.2 Meeteetse confining unit (Wind River structural basin)	7-177
7.3.2.3 Mesaverde aquifer (Wind River structural basin)	7-178
7.3.2.4 Cody confining unit (Wind River structural basin)	7-179

7.3.2.5 Frontier aquifer (Wind River structural basin)	
Chemical characteristics	7-180
7.3.2.6 Mowry confining unit (Wind River structural basin)	
Physical characteristics	
7.3.3 Lower Cretaceous hydrogeologic units	
7.3.3.1 Dakota aquifer system	
7.3.3.1.1 Muddy and Newcastle aquifers	
Physical characteristics	
Chemical characteristics	
Muddy aquifer	
Newcastle aquifer	
7.3.3.1.2 Thermopolis and Skull Creek confining units	
Chemical characteristics	
7.3.3.1.3 Cloverly aquifer	
Physical characteristics	
Chemical characteristics	7-187
7.3.3.1.4 Inyan Kara aquifer	
Physical characteristics	
7.3.3.2 Muddy aquifer (Wind River structural basin)	
Physical characteristics	
Chemical characteristics	7-193
7.3.3.3 Cloverly aquifer (Wind River structural basin)	
Physical characteristics	
Chemical characteristics	
Physical characteristics	
Chemical characteristics	
Morrison confining unit	
Sundance aquifer	
Spearfish aquifer	
Goose Egg confining unit	7-203
Minnekahta aquifer	
Opeche confining unit	
7.4 Paleozoic hydrogeologic units	
7.4.1 Tensleep aquifer	
Chemical characteristics	
7.4.2 Tensleep aquifer (Wind River structural basin)	
Physical characteristics	
Chemical characteristics	/-20/

	7.4.3 Amsden hydrogeologic unit	
	Chemical characteristics	. 7-208
	7.4.4 Minnelusa aquifer	
	Physical characteristics	
	Chemical characteristics	
	Environmental water samples	
	Produced-water samples	
	7.4.5 Hartville aquifer (Hartville uplift area)	
	Chemical characteristics	
	7.4.6 Madison aquifer	
	Physical characteristics	
	Groundwater circulation, including recharge, groundwater flow, and discharge	
	Groundwater budget for Black Hills Uplift area	. 7-221
	Chemical characteristics	
	Environmental water samples	
	Produced-water samples	
	7.4.7 Englewood Formation	
	7.4.8 Jefferson Formation	
	7.4.9 Beartooth Butte Formation	
	7.4.10 Bighorn and Whitewood aquifers	
	Physical characteristics	
	7.4.11 Bighorn aquifer	
	7.4.12 Whitewood aquifer	
	7.4.13 Winnipeg confining unit and Harding Sandstone equivalent	
	7.4.14 Gallatin and Gros Ventre hydrogeologic units	
	Chemical characteristics	
	7.4.15 Flathead and Deadwood aquifers	
	Physical characteristics	
	Chemical characteristics	
7	.5 Precambrian basal confining unit	7-231
	Physical characteristics	
	Chemical characteristics	. 7-231
Ch	apter 8. Groundwater development and basinwide water balance	8-232
8	.1 Information from previous water plans	8-233
8	3.2 Groundwater withdrawal and consumptive-use estimations and basinwide water balance	8-234
	8.2.1 Groundwater withdrawal and consumptive-use estimations	
8	3.3 Basin-wide water balance	
	8.3.1 Precipitation	8-238
	8.3.2 Surface water inflows and outflows	

8.3.3 Groundwater discharged to surface	8-239
8.3.4 Evaporation from reservoirs	8-239
8.3.5 Total estimated NERB recharge	8-239
8.3.6 Estimated basin-wide evapotranspiration	8-239
8.4 Magnitude, origin, and fate of water resources in the NERB	8-240
8.4.1 Agricultural uses	8-241
8.4.2 Municipal and rural domestic water systems	8-241
8.4.3 Industrial uses	8-241
8.5 Information from hydrogeologic unit studies.	8-242
8.6 Groundwater permit information	8-242
8.6.1 Groundwater permits by permit status	8-243
8.6.2 Groundwater permits by depth and yield	8-243
8.6.3 Groundwater permits by use: tables, figures, and matrix tables	8-245
8.6.3.1 Groundwater permits by use: Tables 8-6 through 8-11	8-247
8.6.3.2 Groundwater permit location maps and matrix tables, by use	8-248
8.6.3.3 Irrigation-use permits	8-248
8.6.3.4 Livestock-use permits	8-248
8.6.3.5 Municipal-use permits	8-256
8.6.3.6 Domestic-use permits	8-256
8.6.3.7 Source Water Assessment Program wells and springs	8-256
8.6.3.8 Industrial use	8-256
8.6.3.8.1 Energy production	8-256
8.6.3.8.2 Groundwater use for non-energy minerals development	
8.6.3.9 Monitoring wells	
8.6.3.10 Permits for other and miscellaneous uses	
8.6.3.11 Hydrothermal use	8-272
8.7 Groundwater interference/interconnection with surface water	
8.7.1 Interference between wells	
8.7.2 Interconnection between groundwater and surface water	8-272
Chapter 9. Looking to the future	9-274
9.1 Factors that affect groundwater development	
9.1.1 Groundwater development projects in the NERB	
9.1.2 Future water use opportunities	
9.1.3 Groundwater development potential by aquifer system	
9.1.4 Groundwater development potential—an economic perspective	
9.1.4.1 Economic development of potable groundwater	

9.1.5 Current WWDO, USGS, and SEO projects
9.1.6 Groundwater interference and interconnection with surface water
9.2 Recommendations for future updates
9.2.1 Data challenges9-280
9.2.2 Current and future research efforts9-280
Chapter 10. Energy development and groundwater
10.1 Energy production and groundwater impact
10.1.1 Energy production and co-produced groundwater
10.1.2 Produced groundwater management
10.1.3 Additional information
References
Appendix A. Description of GIS geologic units
Appendix B. WWDC groundwater studies
Appendix C. GIS dataset sources for figures and plates
Appendix D. Interstate River Compacts of the Northeast River Basins
Appendix E-1. Summary statistics for environmental water samples from Cenozoic-age hydrogeologic units in the NERB excluding Wind River structural basin, Wyoming
Appendix E-2. Summary statistics for environmental water samples from Mesozoic-age hydrogeologic units in the NERB excluding Wind River structural basin, Wyoming
Appendix E-3. Summary statistics for environmental water samples from Paleozoic- and Precambrian-age hydrogeologic units in the NERB excluding Wind River structural basin, Wyoming
Appendix F. Summary statistics for environmental water samples from the Wind River structural basin within the NERB, Wyoming
Appendix G-1. Summary statistics for produced-water samples from Cenozoic-age hydrogeologic units in the NERB, excluding Wind River structural basin, Wyoming
Appendix G-2. Summary statistics for produced-water samples from Mesozoic-age hydrogeologic units in the NERB excluding Wind River structural basin, Wyoming
Appendix G-3. Summary statistics for produced-water samples from Paleozoic- and Precambrian-age hydrogeologic units in the NERB excluding Wind River structural basin, Wyoming
Appendix H. Summary statistics for produced-water samples from hydrogeologic units in the Wind River structural basin within the NERB, Wyoming
Appendix I-1. Trilinear diagrams for environmental samples from Cenozoic-age hydrogeologic units in the NERB, excluding Wind River structural basin, Wyoming
Appendix I-2. Trilinear diagrams for environmental samples from Mesozoic-age hydrogeologic units in the NERB, excluding Wind River structural basin, Wyoming
Appendix I-3. Trilinear diagrams for environmental samples from Paleozoic- and Precambrian-age hydrogeologic units in the NERB, excluding Wind River structural basin, Wyoming

Appendix J. Irilinear diagrams for environmental samples from hydrogeologic units in the Wind River structural basin within the NERB, Wyoming
Appendix K-1. Trilinear diagrams for produced-water samples from Cenozoic-age hydrogeologic units in the NERB, excluding Wind River structural basin, Wyoming
Appendix K-2. Trilinear diagrams for produced-water samples from Mesozoic-age hydrogeologic units in the NERB, excluding Wind River structural basin, Wyoming
Appendix K-3. Trilinear diagrams for produced-water samples from Paleozoic- and Precambrian-age hydrogeologic units in the NERB, excluding Wind River structural basin, Wyoming
Appendix L. Trilinear diagrams for produced-water samples from hydrogeologic units in the Wind River structural basin within the NERB, Wyoming
List of Figures
Figure 1-1. Major drainage basins, Wyoming
Figure 3-1. Municipality, road, township, and range index map, NERB, Wyoming
Figure 3-2. Physiographic features, drainages, and bodies of water, NERB, Wyoming
Figure 3-3. Average annual precipitation (1981–2010), NERB, Wyoming
Figure 4-1. Geologic features in the NERB, Wyoming
Figure 4-2. Locations of cross sections A-A' through I-I'
Figure 4-3. Geologic cross section A-A'
Figure 4-4. Geologic cross section B-B'
Figure 4-5. Geologic cross section C-C'
Figure 4-6. Geologic cross section D-D'
Figure 4-7. Geologic cross section E-E'
Figure 4-8. Geologic cross section F-F'
Figure 4-9. Geologic cross section G-G'
Figure 4-10. Geologic cross section H-H'
Figure 4-11. Geologic cross section I-I'
Figure 5-1. Conceptual cross section of typical groundwater features that occur in a typical Rocky Mountain laramide structural basins
Figure 5-2. Estimated net annual aquifer recharge, in inches, NERB, Wyoming 5-62
Figure 5-3. Aquifer sensitivity, NERB, Wyoming
Figure 5-4. Potential groundwater contaminant sources: oil and gas fields, pipelines, gas processing plants, and Class II injection and disposal wells, NERB, Wyoming 5-86
Figure 5-5. Potential groundwater contaminant sources: Class I and V injection wells permitted through the Wyoming Department of Environmental Quality Underground Injection Control program, NERB, Wyoming

ant Discharge Elimination Systemprogram; WDEQ groundwater pollution control facilities and commercial disposal pits, NERB, Wyoming
Figure 5-7. Potential groundwater contaminant sources: WDEQ Abandoned Mine Land Division abandoned mine sites, NERB, Wyoming
Figure 5-8. Potential groundwater contaminant sources: WDEQ Land Quality Division permitted mines, quarries, and pits, NERB, Wyoming5-90
Figure 5-9. Potential groundwater contaminant sources: Wyoming State Geological Survey mapped mines, NERB, Wyoming
Figure 5-10. Potential groundwater contaminant sources: WDEQ permitted storage tanks, Voluntary Remediation Program (VRP), and permitted solid and hazardous waste facilities, NERB Wyoming
Figure 5-11. Surface Water Assessment and Protection: WDEQ Source Water and Wellhead Protection Program, NERB, Wyoming
Figure 6-1. Estimated net annual aquifer recharge—surface Quaternary aquifer, NERB, Wyoming
Figure 6-2. Estimated net annual aquifer recharge—surface Lower Tertiary aquifer system, NERB Wyoming
Figure 6-3. Estimated net annual aquifer recharge—surface High Plains aquifer system, NERB Wyoming
Figure 6-4. Estimated net annual aquifer recharge—surface Upper Cretaceous aquifer system, NERB Wyoming
Figure 6-5. Estimated net annual aquifer recharge—surface Other Cretaceous aquifers, NERB Wyoming
Figure 6-6. Estimated net annual aquifer recharge—surface Paleozoic aquifer, NERB, Wyoming
Figure 6-7. Estimated net annual aquifer recharge—surface Precambrian units, NERB, Wyoming
Figure 6-8. Aquifer recharge as percentage of precipitation using 1981–2010 precipitation normals NERB, Wyoming
Figure 7-1. NERB study area in relation to the principal aquifers and aquifer systems of the Northern Great Plains and adjacent areas that are exposed at the land surface
Figure 7-2. Hydrostratigraphic diagram showing lithostratigraphic and corresponding hydrogeologic units, Powder River structural basin and adjacent areas and Black Hills Uplift area within study area
Figure 7-3. Locations of springs and wells with physical characteristic information, grouped by geologic age of aquifer material, Northeastern River Basins study area, Wyoming 7-115
Figure 7-4. Environmental groundwater-quality sample locations, grouped by units of geologic age of aquifer material

Figure 7-5. Produced groundwater-quality sample locations, grouped by geologic age of aquifer material
Figure 7-6. Coal aquifer groundwater-quality sample locations in the Powder River structural basin, grouped by geologic formation
Figure 7-7. Outcrops of hydrogeologic units and cross section of the lower Tertiary and Upper Cretaceous aquifer systems in the Powder River structural basin, Northeastern River Basins study area, Wyoming and Montana
Figure 7-8. Hydrostratigraphic diagram showing lithostratigraphic and corresponding hydrogeologic units of the lower Tertiary and Upper Cretacous aquifer systems in the Powder River structural basin
Figure 7-9. Gaining and losing stream reaches overlying the lower Tertiary and Upper Cretaceous aquifer systems in the Powder River structural basin and adjacent areas
Figure 7-10. Recharge from precipitation in the vicinity of the Northeastern River Basins study area, Wyoming and Montana
Figure 7-11. Potentiometric surface of the Wasatch-Tongue River aquifer in the Powder River structural basin, Northeastern River Basins study area, Wyoming and Montana7-144
Figure 7-12. Potentiometric surface of the Tullock aquifer in the Powder River structural basin, Northeastern River Basins study area, Wyoming and Montana
Figure 7-13. Potentiometric surface of the Wyodak-Anderson coal aquifer in the Powder River structural basin prior to coal mining and coalbed natural gas development, Northeastern River Basins study area, Wyoming and Montana
Figure 7-14. Potentiometric surface of the lower Lance-Fox Hills aquifer of the Upper Cretaceous aquifer system in the Powder River structural basin, Northeastern River Basins study area, Wyoming and Montana
Figure 7-15. Potentiometric surface of the Inyan Kara aquifer in the northern Black Hills uplift area, Northeastern River Basins study area, Wyoming and South Dakota
Figure 7-16. Potentiometric surfaces of the Minnelusa aquifer in the Black Hills uplift area, Northeastern River Basins study area, Wyoming and South Dakota
Figure 7-17. Potentiometric surface of the Minnelusa aquifer in the northwestern Black Hills uplift area, Northeastern River Basins study area, Wyoming and South Dakota, 1960
Figure 7-18. Potentiometric surfaces of the Madison aquifer in the Black Hills uplift area, Northeastern River Basins study area, Wyoming and South Dakota
Figure 7-19. Potentiometric surface of the Madison aquifer in the northwestern Black Hills uplift area, Northeastern River Basins study area, Wyoming and South Dakota
Figure 7-20. Estimated average annual recharge and average annual yield potential for the Minnelusa Formation and Pahasapa Limestone in the Black Hills uplift area, Northeastern River Basins study area, Wyoming and South Dakota
Figure 8-1. Wyoming SEO, Montana DNRC, South Dakota DENR, and Nebraska DNR permitted and drilled irrigation wells, NERB
Figure 8-2. Wyoming SEO, Montana DNRC, South Dakota DENR, and Nebraska DNR permitted and drilled livestock wells. NERB

_	Wyoming SEO, Montana DNRC, South Dakota DENR, and Nebraska DNR permitted nd drilled municipal wells, NERB
U	Wyoming SEO, Montana DNRC, South Dakota DENR, and Nebraska DNR permitted and drilled domestic wells, NERB
_	Wyoming SEO, Montana DNRC, South Dakota DENR, and Nebraska DNR permitted nd drilled industrial wells, NERB
-	Wyoming SEO, Montana DNRC, South Dakota DENR, and Nebraska DNR permitted and drilled monitoring wells, NERB8-254
U	Wyoming SEO, Montana DNRC, South Dakota DENR, and Nebraska DNR permitted and drilled other wells, NERB8-255
Figure 10-1	. Produced water volumes from energy production during 2002–201610-286
List of T	ables
Table 3-1.	Communities located in the NERB
Table 3-2.	Physical characteristics of the river drainages that compose the NERB
Table 5-1.	Selected groundwater quality standards and advisories
Table 5-2.	USGS water salinity classification5-77
Table 6-1.	Aquifer recharge efficiencies, in percentages, for aquifers grouped by geologic age 6-107
Table 6-2.	NERB average annual recharge calculations
Table 6-3.	Annual recharge statistics for NERB aquifer recharge zones6-112
Table 7-1.	Estimated average groundwater recharge and discharge components for 1981–2005 7-139
	Average water budgets for the combined Minnelusa and Madison aquifers in the Black Hills uplift area for water years 1950–98, Wyoming and South Dakota7-222
	Groundwater withdrawal and consumptive use estimates for agricultural use wells in the Wyoming portion of the NERB
	Groundwater withdrawal and consumptive use estimates for municipal and domestic use wells in the Wyoming portion of the NERB8-235
	Groundwater withdrawal and consumptive use estimates for industrial use wells in the Wyoming portion of the NERB8-236
	Permitted annual groundwater withdrawal rates for SEO monitor, multi-use, and other wells in the Wyoming portion of the NERB
	Total groundwater withdrawal and consumptive use estimates for all uses in the NERB
Table 8-2a.	NERB water resources mass balance
	Water balance parameter volumes as percent of precipitation in the Wyoming portion of the NERB

Table 8-2c. Summary of groundwater use statistics as percentage of recharge in the Wyoming portion of the NERB
Table 8-2d. Summary of future groundwater requirements as percentages of recharge8-241
Table 8-3. SEO groundwater permits in the NERB listed by permit status8-243
Table 8-4. SEO groundwater permits in the NERB listed by yield range
Table 8-5. Wyoming SEO groundwater permits in the NERB listed by yield range $\dots 8-245$
Table 8-6. SEO groundwater permits in the NERB listed by intended use
Table 8-7. Montana DNRC groundwater permits in the NERB listed by intended use 8-246
Table 8-8. South Dakota DENR groundwater permits in the NERB listed by intended use 8-247
Table 8-9. Nebraska DNR groundwater permits in the NERB listed by intended use $\ \dots \ 8-247$
Table 8-10. SEO fully adjudicated municipal well permits in the NERB $\dots 8-257$
Table 8-11. SEO municipal well permits listed with a status other than Fully Adjudicated in the NERB
Table 8-12. WDEQ Source Water Assessment Program wells and springs used for municipal and non-community public water supply in the NERB8-263
$Table \ 9\text{-}1. \ Generalized groundwater development potential for major regional aquifer systems 9\text{-}278$
Table 10-1. Commodity and produced groundwater from energy production

List of Plates

- **Plate 1.** Bedrock geology of the Powder, Tongue, and Northeast River Basins, Wyoming, Montana South Dakota, and Nebraska.
- **Plate 2.** Hydrogeology of the Powder, Tongue, and Northeast River Basins, Wyoming, Montana, South Dakota, and Nebraska.
- **Plate 3.** Summaries of spring discharge, well yield, and hydraulic properties, Northeastern River Basins study area, Wyoming.