

# References

- Ahern, John, Collentine, Michael, and Cooke, Steve, 1981, Occurrence and characteristics of ground water in the Green River Basin and Overthrust Belt, Wyoming: Laramie, University of Wyoming Water Resources Research Institute, v. V-A, 123 p., and V-B (6 pl.).
- Aller, L., T. Bennett, J.H. Lehr, and R.J. Petty, 1985, DRASTIC: A Standardized System for Evaluation of Groundwater Pollution Potential Using Hydrogeologic Settings. USEPA 600/2-85/0108. Ada, Okla.: USEPA, Robert S. Kerr Environmental Research Laboratory
- American Society of Civil Engineers (ASCE) Task Committee for Sustainability Criteria, 1998, Sustainability criteria for water resource systems: ASCE Publications, 253 p.
- Back, William, 1966, Hydrochemical facies and ground-water flow patterns in northern part of Atlantic Coastal Plain: U.S. Geological Survey Professional Paper 498-A, 42 p.
- Barlow, P.M., and Leake, S.A., 2012, Streamflow depletion by wells—Understanding and managing the effects of groundwater pumping on streamflow: U.S. Geological Survey Circular 1376, 84 p.
- Bartolino, J.R., and Cunningham, W.L., 2003, Ground-water depletion across the nation: U.S. Geological Survey Fact Sheet 103-03, 4 p.
- Bartos, T.T., Eddy-Miller, C.A., and Hallberg, L.L., 2009, Occurrence of pesticides in ground water of Wyoming, 1995–2006: U.S. Geological Survey Scientific Investigations Report 2009-5024, 72 p.
- Bartos, T.T., and Hallberg, L.L., 2010, Green River Basin groundwater and hydrogeologic units, Chapter 5, in Clarey, K.E., Bartos, T.T., Copeland, David, Hallberg, L.L., Clark, M.L., and Thompson, Melissa, Available groundwater determination technical memorandum, Green River Basin water plan II, Groundwater study level 1 (2007–2009): Laramie, Wyo., prepared by the Wyoming State Geological Survey for the Wyoming Water Development Commission, p. 5-1–5-93
- BBC Consulting, Edward Harvey and Doug Jeavons. 2001 Bear River Basin Water Plan Technical Memorandum Appendix Q, Future Economic and Demographic Scenarios. Wyoming Water Development Commission, Cheyenne, Wyoming.
- Bear River Compact, as amended, 1978. <http://legisweb.state.wy.us/statutes/titles/title41/c12a01.htm>
- Bedessem, M.E., Casey, B., Frederick, K., and Nibbelink, N., 2003, Phase I: Aquifer prioritization, Final report: Prepared for the Wyoming Department of Environmental Quality by the University of Wyoming Department of Civil and Architectural Engineering, Laramie, Wyo., variously paged.
- Belitz, K. and Bredehoeft, J.D., 1988, Hydrodynamics of Denver Basin: Explanation of Subnormal Fluid Pressures: AAPG Bulletin, v.72, no. 11, p. 1334 – 1359.
- Berry, D.W., 1955, Reconnaissance of the geology and ground-water resources of the Cokeville area, Lincoln County, Wyoming: U.S. Geological Survey Open-File Report 55-15, 11 p.
- Bohn, H.L., McNeal, B.L., and O'Connor, G.A., 1985, Soil chemistry: New York, John Wiley and Sons, 341 p.
- Boner, F.C., Lines, G.C., Lowry, M.E., and Powell, J.E., 1976, Geohydrologic reconnaissance and measurement of perennial streams crossing outcrops of the Madison Limestone, northeastern Wyoming: U.S. Geological Survey Open-File Report 75-614, 64 p., 1 pl.
- Bradley, W.H., 1964, Geology of the Green River Formation and associated Eocene rocks in southwestern Wyoming and adjacent parts of Colorado and Utah: U.S. Geological Survey Professional Paper 496-A, 86 p.
- Bruce, C.E., 1988, Jurassic Twin Creek Formation—A fractured limestone reservoir in the Overthrust Belt, Wyoming and Utah, in Goolsby, S.M., and Longman, M.W., eds., Occurrence and petrophysical properties of carbonate reservoirs in the Rocky Mountain region: Rocky Mountain Association of Geologists, p. 105–120.
- Cerny, J.H., and Hagen, T.F., 1992a, Road Hollow-Bridger Fork Unit, in Oil and Gas Field Symposium Committee, eds., Wyoming Oil and Gas Fields Symposium, Greater Green River Basin and Overthrust Belt: Wyoming Geological Association, p. 264.
- Cerny, J.H., and Hagen, T.F., 1992b, Road Hollow-

- Collett Creek Unit, in Oil and Gas Field Symposium Committee, eds., Wyoming Oil and Gas Fields Symposium, Greater Green River Basin and Overthrust Belt: Wyoming Geological Association, p. 265.
- Chase, J.D., Stilwell, D.P., and Bentley, R.D., 1992a, Anschutz Ranch East (east lobe), in Oil and Gas Field Symposium Committee, eds., Wyoming Oil and Gas Fields Symposium, Greater Green River Basin and Overthrust Belt: Wyoming Geological Association, p. 20–22.
- Chase, J.D., Stilwell, D.P., and Bentley, R.D., 1992b, Bessie Bottom, in Oil and Gas Field Symposium Committee, eds., Wyoming Oil and Gas Fields Symposium, Greater Green River Basin and Overthrust Belt: Wyoming Geological Association, p. 34–35.
- Clarey, K.E., 2011, Bear River Basin Plan Update, Groundwater Technical Memorandum (Update of 2001 Bear River Basin Plan), Appendix A, Groundwater availability: Wyoming Water Development Commission, variously paged.
- Colorado State University, 2013, Understanding Plant Water Use; Evapotranspiration (ET): available online at: [http://ccc.atmos.colostate.edu/~coagmet/extended\\_etr\\_about.php](http://ccc.atmos.colostate.edu/~coagmet/extended_etr_about.php).
- Cooley, M.E., 1984, Artesian pressures and water quality in Paleozoic aquifers in the Ten Sleep area of the Bighorn Basin, north-central Wyoming: U.S. Geological Water-Resources Investigations/ Open-File Report 84–621, 74 p.
- Cooley, M.E., 1986, Artesian pressures and water quality in Paleozoic aquifers in the Ten Sleep area of the Bighorn Basin, north-central Wyoming: U.S. Geological Survey Water-Supply Paper 2289, 54 p., 5 pl.
- Curtis, J., 2004, Wyoming Climate Atlas: Wyoming Water Development Commission, Cheyenne, Wy. 328p.
- Dana G. F., 1962, Groundwater reconnaissance study of the State of Wyoming, Part 4. Green River basin: Prepared for Wyoming Natural Resource Board, Cheyenne, 355 p.
- Doremus, D.M., 1986, Groundwater circulation and water quality associated with the Madison aquifer in the northeastern Bighorn Basin, Wyoming: Laramie, University of Wyoming, M.S. thesis, 81 p.
- Dover, J.H., 2007, Geologic map of the Logan 30' x 60' quadrangle, Cache and Rich Counties, Utah, and Lincoln and Uinta Counties, Wyoming: Utah Geological Survey, Miscellaneous Publication 06-8DM, scale 1:100,000.
- Dover, J.H., and M'Gonigle, J.W., 1993, Geologic map of the Evanston 30' x 60' quadrangle, Uinta and Sweetwater Counties, Wyoming: U.S. Geological Survey Miscellaneous Investigations Series Map I–2168, map scale 1:100,000, 1 sheet.
- Eddy-Miller, C.A., Bartos, T.T., and Taylor, M.L., 2013, Pesticides in Wyoming groundwater, 2008–10: U.S. Geological Survey Scientific Investigations Report 2013–5064, 45 p.
- Eddy-Miller, C.A., and Norris, J.R., 2000, Pesticides in ground water—Lincoln County, Wyoming, 1998–99: U.S. Geological Survey Fact Sheet FS–033–00, 4 p.
- Eddy-Miller, C.A., and Remley, K.J., 2004, Pesticides in ground water—Uinta County, Wyoming, 2002–03: U.S. Geological Survey Fact Sheet 2004–3093, 4 p.
- Eddy-Miller, C.A., Plafcan, Maria, and Clark, M.L., 1996, Water resources of Lincoln County, Wyoming, with a section on Water-right administration, by R.G. Stockdale, Wyoming State Engineer's Office: U.S. Geological Survey Water-Resources Investigations Report 96–4246, 131 p., 3 pl.
- Eyer, J.A., 1969, Gannett Group of western Wyoming and southeastern Idaho: American Association of Petroleum Geologists Bulletin, v. 53, no. 7, p. 1368–1390.
- Fernandez, Mark, and Andrews, Jeanette, 1979, Whitney Canyon, in Oil and Gas Field Symposium Committee, eds., Wyoming Oil and Gas Fields Symposium, Greater Green River Basin: Wyoming Geological Association, p. 420–421.
- Fetter, C. W., 2001 Applied Hydrogeology, 2001, 4th Edition, Prentice Hall, Upper Saddle River, N.J. 598 p.
- Forsgren Associates, Inc., 1993a, Cokeville Water Supply Level II Study, Final Report: prepared for the Wyoming Water Development Commission and the town of Cokeville, variously paged.
- Forsgren Associates, 1993b, in association with Huntingdon Chen-Northern, Inc., and

- TriHydro Corporation, Cokeville water supply level II study, supplemental reports: report prepared for the Wyoming Water Development Commission and the town of Cokeville, variously paged.
- Forsgren Associates, Inc., 2000, North Uinta County Improvement and Service District water supply master plan level I, final report: prepared for the Wyoming Water Development Commission, variously paged.
- Forsgren and Associates 2001, in association with Anderson Consulting Engineers, Inc., Leonard Rice Engineers, Inc., and BBC Research and Consulting, Bear River Basin water plan, final report and technical memoranda: prepared for the Wyoming Water Development Commission, variously paged.
- Frank, J.R., Cluff, S., and Bauman, J.M., 1982, Painter Reservoir and East Painter Reservoir, and Clear Creek Fields, Uinta County, Wyoming, in Powers, R.B., editor, *Geologic Studies of the Cordilleran Thrust Belt: Rocky Mountain Association of Geologists*, Denver, Colorado, p. 601–611.
- Furer, L.C., 1967, *Sedimentary petrology and regional stratigraphy of the non-marine Upper Jurassic–Lower Cretaceous rocks of western Wyoming and southeastern Idaho*: Madison, University of Wisconsin, unpublished Ph.D. dissertation, 175 p.
- Furer, L.C., 1970, *Petrology and stratigraphy of nonmarine Upper Jurassic–Lower Cretaceous rocks of western Wyoming and southeastern Idaho*: *American Association of Petroleum Geologists Bulletin*, v. 54, no. 12, p. 2282–2302.
- Galloway, D.L. and Burbey, T.J., 2011, Review: Regional land subsidence accompanying groundwater extraction: *Hydrogeol. J.* 19: p 1459–1486.
- Geldon, A.L., 2003, *Hydrologic properties and ground-water flow systems of the Paleozoic rocks in the Upper Colorado River Basin in Arizona, Colorado, New Mexico, Utah, and Wyoming, excluding the San Juan Basin*: U.S. Geological Survey Professional Paper 1411–B, 153 p., 13 plates in separate volume.
- Geological Survey of Wyoming, 1937, *Geologic map of Uinta County, Wyoming*: Compiled from all available data by the Geological Survey of Wyoming in cooperation with the Wyoming State Planning Board, Geological Survey of Wyoming, map scale 1:253,440 (1 inch = 4 miles), 1 sheet (rolled).
- Gibbons, A.B., and Dickey, D.D., 1983, *Quaternary faults in Lincoln and Uinta counties, Wyoming, and Rich County, Utah*: U.S. Geological Survey Open-File Report 83-288 (OFR 83-288), map scale 1:100,000, 1 sheet.
- Gibbons, A.B., 1986a, *Surficial materials map of the Evanston 30' x 60' quadrangle, Uinta and Sweetwater counties, Wyoming*: U.S. Geological Survey Coal Map C-103, map scale 1:100,000, 1 sheet.
- Gibbons, A.B., 1986b, *Surficial materials map of the Kemmerer 30' x 60' quadrangle, Lincoln, Uinta, and Sweetwater counties, Wyoming*: U.S. Geological Survey Coal Map C-102, map scale 1:100,000, 1 sheet.
- Glover, K.C., 1988, *A finite-element model for simulating hydraulic interchange of surface and ground water*: U.S. Geological Survey Water-Resources Investigations Report 86–4319, 90 p.
- Glover, K.C., 1990, *Stream-aquifer system in the Upper Bear River valley, Wyoming*: U.S. Geological Survey Water-Resources Investigations Report 89–4173, 58 p.
- Glover, K.C., Naftz, D.L., and Martin, L.J., 1998, *Geohydrology of Tertiary rocks in the Upper Colorado River Basin in Colorado, Utah, and Wyoming, excluding the San Juan Basin*: U.S. Geological Survey Water-Resources Investigations Report 96-4105, 103 p.
- Hale, L.A., 1960, *Frontier Formation—Coalville, Utah, and nearby areas of Wyoming and Colorado*, in McGookey, D.P., and Miller, D.N., Jr., eds., *Overthrust Belt of southwestern Wyoming and adjacent areas*: Wyoming Geological Association Guidebook, 15th Annual Field Conference, 1960, p. 136–146.
- Hamerlinck, J.D., and Arneson, C.S., eds., 1998, *Wyoming ground water vulnerability assessment handbook: Volumes 1 and 2*, University of Wyoming, Laramie, Spatial Data and Visualization Center Publication SDVC 98-01, variable pagination.
- Hansen, W.R., 1969, *The geologic story of the Uinta*

- Mountains: U.S. Geological Survey Bulletin 1291, second printing 1975, 144 p.
- Harris, R. E., 1996, Industrial Minerals and construction materials of Wyoming: Wyoming State Geological Survey Map Series 47, Laramie, Wy. 1 plate.
- Hausel, W.D., 1989, The geology of Wyoming's precious metal lode and placer deposits: Wyoming State Geological Survey Bulletin 68, 248 p.
- Hausel, W.D., 1993, Precious metal, base metal and gemstone deposits in Wyoming: Wyoming State Geological Survey Reprint 54, 28 p.
- Hausel, W.D. 1997, Copper, lead, zinc, molybdenum, and other associated metal deposits of Wyoming: Wyoming State Geological Survey Bulletin 70, Laramie, Wy., 229 p.
- Hausel, W.D., 2002, Searching for gold in Wyoming, Wyoming State Geological Survey Information Pamphlet 9, Laramie, Wy. 16 p.
- Hausel, W. D. and Sutherland, W. M., 2000, Gemstones and other unique rocks and minerals of Wyoming: Wyoming State Geological Survey Bulletin 71, 268 p.
- Healy, R. W. and Scanlon, B. R., 2010, Estimating groundwater recharge: Cambridge University Press, 245 p.
- Heath, R.C., 1983 (revised 2004), Basic groundwater hydrology: U.S. Geological Survey Water-Supply Paper 2220, 86 p.
- Helsel, D.R., and Cohn, T.A., 1988, Estimation of descriptive statistics for multiply censored water quality data: Water Resources Research, v. 24, no. 12, p. 1997–2004.
- Helsel, D.R., and Hirsch, R.M., 1992, Statistical methods in water resources: Amsterdam, Elsevier, 529 p.; and as Techniques of Water-Resource Investigations of the United States Geological Survey, book 4, A3, 510 p.
- Hem, J.D., 1985, Study and interpretation of the chemical characteristics of natural water (3d. ed.): U.S. Geological Survey Water-Supply Paper 2254, 263 p.
- Henderson, Jade, Water Division IV Superintendent, Wyoming State Engineer's Office, Cokeville, WY, 2011. personal communication.
- High Plains Regional Climate Center. "CLIMOD." <http://climod.unl.edu>
- Hoffman, M.E., and Balcells-Baldwin, R.N., 1982, Gas giant of the Wyoming Thrust Belt—Whitney Canyon-Carter Creek Field, in Powers, R.B., ed., Geologic studies of the Cordilleran thrust belt: Rocky Mountain Association of Geologists, p. 613–618.
- Holm, M.R., 1992, Chicken Creek, in Oil and Gas Field Symposium Committee, eds., Wyoming Oil and Gas Fields Symposium, Greater Green River Basin and Overthrust Belt: Wyoming Geological Association, p. 96–97.
- Huntoon, P. W., 1983a, Fault severed aquifers along the perimeters of Wyoming artesian basins: Ground Water, v. 23, no. 2, p. 176-181.
- Hurst, D.J., 1984, Depositional environment and tectonic significance of the Tunp Member of the Wasatch Formation, southwest Wyoming: Laramie, University of Wyoming, M.S. thesis, 115 p.
- Hurst, D.J., and Steidtmann, J.R., 1986, Stratigraphy and tectonic significance of the Tunp Conglomerate in the Fossil Basin, Southwest Wyoming: Mountain Geologist, v. 23, no. 1, p. 6–13.
- Idaho Department of Water Resources, 2012, <http://www.idwr.idaho.gov/>
- Imlay, R.W., 1952, Marine origin of Preuss Sandstone of Idaho, Wyoming, and Utah: American Association of Petroleum Geologists Bulletin, v. 36, no. 9, p. 1735–1753.
- Imlay, R.W., 1967, Twin Creek Limestone (Jurassic) in the Western Interior of the United States: U.S. Geological Survey Professional Paper 540, 16 plates, 105 p.
- Jarvis, W.T., 1986, Regional hydrogeology of the Paleozoic aquifer system, southeastern Bighorn Basin, Wyoming, with an impact analysis on Hot Springs State Park, Part I: Laramie, University of Wyoming, M.S. thesis, variously paged.
- Jenkins, C.T., 1968a, Computation of rate and volume of stream depletion by wells: U.S. Geological Survey Techniques of Water-Resources Investigations, book 4, chapter D1, 17 p.
- Jenkins, C.T., 1968b, Electric analog and digital computer model analysis of stream depletion by wells: Ground Water, v. 6, no. 6, p. 27–34.
- Johnson-Fermelia Company, Inc., 1991, Phase 1

- report, Cokeville water supply study project level I: prepared for the Wyoming Water Development Commission, variously paged.
- Jones, E.V., Jr., 1979, Painter Reservoir, in Oil and Gas Field Symposium Committee, eds., Wyoming Oil and Gas Fields Symposium, Greater Green River Basin: Wyoming Geological Association, p. 272–273.
- Jones, N. R., R. W. Jones and Lucke, D. W., 2011, Coal map of Wyoming: Wyoming State Geological Survey Map Series 93, Laramie, Wy. 1 plate.
- Konikow, L.F., 2013, Groundwater depletion in the United States (1900–2008): U.S. Geological Survey Scientific Investigations Report 2013–5079, 63 p., <http://pubs.usgs.gov/sir/2013/5079>.
- Kummel, Bernhard, 1954, Triassic stratigraphy of southeastern Idaho and adjacent areas: U.S. Geological Survey Professional Paper 254–H, A Shorter Contribution to General Geology, p. 165–189.
- Lamb, C.F., 1980, Painter Reservoir Field—Giant in Wyoming thrust belt: American Association of Petroleum Geologists Bulletin, v. 64, p. 638–644.
- Lee, C. H., 1915, The determination of safe yield of underground reservoirs of the closed basin type: Transactions, American Society of Civil Engineers, v. 78, p. 148–251.
- Lindner-Lunsford, J.B., Kimball, B.A., Chafin, D.T., and Bryant, C.G., 1989, Hydrogeology of aquifers of Paleozoic age, Upper Colorado River Basin, excluding the San Juan Basin, in Colorado, Utah, Wyoming, and Arizona: U.S. Geological Survey Hydrologic Investigations Atlas HA–702, 2 sheets, scale 1:2,500,000 and 1:5,000,000.
- Lines, G.C., and Glass, W.R., 1975, Water resources of the thrust belt of western Wyoming: U.S. Geological Survey Hydrologic Investigations Atlas HA–539, 3 sheets.
- Lohman, S. W., Bennett, R. R., Brown, R. H., Cooper, Jr., H. H., Drescher, W. J., Ferris, J. G., Johnson, A. I., McGuinness, C. L., Piper, A. M., Rorabaugh, M. I., Stallman, R. W., and Theis, C. V., 1972, Definitions of selected ground-water terms - revisions and conceptual refinements, U.S. Geological Survey, Water Supply Paper 1988, 21 p.
- Love, J.D., and Christiansen, A.C. (compilers), 1985, Geologic map of Wyoming: U.S. Geological Survey, map scale 1:500,000, 3 sheets.
- Love, J.D., Christiansen, A.C., and Ver Ploeg, A.J. (compilers), 1993, Stratigraphic chart showing Phanerozoic nomenclature for the State of Wyoming: Laramie, Geological Survey of Wyoming Map Series MS–41, 1 sheet.
- Lowham, H.W., Peterson, D.A., Larson, L.R., Zimmerman, E.A., Ringen, B.H., and Mora, K.L., 1985, Hydrology of Area 52, Rocky Mountain Coal Province, Wyoming, Colorado, Idaho, and Utah: U.S. Geological Survey Water-Resources Investigations/Open-File Report 83-761, Cheyenne, Wyoming, October 1985, 96 p.
- Lowry, S., Wyoming State Engineer's Office. 1992. Wyoming's Bear River Basin Base Mapping Project & Estimated Increased Depletions, January 1, 1976 through January 1, 1990. Submitted to the Bear River Commission.
- Lynds, R. 2013, Wyoming's Oil and Gas Resources Summary Report: Wyoming State Geological Survey, Laramie, Wy. 4 p.
- Maimone, M., 2004, Defining and managing sustainable yield; Ground Water 42, no. 6: p. 809–814.
- Mallory, W.W., 1967, Pennsylvanian and associated rocks in Wyoming: U.S. Geological Survey Professional Paper 554–G, 31 p.
- Mandel, S., and Shiftan, Z. L., 1981, Ground-water resources— Investigation and development: Academic Press, New York, 269 p.
- Martin, L.J., 1996, Geohydrology of Tertiary rocks in the Green River Structural Basin in Wyoming, Utah, and Colorado: U.S. Geological Survey Water-Resources Investigations Report 92–4164, 43 p.
- McGarry, D.E., and Hunt, J.D., 1992a, Carter Creek, in Oil and Gas Field Symposium Committee, eds., Wyoming Oil and Gas Fields Symposium, Greater Green River Basin and Overthrust Belt: Wyoming Geological Association, p. 82–87.
- McGarry, D.E., and Hunt, J.D., 1992b, Whitney Canyon, in Oil and Gas Field Symposium Committee, eds., Wyoming Oil and Gas

- Fields Symposium, Greater Green River Basin and Overthrust Belt: Wyoming Geological Association, p. 348–352.
- McGuire, V.L., 2013, Water-level and storage changes in the High Plains aquifer, predevelopment to 2011 and 2009–11: U.S. Geological Survey Scientific Investigations Report 2012–5291, 15 p. (Also available at <http://pubs.usgs.gov/sir/2012/5291/>.)
- Meinzer, O. E., 1923, The occurrence of ground water in the United States, with a discussion of principles, Water Supply Paper 489, 321 p.
- M'Gonigle, J.W., and Dover, J.H., 1992, Geologic map of the Kemmerer 30' x 60' quadrangle, Lincoln, Uinta, and Sweetwater Counties, Wyoming: U.S. Geological Survey Miscellaneous Investigations Series Map I–2079, map scale 1:100,000, 1 sheet.
- Moklestad, T.C., 1979, Yellow Creek, in Oil and Gas Field Symposium Committee, eds., Wyoming Oil and Gas Fields Symposium, Greater Green River Basin: Wyoming Geological Association, p. 426–427.
- MSM Consultants, and Willard Owens Associates, Inc., 1982, Town of Kemmerer, Wyoming groundwater availability study vicinity of Kemmerer, Wyoming: prepared for the Wyoming Water Development Commission, 122 p., 3 pl.
- MWH Americas, Inc., 2010, in association with Short Elliott Hendrickson, Inc., and Harvey Economics, Wind-Bighorn Basin Plan Update, Report: prepared for the Wyoming Water Development Commission, variously paged.
- Naftz, D.L., 1996, Geochemistry of selected aquifers in Tertiary rocks of the Upper Colorado River Basin in Wyoming, Colorado, and Utah: U.S. Geological Survey Water-Resources Investigations Report 95–4065, 45 p.
- Nelson, M.E., 1973, Age and stratigraphic relations of the Fowkes Formation (Eocene) of southwestern Wyoming and northeastern Utah: Contributions to Geology, University of Wyoming, v. 12, no. 1, p. 27–31.
- Ogle, K.M., Eddy-Miller, C.A., and Busing, C.J., 1996, Estimated use of water in Lincoln County, Wyoming, 1993: U.S. Geological Survey Water-Resources Investigations Report 96–4162, 13 p.
- Oriel, S.S., 1969, Geology of the Fort Hill quadrangle, Lincoln County, Wyoming: U.S. Geological Survey Professional Paper 594–M, 40 p.
- Oriel, S.S., and Platt, L.B., 1980, Geologic map of the Preston 10 x 20 quadrangle, Wyoming: U.S. Geological Survey Miscellaneous Investigations Map I–1127, map scale 1:250,000, 1 sheet.
- Oriel, S.S., and Tracey, J.I., Jr., 1970, Uppermost Cretaceous and Tertiary stratigraphy of Fossil Basin, southwestern Wyoming: U.S. Geological Survey Professional Paper 635, 53 p.
- Piper, A.M., 1944, A graphic procedure in the geochemical interpretation of water analyses: American Geophysical Union Transactions, v. 25, p. 914–923.
- Pipiringos, G.N., and Imlay, R.W., 1979, Lithology and subdivisions of the Jurassic Stump Formation in southeastern Idaho and adjoining areas: U.S. Geological Survey Professional Paper 1035–C, Unconformities, correlation, and nomenclature of some Triassic and Jurassic rocks, Western Interior United States, 25 p.
- Poland, J. F., Lofgren, B. E., Riley, Francis S., 1972, Glossary of selected terms useful in studies of the mechanics of aquifer systems and land subsidence due to fluid withdrawal, USGS Water Supply Paper 2025, 9 p.
- Powers, R.B., 1992, Glasscock Hollow, in Oil and Gas Field Symposium Committee, eds., Wyoming Oil and Gas Fields Symposium, Greater Green River Basin and Overthrust Belt: Wyoming Geological Association, p. 156–157.
- PRISM Climate Group, 2013 @ <http://prism.oregonstate.edu/>
- Richter, H.R., Jr., 1981, Occurrence and characteristics of ground water in the Wind River Basin, Wyoming: Laramie, University of Wyoming Water Resources Research Institute, volume IV of a series of reports prepared for the U.S. Environmental Protection Agency, variously paged.
- RJH Consultants, Inc., 2010, Sublette Creek Reservoir, Mau/Covey Canal Rehabilitation Level II Project, Volume I and II. Wyoming Water Development Commission, Cheyenne, WY.
- Robinove, C.J., and Berry, D.W., 1963, Availability of ground water in the Bear River valley,

- Wyoming, with a section on Chemical quality of the water, by J.G. Connor: U.S. Geological Survey Water-Supply Paper 1539-V, 44 p., 2 pl.
- Robinove, C.J., and Cummings, T.R., 1963, Ground-water resources and geology of the Lyman – Mountain View area, Uinta County, Wyoming: U.S. Geological Survey Water-Supply Paper 1669-E, 1 plate, 43 p.
- Royse, F., Jr., 1993, An overview of the geologic structure of the thrust belt in Wyoming, northern Utah, and eastern Idaho: in Snoke, A.W., Steidtmann, J.R., and Roberts, S.M., editors, *Geology of Wyoming: Geological Survey of Wyoming Memoir No. 5*, p. 272-311.
- Rubey, W.W., 1973a, Geologic map of the Afton quadrangle and part of the Big Piney quadrangle, Lincoln and Sublette counties, Wyoming: U.S. Geological Survey Miscellaneous Geologic Investigations Map I-686, map scale 1:62,500, 2 sheets.
- Rubey, W.W., 1973b, New Cretaceous formations in the western Wyoming thrust belt: U.S. Geological Survey Bulletin 1372-I, p. I1-I135
- Rubey, W.W., Oriel, S.S., and Tracey, J.I., Jr., 1961, Age of the Evanston Formation, western Wyoming: U.S. Geological Survey Professional Paper 424-B, Geological Survey Research 1961: Short Papers in the Geologic and Hydrologic Sciences, Article 64, p. B153-B154.
- Rubey, W.W., Oriel, S.S., and Tracey, J.I., Jr., 1976, Geologic map of the Cokeville 30-minute quadrangle, Lincoln and Sublette counties, Wyoming: U.S. Geological Survey Open-File Report 76-597 (OFR 76-597), map scale 1:62,500, 1 sheet.
- Rubey, W.W., Oriel, S.S., and Tracey, J.I., Jr., 1980, Geologic map and structure sections of the Cokeville 30-minute quadrangle, Lincoln and Sublette Counties, Wyoming: U.S. Geological Survey Miscellaneous Investigations Series Map I-1129, map scale 1:62,500, 2 sheets.
- Salat, T.S., 1989, Provenance, dispersal, and tectonic significance of the Evanston Formation and Sublette Range Conglomerate, Idaho-Wyoming-Utah thrust belt: Laramie, University of Wyoming, M.S. thesis, 100 p.
- Salat, T.S., and Steidtmann, J.R., 1991, Provenance, dispersal, and tectonic significance of the Evanston Formation and Sublette Range Conglomerate, Idaho-Wyoming-Utah thrust belt: *Mountain Geologist*, v. 28, no. 1, p. 25-36.
- Sanford, W. E., and Selnick, D.L., 2013, Estimation of evapotranspiration across the conterminous United States using a regression with climate and land-cover data: *Journal of the American Water Resources Association*, vol. 49, no. 1, p. 217-230.
- Schowalter, T.T., 1979, Stove Creek, in *Oil and Gas Field Symposium Committee, eds., Wyoming Oil and Gas Fields Symposium, Greater Green River Basin: Wyoming Geological Association*, p. 370-371.
- Schroeder, M.L., 1969, Geologic map of the Teton Pass quadrangle, Teton County, Wyoming: U.S. Geological Survey Geologic Quadrangle Map GQ-793, map scale 1:24,000, 1 sheet.
- SEO/State Engineer's Office, 2013, @ <https://sites.google.com/a/wyo.gov/seo/home>
- Sercombe, W.J., 1989, Performance of lower-porosity Nugget reservoirs, Anschutz Ranch East, Bessie Bottom, and North Pineview Fields, Utah and Wyoming, in Coalson, E.B., and Kaplan, S.S., eds., *Petrogenesis and petrophysics of selected sandstone reservoirs of the Rocky Mountain region: Rocky Mountain Association of Geologists*, p. 109-116.
- Sharp, J.M. Jr., 2007. A glossary of hydrogeological terms: Department of Geological Sciences, University of Texas, Austin, Texas, 63 p.
- Sieverding, J.L., and Royse, Frank, Jr., 1990, Whitney Canyon-Carter Creek Field, U.S.A., western Wyoming thrust belt, in Foster, N.H., and Beaumont, E.A., compilers, *Structural traps III—Tectonic fold and fault traps: American Association of Petroleum Geologists Treatise Atlas*, p. 1-29.
- Smith, M.E., and Maderak, M.L., 1993, Geomorphic and hydraulic assessment of the Bear River in and near Evanston, Wyoming: U.S. Geological Survey Water-Resources Investigations Report 93-4032, 61 p.
- Sophocleous, M.A., 1998. On the elusive concept of safe yield and the response of interconnected stream-aquifer systems to development. In: Sophocleous, M.A. (ed.). *Perspectives on*



- Sustainable Development of Water Resources in Kansas. Kansas Geological Survey, Bulletin 239, p. 6-85.
- Sophocleous, M.A., 2005, Groundwater recharge and sustainability in the High Plains aquifer in Kansas, USA, *Hydrogeology Journal* v. 13, no. 2, p. 351–365.
- Spencer, S.A., 1986, Groundwater movement in the Paleozoic rocks and impact of petroleum production on water levels in the southwestern Bighorn Basin, Wyoming, Part I: Laramie, University of Wyoming, M.S. thesis, variously paged.
- States West Water Resources Corp., 2001, in association with Water Right Services, LLC, 2001 Bear River Basin Water Plan Technical Memorandum Appendix E – Irrigated Lands GIS Data: prepared for the Wyoming Water Development Commission, 8 pp.
- Stilwell, D.P., and Chase, J.D., 1992, Session Mountain, in *Oil and Gas Field Symposium Committee, eds., Wyoming Oil and Gas Fields Symposium, Greater Green River Basin and Overthrust Belt: Wyoming Geological Association*, p. 272–274.
- Stoeser, D.B., Green, G.N., Morath, L.C., Heran, W.D., Wilson, A.B., Moore, D.W., and Van Gosen, B.S., 2005, Preliminary integrated geologic map databases for the United States : Central states: Montana, Wyoming, Colorado, New Mexico, Kansas, Oklahoma, Texas, Missouri, Arkansas, and Louisiana: U.S. Geological Survey Open-File Report 2005–1351.
- Sunrise Engineering, 1997, Evanston water system master plan level II study: prepared for the Wyoming Water Development Commission, variously paged.
- Sunrise Engineering, 2005, in association with Fassett Consulting, LLC., Evanston/Bear River regional pipeline level II study: prepared for the Wyoming Water Development Commission, variously paged.
- Taucher, P., Bartos, T.T., Quillinan, S.A., Hallberg, L.L., Clark, M.A., Thompson, M., Gribb, N., Worman, B., and Gracias, T., 2012, Wind/Bighorn River basin water plan update, groundwater study level I (2008 – 2011), available groundwater determination, technical memorandum: prepared by the Wyoming State Geological Survey, United States Geological Survey, Water Resources Data System in cooperation with the Wyoming State Engineer's Office and the Wyoming Oil and Gas Conservation Commission, prepared for the Wyoming Water Development Commission, variously paged.
- Taucher, P., Bartos, T.T., Taboga, K.G., Hallberg, L.L., Clark, M.L., Stafford, J., Gracias, T., Hinchley, B., Worman, B., Clarey, K., Lindemann, L., Quillinan, S.A., Copeland, D., Hays, R., and Thompson, M., 2013, Available Groundwater Determination Technical Memorandum, WWDC Platte River Basin Water Plan Update, Level I (2009-2013), Wyoming State Geological Survey, Laramie, Wyoming. 481 p.
- Taylor, O.J., Hood, J.W., and Zimmerman, E.A., 1986, Hydrogeologic framework of the Upper Colorado River Basin—excluding the San Juan Basin—Colorado, Utah, Wyoming, and Arizona: U.S. Geological Survey Hydrologic Investigations Atlas HA-687, 2 sheets, scale 1:3,000,000.
- Theis, C.V., 1940, The source of water derived from wells: Essential factors controlling the response of an aquifer to development, *Civil Engineer* 10, p. 277 – 280.
- Tillman, L.E., 1989, Sedimentary facies and reservoir characteristics of the Nugget Sandstone (Jurassic), Painter Reservoir Field, Uinta County, Wyoming, in *Coalson, E.B., and Kaplan, S.S., eds., Petrogenesis and petrophysics of selected sandstone reservoirs of the Rocky Mountain region: Rocky Mountain Association of Geologists*, p. 97–108, and plates, p. 316–317.
- TriHydro Corporation, 1992, Phase I report: Level II feasibility study, ground-water alternatives investigation, Cokeville, Wyoming: Consultant's report prepared for the WWDC, Cheyenne, Wyoming, and Forsgren Associates, Evanston, Wyoming; prepared for WWDC, various pagination.
- TriHydro Corporation, 1993, Phase II report, Well construction and testing program, level II feasibility study, Cokeville, Wyoming, in *Forsgren Associates, 1993, in association with Huntingdon Chen-Northern, Inc., and*

- TriHydro Corporation, Cokeville water supply level II study, supplemental reports: report prepared for the Wyoming Water Development Commission and the Town of Cokeville, variously paged.
- TriHydro Corporation, 1995, Level III construction and testing report, Cokeville No. 2 and Cokeville No. 3 municipal water supply wells, Cokeville, Wyoming (draft): prepared for the WWDC and the Town of Cokeville, various pagination.
- TriHydro Corporation, 2000, Hydrogeologic report—North Uinta County Improvement and Service District Water Supply Master Plan, Uinta County, Wyoming: report prepared for the North Uinta County Improvement and Service District, Wyoming Water Development Commission, and Forsgren Associates, Inc., variously paged.
- TriHydro Corporation, 2002, Delineation report for Cokeville wellhead protection plan, Town of Cokeville, Wyoming: report prepared for the Town of Cokeville, Wyoming, and Forsgren Associates, Inc., Evanston, Wyoming, variously paged.
- TriHydro Corporation, 2003, in association with Forsgren Associates, North Uinta water supply project level II feasibility study, Bear River, Wyoming, final report: prepared for the Wyoming Water Development Commission and the North Uinta County Improvement and Service District, variously paged.
- U.S. Census Bureau, 2010, <http://www.census.gov/#>
- U.S. Environmental Protection Agency, 1999, 40 CFR Parts 141 and 142, National Primary Drinking Water Regulations, Radon-222, Proposed Rule: Washington, D.C., Federal Register, v. 64, no. 211, p. 59245–59378.
- U.S. Environmental Protection Agency, 2012, 2012 Edition of the drinking water standards and health advisories: Washington, D.C., U.S. Environmental Protection Agency, Office of Water, EPA 822-S-12-001.
- U.S. Fish and Wildlife Service, 2013, <http://www.fws.gov/>
- U.S. Geological Survey, 2010, Produced Waters Database: U.S. Geological Survey database, accessed November 22, 2010 at <http://energy.cr.usgs.gov/prov/prodwat/>
- U.S. Geological Survey, 2012, National Water Information System (NWISWeb): U.S. Geological Survey database, accessed May 11, 2011 at <http://waterdata.usgs.gov/wy/nwis/qw/>
- U.S. Geological Survey, 2011, Wyoming groundwater-quality monitoring network, U. S. Geological Survey fact sheet 2011- 3041, 4 p.
- University of Wyoming Enhanced Oil Recovery Institute, 2011, produced water database [Microsoft Excel spreadsheet], accessed November 16, 2011 at [http://www.uwyo.edu/eri/areas-of-focus/data\\_generation.html](http://www.uwyo.edu/eri/areas-of-focus/data_generation.html).
- Utah Department of Natural Resources. 2010 Forestry, Fire, and State lands, Utah State University and Utah Water Research Laboratory. “Great Salt Lake Information System.” <http://greatsaltlake.utah.edu>
- Utah Division of Water Rights, 2012, <http://www.waterrights.utah.gov/>
- Utah Water Research Laboratory, Utah State University. 2011 “Bear River Watershed Description.” <http://bearriverinfo.org>
- Veatch, A.C., 1906, Coal and oil in southern Uinta County, Wyoming: U.S. Geological Survey Bulletin 285-F, p. 331-353.
- Veatch, A.C., 1907, Geography and geology of a portion of southwestern Wyoming: U.S. Geological Survey Professional Paper 56, 26 plates, 178 p.
- Water Resources Data System, University of Wyoming. “Water and Climate Data for the State of Wyoming.” <http://www.wrds.uwyo.edu>
- Welder, G.E., 1968, Ground-water reconnaissance of the Green River Basin, southwestern Wyoming: U.S. Geological Survey Hydrologic Investigations Atlas HA-290, 2 sheets; accompanying text, 5 p.
- Welder, G.E., and McGreevy, L.J., 1966, Ground-water reconnaissance of the Great Divide and Washakie Basins and some adjacent areas, southwestern Wyoming: U.S. Geological Survey Hydrologic Investigations Atlas HA-219, 3 sheets; accompanying text, 10 p.
- Western Regional Climate Center. “Historical Climate Information.” <http://www.wrcc.dri.edu>
- Weston Engineering, Inc., 2008, Douglas ground water level II study, final report: prepared for the

- Wyoming Water Development Commission, variously paged.
- White, R.R., Alcock, T.J., and Nelson, R.A., 1990, Anschutz Ranch East Field, U.S.A., Utah-Wyoming thrust belt, in Foster, N.H., and Beaumont, E.A., compilers, Structural traps III—Tectonic fold and fault traps: American Association of Petroleum Geologists Treatise Atlas, p. 31–55.
- Whitehead, R.H., 1996 Ground water atlas of the United States, Segment 8, Montana, North Dakota, South Dakota, Wyoming: U.S. Geologic Survey Hydrologic Investigations Atlas HA-730-I, 24 p.
- WWC Engineering, Inc., 2007, in association with Hinckley Consulting, Collins Planning Associates, Greenwood Mapping, Inc., and States West Water Resources Corporation, Wyoming framework water plan: prepared for the Wyoming Water Development Commission, Cheyenne, Wyo., v. 1 and 2, variously paged.
- WyGIS, (Wyoming Geographic Information Science Center), 2013, <http://www.uwyo.edu/wygisc/>
- Wyoming Department of Environmental Quality, 1993 (revised 2005) Quality standards for Wyoming groundwaters: Cheyenne, Wyoming Department of Environmental Quality, Chapter VIII, 87 p.
- Wyoming Economic Analysis Division, 2008, Populations for Wyoming, Counties, Cities, and Towns: 2000 to 2030: <http://eadiv.state.wy.us/>
- Wyoming Oil and Gas Conservation Commission, 2013, <http://wogcc.state.wy.us/>
- Wyoming State Geological Survey, 2005, Coalbed Natural Gas Conference: I – Research, Monitoring, and Applications: edited by J. R. Stine, Wyoming State Geological Survey Public Information Circular No. 43, 68 p.
- Wyoming State Geological Survey (WSGS), 2012, <http://www.wsgs.uwyo.edu/> Maps and plates compiled by WSGS (Appendix C).
- Wyoming State Engineer's Office, 2012, <https://sites.google.com/a/wyo.gov/seo/>
- Wyoming State Statutes, 2013, <http://www.lexisnexis.com/hottopics/wystatutes/>
- Wyoming Water Development Commission, 2009, Water System Survey Report: Cheyenne, Wyoming. Prepared in Association with the University of Wyoming, Water Resources Data System, Laramie, Wyoming, variously paged.
- Wyoming Water Development Office/Commission, 2012, in association with the State Engineer's Office and U.W. Water Resources Data System, 2011 Bear River Basin plan update, final report, technical memoranda, GIS products and hydrologic models: variously paged.
- Wyoming. Water Planning Program, 1973, Wyoming's groundwater supplies: Cheyenne, Wyoming State Engineer's Office, Wyoming Water Planning Program Report, variously paged.

